








SCALE 1:1

KEYING OPTION "B"
1438082-2 $\triangle_3$




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

1. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PARTS SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED FOR ANY OTHER PURPOSE. IT IS TO BE KEPT IN THE OFFICE OF THE DESIGN ENGINEER OR THE PURCHASING AGENT. IT IS TO BE DESTROYED WHEN THE PARTS ARE NO LONGER REQUIRED.		DWN 01AUG2003		 Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: P LNC ±.01 2 P LNC ±.02 3 P LNC ±.03 4 P LNC ±.04 ANGLES ±.5°		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		PRODUCT SPEC APPLICATION SPEC		SIZE CAGE CODE DRAWING NO. A 00779 C=1438082	
MATERIAL SEE TABLE		FINISH SEE TABLE		RESTRICTED TO WEIGHT CUSTOMER DRAWING	
				SCALE 4:1 SHEET 1 OF 5 REV. 1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
	44								35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37				29					20	18			15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45		43							38		36					25	24					18	17	16		14	12			7	6		2	1	5-1438735-0	2LIT-14A464-SD-082																
45		43							38		36					25	24							16		14	12			7	6		2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43							38		36		32	31			25	24		21	19	18	17	16		14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080																
45		43							39	38	37	36			31			25	24				18	17	16		14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079														
				42															20	18				13	11	10								2	1	3-1438735-8	2LIT-14A464-SD-078															
				42															20	18				13	11	10									1	3-1438735-7	2LIT-14A464-SD-077															
45		43							39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076														
45		43											31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075															
			43	42		40	39		37				29						20	18			15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074														
45		43							39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073														
45		43											31				25	24		21	20	19	18	17	16		14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072														
45		43							39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071													
45		43											31				25	24		21	20	19			16		14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070														
45		43							39	38	37	36			31			25	24		21	20	19			16		14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069													
45		43											31				25	24			20	19	18	17		14	12								2	1	2-1438735-6	2LIT-14A464-SD-068														
											33															13											2-1438735-5	2LIT-14A464-SD-067														
45	44	43	42		40				38	37	36		33	31				24	22	21	20		18	17	16	15			9	8					2	2-1438735-4	2LIT-14A464-SD-066															
			43										31		29							18							8						2	2-1438735-1	2LIT-14A464-SD-065															
45		43											31				25	24		21					16		14	12			7	6			2	1	2-1438735-0	2LIT-14A464-SD-064														
45		43							39	38	37	36	35			31		25	24					18	17	16		14	13	12		9	7	6		2	1	1-1438735-9	2LIT-14A464-SD-063													
45		43											32	31			25	24		21	19	18	17	16		14	12			7	6				1	1-1438735-8	2LIT-14A464-SD-062															
45		43											31				25	24							16		14	12			7	6			2	1	1-1438735-7	2LIT-14A464-SD-061														
45		43											31				25	24		21	19			16		14	12			7	6			2	1	1-1438735-6	2LIT-14A464-SD-060															
45		43											31				25	24					18	17	16		14	12			7	6			2	1	1-1438735-5	2LIT-14A464-SD-059														
45		43							39	38	37	36	35			31		25	24		21	19	18	17	16		14	13	12		9	7	6		2	1	1-1438735-4	2LIT-14A464-SD-058														
45		43											31				25	24		21	19	18	17	16		14	12			7	6			2	1	1-1438735-3	2LIT-14A464-SD-057															
				42															20	18			15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056														
45		43											31					24		21	19			16		14	12				7	6			1	1-1438735-1	2LIT-14A464-SD-055															
											35						27																		3		1-1438735-0	2LIT-14A464-SD-054														
			43										31		29							18							9	8					2		1438735-9	2LIT-14A464-SD-053														
											35						27													7							1438735-8	2LIT-14A464-SD-052														
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.		CHK D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC	
				APPLICATION SPEC	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		9 PLC ±.3		A 00779 C=1438082	
		1 PLC ±0.10			
		5 PLC ±			
		4 PLC ±			
MATERIAL -		FINISH -		WEIGHT -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 3 OF 5 REV 1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

45	44	43	42	41		38										27											7	5				7-1438735-7	2LIT-14A464-TD-086												
	44		42			38										27											7	5				7-1438735-6	2LIT-14A464-TD-085												
45	44	43	42	41		38																				7	5	4				7-1438735-5	2LIT-14A464-TD-084												
	44		42			38																				7	5	4				7-1438735-4	2LIT-14A464-TD-083												
	44	43	42	41		38																				7	5	4				7-1438735-3	2LIT-14A464-TD-082												
	44		42			38										27						22				7	5	4				7-1438735-2	2LIT-14A464-TD-081												
	44		42			38																				7	5	4				7-1438735-1	2LIT-14A464-TD-080												
			43	42													26										7	6		4	3		7-1438735-0	2LIT-14A464-TD-079											
																	26										7	6			3		6-1438735-9	2LIT-14A464-TD-078											
	44	43	42														26								19		7	6		4			6-1438735-8	2LIT-14A464-TD-077											
45	44	43	42	41		38																				7	5						6-1438735-6	2LIT-14A464-TD-076											
	44		42			38																				7	5						6-1438735-5	2LIT-14A464-TD-075											
	44	43	42	41		38																				7	5						6-1438735-4	2LIT-14A464-TD-074											
	44					38										27						22		19		8	6						6-1438735-0	2LIT-14A464-TD-073											
	44					38										27						22		19		8	7	6					5-1438735-9	2LIT-14A464-TD-072											
	44																26						22		19			6					5-1438735-8	2LIT-14A464-TD-071											
	44																26						22		19		7	6					5-1438735-7	2LIT-14A464-TD-070											
	44					38										27	26						22		19			6					5-1438735-6	2LIT-14A464-TD-069											
	44					38										27	26						22		19		7	6						5-1438735-5	2LIT-14A464-TD-068										
	44																26									7	6							5-1438735-4	2LIT-14A464-TD-067										
	44																26										6							5-1438735-3	2LIT-14A464-TD-066										
		43	42														26										7	6		4				5-1438735-2	2LIT-14A464-TD-065										
																	26										7	6						5-1438735-1	2LIT-14A464-TD-064										
		44	42			38										27							22				7	5						4-1438735-6	2LIT-14A464-TD-063										
	44		42			38																					7	5						4-1438735-5	2LIT-14A464-TD-062										
	44		42			38										27	26						22		19		8	6						4-1438735-4	2LIT-14A464-TD-061										
	44		42			38										27	26						22		19		8	7	6					4-1438735-3	2LIT-14A464-TD-060										
	44																26										8	7	6					4-1438735-2	2LIT-14A464-TD-059										
	44																26										8	6						4-1438735-1	2LIT-14A464-TD-058										
			43	42													26											8	7	6	5				4-1438735-0	2LIT-14A464-TD-057									
																	26											8	7	6					3-1438735-9	2LIT-14A464-TD-056									
46	45	44	43									34	33	32	31		27	25						20		16	14	13	12	10	9	8	7	6		1	3-1438735-4	2LIT-14A464-TD-055							
46	45		43									34	33	32	31		27	25						20		16	14	13	12	10	9	8	7	6		1	2-1438735-7	2LIT-14A464-TD-054							
46	45	44	43	42	40							35	34	33	32	31		28					24		21		19									2-1438735-3	2LIT-14A464-TD-053								
	45	44	43	42	40								33	32	31		28								21		19									2-1438735-2	2LIT-14A464-TD-052								
		44		42			38										27	26							22				7	5						1438735-7	2LIT-14A464-TD-051								
					40	39	38					35	34										24		21		18			13	12			9	8	7	5		1438735-6	2LIT-14A464-TD-050					
		44		42			38										27	26							22											5		1438735-5	2LIT-14A464-TD-049						
		44		42			38											26							22											5		1438735-4	2LIT-14A464-TD-048						
		44		42			38												26										7	5							1438735-3	2LIT-14A464-TD-047							
		44		42			38													26																5		1438735-2	2LIT-14A464-TD-046						
		44					38										29	28											7							3		1438735-1	2LIT-14A464-TD-045						
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
TERMINAL HOLE POSITION																														PART NUMBER		FORD PART NUMBER													
PIN-OUT CHART KEYING OPTION "B"																																													

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITION.		DWN A. HOLT 22OCT2007		Tyco Electronics Harrisburg, PA 17105-3608	
CHK S. MANKARYOS 22OCT2007		NAME S. MANKARYOS 22OCT2007		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD S. MANKARYOS		PRODUCT SPEC		RESTRICTED TO	
APPLICATION SPEC		WEIGHT -		SIZE A	
MATERIAL SEE TABLE		FINISH SEE TABLE		CAGE CODE 00779	
CUSTOMER DRAWING		SCALE 4:1		SHEET 5 OF 5	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9