RADIALL® COAXIAL department

TECHNICAL DATA

R 280 280 000

Issue : 8811

Page 01/02

SERIES: MCX

FEEDTHROUGH FOR P.C.B CRIMPING TYPE CABLE 2/50



MOUNTING HOLE



(---) DIMENSIONS IN MM

WEIGTH 0 oz (..... g)

Cable : RG 178/U , RG 196/U

CHARACTERISTICS

NOMINAL IMPEDANCE	50	Ω
FREQUENCY RANGE	0-3	GHz
TEMPERATURE RATING	-55 a +155	°C
VSWR	NA	Max
RF INSERTION LOSS	NA	dB Max
VOLTAGE RATING	750	Vrms
DIELECTRIC WITHSTANDING VOLTAGE	2000	Vrms
INSULATION RESISTANCE	NA	MΩ
HERMETIC SEAL	NA	cc/s cm3/s
LEAKAGE (pressurized only)	0 NA	psi kg/cm2
-	-	
-	-	

STANDARDISATION	-	
	-	
	-	
	-	
	-	
CABLE RETENTION	7.2 32	Lb Max N Max
CENTER CONTACT RETENTION		
Axial force - mating end	0 NA	Lb Max N Max
Axial force - opposite end	0 NA	Lb Max N Max
Torque (Max)	0 NA	inch.oz cm.N
MATING TORQUE RECOMMANDED	0 NA	inch.lb cm.N
-	-	
-	-	

CONSTRUCTION

CONNECTOR PARTS	MATERIALS	FINISH
Body	Brass	Gold over nickel
Outer contact	-	-
Center contact	-	-
Insulators	-	-
Ferrule	Brass	Gold over nickel
-	-	-
-	-	-
-	-	-
-	-	-

ISSUE	REVISION No	DESCRIPTION	BY	DATE
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

Initiated on 03 11 88

Superseded on __-__-__

The information given here is subject to change without notice. Design changes may be in order to inprove the product.

RADIALL®

RADIALL® COAXIAL department	TECHNICAL DATA	R 280 280 000	
Panel cable receptacle, crimp-type - cable 2/50		Issue : 8808	Page 02/02
		SERIES: MCX	



1-1 To slide ferrule on the cable

1-2 Cable stripping



2-1 To open the braid

2-2 To slide body under braid

2-3 To slide the ferrule on braid according to F direction



3-3 To crimp the ferrule

crimping tool R 282 271

Hex : .127 (3.25)



ISSUE	REVISION No	DESCRIPTION	BY	DATE
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

Initiated on	29 08 88	The information given here is subject to change without notice. Design changes may be in order to inprove the product.	RADIALL®
Superseded on	__-__-__		

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9