

4

3

2

1


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT	ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			A1	ECR-14-003115	03MAR2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151345-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911022
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911022

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV				TE Connectivity				
		CHK	RAGHAVENDRA								
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME						
				SIDE FEED SYSTEM III APPLICATOR							
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC							
				APPLICATION SPEC							
				WEIGHT							
				CUSTOMER DRAWING							
MATERIAL		FINISH		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO			
				A3			©- 1911022				
				SCALE		SHEET	1	OF	2	REV	A1

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP
1911022-1	A	CUTS CARRIER	8-1911022-1
1911022-6	A	CONTINUOUS CARRIER	8-1911022-6
7-1911022-1	A	-1 AND SPARE PARTS	9-1911022-1
7-1911022-6	A	-6 AND SPARE PARTS	9-1911022-6
7-1911022-7	A	SPARE PARTS KIT	-

APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	2.54mm [.100]	F
INSUL	4.32mm [.170]	O

APPL INSTRUCTIONS

408-10135

TERMINAL DATA: TE TERMINAL

TYCO ELECTRONICS CRIMP SPEC

TERMINAL NAME: 1.5 MM CTC PIN/SKT ASSY FOR SGL WIRE SEAL

WIRE STRIP LENGTH

4.7-5.3 mm [.185-.208 IN]

INSULATION DIAMETER RANGE

2.20-3.00mm [.086-.118 IN]

TERMINAL

114-18020 (A)

-

-

APPL SPEC

114-18040 (B)

-

-

TERMINALS APPLIED

TE TERMINAL	TE TERMINAL	TE SEAL	TE SEAL
1703014-1 (B)	1-929990-0 (B)	828905	-
1703014-4 (B)	929975-1 (A)	-	828921
929990-1 (B)	929975-4 (A)	-	-
929990-2 (B)	929975-7 (A)	-	-
929990-3 (B)	929975-8 (A)	-	-
929990-4 (B)	929968-1 (A)	-	-
929990-5 (B)	1-1719188-0 (B)	-	-
929990-6 (B)	-	-	-

WIRE SIZE

2.5mm²

2mm²

1.5mm²

CRIMP HEIGHT

mm[.INCH]

1.97±.05 [.078±.002]

1.82±.05 [.072±.002]

1.67±.05 [.066±.002]

1

2

3

4

5

6

7

8

RECOMMENDED SPARE PARTS.

GREASE BEARING SURFACES LIGHTLY.

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

THIS APPLICATOR APPLIES TERMINAL WITH A SEAL. WIRE INSULATION DIA IS DEPENDENT ON SEAL BEING APPLIED. SEE APPL. SPEC. FOR DETAILS.

APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.

APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.

ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATION.

APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

57

66

67

60

20

22

19

9

12

11

10

13

54

62

179

176

175

174

52

51

50

6

135

2

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44

177

82

1

2

3

4

28

5

41

62

179

176

175

174

52

51

50

6

135

2

33

24

30

29

32

31

34

54

60

8

46

57

5

29

30

8

34

177

38

64

62

40

39

6

44</

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9