





PRODUCT NUMBER SEE SHEET 2



spec ref				dr	Rainbow Zhan	2015/02/11	projection 	MM 	size	A3	scale	3:2
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2016/10/31			ecn no	ELX-DG-25195-1		
				chr	Fancy Zhang	2016/11/02			rel level Released			
				appr	Pei-Ming Zheng	2016/11/02						
surface ISO 1302	linear	0.X	±0.5	Amphenol FCi	title 4HDP + 36S RA RECEPTACLE PF				dwg no 10106135-4009101	rev B		
		0.XX	±0.25									
		0.XXX	±0.10									
		angular	0°	±2°		cat. no.			Product - Customer Drw			sheet 1 of 3

A


B

C

D

PRODUCT NO.	ROWS	SIGNAL										HIGH POWER				
		E1	9	8	7	6	5	4	3	2	1	P4	P3	P2	P1	E2
10106135-4009101LF	D C B A		S	S	S	S	S	S	S	S	S	H5	H5	H5	H5	
			R	R	R	R	R	R	R	R	R					
			P	P	P	P	P	P	P	P	P					
			N	N	N	N	N	N	N	N	N					


CODE	DESCRIPTION
H5	MFBL HIGH POWER CONTACT(3.02)
HA	METAL HOLD DOWN
N	STD SIGNAL CONTACT, ROW A
P	STD SIGNAL CONTACT, ROW B
R	STD SIGNAL CONTACT, ROW C
S	STD SIGNAL CONTACT, ROW D



spec ref				dr		Rainbow Zhan		2015/02/11		projection				MM		size		A3		scale		3:2							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu		2016/10/31								ecn no						ELX-DG-25195-1					
ISO 406						chr		Fancy Zhang		2016/11/02								rel level						Released					
ISO 1101						appr		Pei-Ming Zheng		2016/11/02																			
surface						linear		Amphenol FCI		title								4HDP + 36S						dwg no		10106135-4009101			
		0.X		±0.5																									
		0.XX		±0.25																									
		0.XXX		±0.10		cat. no.						Product - Customer Drw																	
ISO 1302		angular		0°				±2°																					

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10124315
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND
END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR
OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT
TO PRODUCT FUNCTION.
- 10) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref				dr		Rainbow Zhan	2015/02/11		projection		MM		size		A3	scale		3:2						
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu		2016/10/31						ecn no				ELX-DG-25195-1				
ISO 406						chr		Fancy Zhang		2016/11/02						rel level				Released				
ISO 1101						appr		Pei-Ming Zheng		2016/11/02										product family				PwrB ade+
surface		linear		0.X		±0.5		Amphenol FCi		title		4HDP + 36S		dwg no		10106135-4009101		rev		B				
																					0.XX		±0.25	
																					0.XXX		±0.10	
ISO 1302		angular		0°		±2°				cat. no.		Product - Customer Drw				sheet 3 of 3								

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9