








75705-****

MODULE TYPE -- TAIL PLATING TYPE
UNGUIDED -- TIN/LEAD = 0
UNGUIDED -- TIN ONLY = 1

OF COLUMNS
5 = 5 COL
6 = 6 COL
8 = 8 COL
1 = 10 COL

END WALL OPTIONS
0 = OPEN ENDS
1 = LEFT END WALL
2 = DUAL END WALL
3 = RIGHT END WALL

PIN LENGTH (P)
2 = 3.90
3 = 4.70
4 = 5.70
5 = 4.70 & 5.70
STAGGERED



- NOTES:
1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP)
GLASS-FILLED, UL94V-0
TERMINALS - HIGH PERFORMANCE COPPER ALLOY
 2. FINISH: 30uIN MIN. GOLD IN CONTACT AREA.
SELECTIVE TIN/LEAD OR SELECTIVE TIN
ON PCB TAILS. NICKEL OVERALL.
 3. REFER TO MOLEX PRODUCT SPECIFICATION PS-75710-999
FOR PERFORMANCE SPECIFICATIONS.
 4. FOR MIXED CONTACT MATING LENGTHS, CONSULT MOLEX
FOR AVAILABILITY.
 5. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF
COSMETIC SPEC PS-45499-002.
 6. PACKAGE PER: PK-70873-587.
 7. REFER TO PCB ROUTING GUIDE FOR ANTIPAD
AND ROUTING RECOMMENDATIONS.

REVISED EC NO: UCP2007-1976 2007/02/08 DRAWN: BP/ISZCZOR 2007/02/08 CHKD: 2007/02/09 APPR: JLAURX 2007/02/09	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE I-TRAC BACKPLANE HEADER UNGUIDED ASSEMBLY SALES DRAWING MOLEX INCORPORATED
				mm	INCH	DRAWN BY JLAURX	DATE 1/28/05			
			4 PLACES	± ---	± ---	CHECKED BY	DATE			
			3 PLACES	± ---	± ---	BP/ISZCZOR	6/02/06			
			2 PLACES	± 0.13	± ---	APPROVED BY	DATE			
			1 PLACE	± 0.25	± ---	CBIXLER	6/02/06			
			ANGULAR ±1/2°			MATERIAL NO.		DOCUMENT NO.	SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-75705-001	1 OF 4	
						SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				


13 12 11 10 9 8 7 6 5 4 3 2 1

J

J

MATERIAL NUMBER	# OF COLUMNS	DIM "A"	DIM "B"
75705- $\times$ 52 $\times$	5	21.0	14.80
75705- $\times$ 62 $\times$	6	24.7	18.50
75705- $\times$ 82 $\times$	8	32.1	25.90
75705- $\times$ 12 $\times$	10	39.5	33.30

DUAL END WALL STYLE



I


I

H

H

MATERIAL NUMBER	# OF COLUMNS	DIM "A"	DIM "B"
75705- $\times$ 51 $\times$	5	19.7	14.80
75705- $\times$ 61 $\times$	6	23.4	18.50
75705- $\times$ 81 $\times$	8	30.8	25.90
75705- $\times$ 11 $\times$	10	38.2	33.30

LEFT END WALL STYLE



G


G

F

F

MATERIAL NUMBER	# OF COLUMNS	DIM "A"	DIM "B"
75705- $\times$ 53 $\times$	5	19.7	14.80
75705- $\times$ 63 $\times$	6	23.4	18.50
75705- $\times$ 83 $\times$	8	30.8	25.90
75705- $\times$ 13 $\times$	10	38.2	33.30

RIGHT END WALL STYLE



E

E


D

D

MATERIAL NUMBER	# OF COLUMNS	DIM "A"	DIM "B"
75705- $\times$ 50 $\times$	5	18.35	14.80
75705- $\times$ 60 $\times$	6	22.05	18.50
75705- $\times$ 80 $\times$	8	29.45	25.90
75705- $\times$ 10 $\times$	10	36.85	33.30

OPEN STYLE

NOTCH DESIGNATES
ROW A



C

C


B

B


A

A



INITIAL RELEASE EC NO: UCP2007-1976 DRAWN BY: JLAURX CHKD: BPISZCZOR APPR: JLAURX REV: 1		QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION 2007/02/08 2007/02/08 2007/02/09	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
mm				INCH		DRAWN BY JLAURX	DATE 1/28/05	TITLE I-TRAC BACKPLANE HEADER UNGUIDED ASSEMBLY SALES DRAWING		
4 PLACES ±---				±---		CHECKED BY BPISZCZOR		DATE 6/02/06		
3 PLACES ±---				±---		APPROVED BY CBIXLER		DATE 6/02/06		
2 PLACES ±0.13				±---		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-75705-001		
1 PLACE ±0.25		±---		ANGULAR ±1/2°		MOLEX MOLEX INCORPORATED		SHEET NO. 2 OF 4		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



ORTHOGONAL MIDPLANE HOLE PATTERN
(36 SIGNAL PAIRS SHARE VIAS)




36 PAIR ORTHOGONAL MIDPLANE NODE
(USES TWO 6 COLUMN I-TRAC HEADERS)




I-TRAC 11 ROW BOARD RELATIONSHIPS

SCALE 2:1




INITIAL RELEASE EC NO: UCP2007-1976 DRAWN:BP1SZCZOR 2007/02/08 CHKD: JLAURX 2007/02/08 APPR: JLAURX 2007/02/09	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY JLAURX		DATE 1/28/05		TITLE I-TRAC BACKPLANE HEADER UNGUIDED ASSEMBLY SALES DRAWING
			4 PLACES	± ---	± ---	CHECKED BY BP1SZCZOR		DATE 6/02/06		
			3 PLACES	± ---	± ---	APPROVED BY		DATE		
			2 PLACES	± 0.13	± ---	CBIXLER		6/02/06		
			1 PLACE	± 0.25	± ---	MOLEX MOLEX INCORPORATED				
			ANGULAR ±1/2°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-75705-001		SHEET NO. 3 OF 4	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



ORTHO PIN MAPPING					
OPTION 90 (NEAR SIDE - FAR SIDE)					
A1b-L6b	A2b-J6b	A3b-G6b	A4b-E6b	A5b-C6b	A6b-A6b
A1a-L6a	A2a-J6a	A3a-G6a	A4a-E6a	A5a-C6a	A6a-A6a
C1b-L5b	C2b-J5b	C3b-G5b	C4b-E5b	C5b-C5b	C6b-A5b
C1a-L5a	C2a-J5a	C3a-G5a	C4a-E5a	C5a-C5a	C6a-A5a
E1b-L4b	E2b-J4b	E3b-G4b	E4b-E4b	E5b-C4b	E6b-A4b
E1a-L4a	E2a-J4a	E3a-G4a	E4a-E4a	E5a-C4a	E6a-A4a
G1b-L3b	G2b-J3b	G3b-G3b	G4b-E3b	G5b-C3b	G6b-A3b
G1a-L3a	G2a-J3a	G3a-G3a	G4a-E3a	G5a-C3a	G6a-A3a
J1b-L2b	J2b-J2b	J3b-G2b	J4b-E2b	J5b-C2b	J6b-A2b
J1a-L2a	J2a-J2a	J3a-G2a	J4a-E2a	J5a-C2a	J6a-A2a
L1b-L1b	L2b-J1b	L3b-G1b	L4b-E1b	L5b-C1b	L6b-A1b
L1a-L1a	L2a-J1a	L3a-G1a	L4a-E1a	L5a-C1a	L6a-A1a

ORTHO PIN MAPPING					
OPTION 270 (NEAR SIDE - FAR SIDE)					
A1b-A1a	A2b-C1a	A3b-E1a	A4b-G1a	A5b-J1a	A6b-L1a
A1a-A1b	A2a-C1b	A3a-E1b	A4a-G1b	A5a-J1b	A6a-L1b
C1b-A2a	C2b-C2a	C3b-E2a	C4b-G2a	C5b-J2a	C6b-L2a
C1a-A2b	C2a-C2b	C3a-E2b	C4a-G2b	C5a-J2b	C6a-L2b
E1b-A3a	E2b-C3a	E3b-E3a	E4b-G3a	E5b-J3a	E6b-L3a
E1a-A3b	E2a-C3b	E3a-E3b	E4a-G3b	E5a-J3b	E6a-L3b
G1b-A4a	G2b-C4a	G3b-E4a	G4b-G4a	G5b-J4a	G6b-L4a
G1a-A4b	G2a-C4b	G3a-E4b	G4a-G4b	G5a-J4b	G6a-L4b
J1b-A5a	J2b-C5a	J3b-E5a	J4b-G5a	J5b-J5a	J6b-L5a
J1a-A5b	J2a-C5b	J3a-E5b	J4a-G5b	J5a-J5b	J6a-L5b
L1b-A6a	L2b-C6a	L3b-E6a	L4b-G6a	L5b-J6a	L6b-L6a
L1a-A6b	L2a-C6b	L3a-E6b	L4a-G6b	L5a-J6b	L6a-L6b



- NOTES:
- SIGNAL PAIRS (SHARED VIAS)
 - NEAR SIDE GROUNDS
 - FAR SIDE GROUNDS

ORTHO LAYOUT EC NO: UCP2007-1976 DRAWN BY: ISZCZOR CHKD: JLAJRX APPR: JLAJRX REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ◇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY JLAJRX	DATE 1/28/05	TITLE I-TRAC BACKPLANE HEADER UNGUIDED ASSEMBLY SALES DRAWING				
			4 PLACES	± ---	± ---	CHECKED BY BP ISZCZOR	DATE 6/02/06					
			3 PLACES	± ---	± ---	MOLEX INCORPORATED						
			2 PLACES	± 0.13	± ---						APPROVED BY CBIXLER	DATE 6/02/06
			1 PLACE	± 0.25	± ---	SHEET NO. 4 OF 4						
ANGULAR ±1/2°		MATERIAL NO.		SEE CHART								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9