


# DC9022 SmartMesh WirelessHART RF Certified Starter Kit



## Wireless Mesh Network, Wired Reliability

The DC9022 SmartMesh® WirelessHART RF Certified Starter Kit provides all the tools for evaluating SmartMesh network performance for your application needs, including high reliability, ultralow power, scalability and ease of installation. This accelerates device integration and application development.

The DC9022 Starter Kit includes five motes or nodes (DC9018A-C) to enable users to quickly deploy a multi-hop mesh network in the RF environment for your specific application. The software graphical user interface (GUI) allows you to quickly see the mesh network form, as well as key performance statistics, such as data reliability and latency.

The DC9018A-C Evaluation/Development Mote Modules feature easy-to-probe signal pins. In addition, the starter kit provides access to both manager and mote software application programming interfaces (APIs) to enable application software development.

The DC9022 Starter Kit operates in the 2.4000GHz to 2.4835GHz international license-free frequency band and includes RF intentional radiator certifications for Japan, as well as the United States, Canada and Europe. Starter kits and demo boards are for evaluation purposes only. It remains the user's responsibility to verify proper and reliable operation in the actual end application.

### About SmartMesh WirelessHART

SmartMesh WirelessHART products are designed for the harshest industrial environments, where low power, reliability, resilience and scalability are key. They are well suited for general industrial applications as well as WirelessHART-specific designs. SmartMesh WirelessHART complies with the WirelessHART (IEC 62591) standard, offers the lowest power consumption in its class, and is the most widely used WirelessHART product available.

Field proven and robust, even in the harshest environments, the SmartMesh WirelessHART product line is a full mesh networking solution for general industrial applications. For applications that are not HART-specific, no knowledge of the WirelessHART specification is needed to integrate with SmartMesh WirelessHART. Simply proceed without the optional HART application layer.



# SmartMesh WirelessHART Components


## LTP5903CEN-WHR SmartMesh WirelessHART Packaged Manager



**SmartMesh WirelessHART Network Manager** anchors the SmartMesh WirelessHART product line. It provides the core networking functionality, enabling the network to achieve unsurpassed levels of resilience, reliability and scalability, with advanced network management and comprehensive security features.

**LTP™5903CEN-WHR Packaged Network Manager** incorporates the LTP5903IPC-WHR SmartMesh WirelessHART Embedded Manager and provides connections for power and manager API via RS232 serial or Ethernet.


## DC9018A-C SmartMesh WirelessHART Evaluation/Development Mote



**SmartMesh WirelessHART networks** are populated by motes, the nodes on the network. Based on the Dust® break-through Eterna® technology, the motes are ultralow power, extending battery life to years and many times that of alternative products. In addition to extra long battery life, the motes feature an advanced array of features.

**DC9018A-C Evaluation/Development Mote** incorporates the RF-Certified LTP5901-WHM SmartMesh WirelessHART Mote PCB Module (including chip antenna) and a CR2032 coin cell.

## DC9006 Eterna Interface Card



When connected to a DC9003A-C Evaluation/Development Mote, the **DC9006 Eterna interface card** provides a USB connection for both power and software access to the mote API UART port.

Part Number	Description
<b>Starter Kit</b>	
DC9022	SmartMesh WirelessHART RF Certified Starter Kit Includes: <ul style="list-style-type: none"> <li>▪ One Packaged Manager (LTP5903CEN-WHR)</li> <li>▪ Five Evaluation/Development Motes (DC9018A-C)</li> <li>▪ One Eterna Interface Card (DC9006)</li> <li>▪ Additional CR2032 Batteries</li> <li>▪ Cables</li> </ul>
<b>Additional Managers, Motes and Interface Cards</b>	
LTP5903CEN-WHR	SmartMesh WirelessHART Packaged Manager
DC9018A-C	SmartMesh WirelessHART RF Certified Evaluation/Development Mote
DC9006	Eterna Interface Card
The DC9022 has RF intentional radiator certifications for Japan as well as the United States, Canada and Europe.	

To purchase the SmartMesh WirelessHART Starter Kit, please contact your local Linear Technology sales representative or visit [www.linear.com/demo/DC9022](http://www.linear.com/demo/DC9022).



## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9