

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0459714411](#)
Status: **Active**
Description: 1.27mm (.050") by 1.27mm (.050") Pitch SEARAY* Receptacle, 400 Circuits, 7.50mm (.295") Unmated Height, 10 Rows, With Pegs, Solder Charge™ Lead Free

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Product Specification PS-45970-001 \(PDF\)](#)
[Product Specification PS-45970-002 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification


CSA LR19980
UL E29179

General

Product Family PCB Receptacles
Series [45971](#)
Application Board-to-Board
Product Name SEARAY*

Physical

Circuits (Loaded) 400
Circuits (maximum) 400
Circuits Detail 400
Color - Resin Black
Durability (mating cycles max) 100
Flammability 94V-0
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part No
Material - Metal Copper Alloy
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin High Temperature Thermoplastic
Number of Rows 10
Orientation Vertical
PC Tail Length (in) 0.086 In
PC Tail Length (mm) 2.18 mm
PCB Locator Yes
PCB Retention Yes
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.57 mm
Packaging Type Tray
Pitch - Mating Interface (in) 0.050 In
Pitch - Mating Interface (mm) 1.27 mm
Pitch - Term. Interface (in) 0.050 In
Pitch - Term. Interface (mm) 1.27 mm
Plating min: Mating (µin) 30
Plating min: Mating (µm) 0.75
Plating min: Termination (µin) 100
Plating min: Termination (µm) 2.5
Polarized to Mating Part Yes
Polarized to PCB Yes
Robotic Placement Pick and Place Cap
Stackable No



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[45971Series](#)

Mates With
[45970 SEARAY* Plug](#)

Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-55°C to +125°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact	2.7A
Grounding to PCB	No
Voltage - Maximum	240V AC

Solder Process Data

Duration at Max. Process Temperature (seconds)	3
Lead-free Process Capability	Reflow Capable (SMT only)
Max. Cycles at Max. Process Temperature	1
Process Temperature max. C	260

Material Info


Reference - Drawing Numbers

Application Specification	AS-45970-001, AS-45970-002, AS-45970-990
Packaging Specification	PK-45971-001
Product Specification	PS-45970-001, PS-45970-002
Sales Drawing	SD-45971-001
Test Summary	TS-45970-001

*SEARAY is a trademark of Samtec, Inc.

This document was generated on 05/25/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



DATE CODE




ACROSS ALL
SOLDER CHARGES

LEAD CODE:

1 = TIN

2 = TIN / LEAD




DIM M $\pm .010$


DIM C $\pm .010$

ROW 1 / POSITION 1 ID THIS SIDE


.050 TYP
TERMINAL PITCH



.050 TYP
TERMINAL PITCH



DIM R $^{+.002}_{-.004}$
UNMATED HEIGHT



NOTES:

- MATERIALS: HOUSING: LCP, UL94V-0, BLACK
CONTACTS: COPPER ALLOY
SOLDER CHARGE: SEE CHART
- FINISH: ALL OPTIONS - SELECT GOLD IN CONTACT AREA: 30 MI MIN
OPTIONS 5.0: SELECT GOLD FLASH IN TAIL, 7 MI MIN
OPTIONS 6.0 THRU 8.0: SELECT TIN IN TAIL, 100 MI MIN
ALL OPTIONS - OVER NICKEL
- PRODUCT SPECIFICATION: PS-45970-001
- PACKAGING SPECIFICATION: SEE CHART
- MATES WITH SEARAY PLUG ASSEMBLY 45970
- APPLICATION SPECIFICATION: AS-45970-001
- COSMETIC SPECIFICATION: PS-45499-002 CLASS B
- PART STATUS: CONTACT MOLEX

UPDATED NOTE 2 EC NO: UCP2010-2270 DRWN: TREGORI 2010/03/05 CHKD: JCOMERC 2005/05/17 APPR: JCOMERC 2010/03/05	DESCRIPTION	
O	REV	

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	$\pm$ ---	$\pm$ ---
3 PLACES	$\pm$ ---	$\pm .005$
2 PLACES	$\pm$ ---	$\pm$ ---
1 PLACE	$\pm$ ---	$\pm$ ---
ANGULAR $\pm$ ---°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE INCH ONLY	
DRAWN BY	DATE
TGREGORI	2005/05/17
CHECKED BY	DATE
JCOMERC	2005/05/17
APPROVED BY	DATE
JCOMERC	2010/03/05
MATERIAL NO.	
SEE CHART	
SIZE	
A	

SCALE 3:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
TITLE			
SEARAY RECEPTACLE ASSEMBLY .050 CENTERS			
MOLEX INCORPORATED			
DOCUMENT NO. SD-45971-001			SHEET NO. 1 OF 10
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

6


5

4

3

2

1




F
.005
MIN SOLDER
PASTE THICKNESS

NO OF ROWS	DIM C	DIM E
6	.378	.125
8	.478	.175
10	.578	.225
12	.678	.275

RECOMMENDED PCB LAYOUT: COMPONENT SIDE
SOLDER SCREEN APERTURE SIZE: .035
PCB THICKNESS: NA
F

DIM P PLUG STACK HEIGHT	DIM R RECEPTACLE STACK HEIGHT					
	MM	5.0	6.0	6.5	7.5	8.0
	2.0	7.0	8.0	8.5	9.5	10.0
	3.0	8.0	9.0	9.5	10.5	11.0
	3.5	8.5	9.5	10.0	11.0	11.5
	2.5	7.5	8.5	9.0	10.0	10.5
	4.5	9.5	10.5	11.0	12.0	12.5
	5.0	10.0	11.0	11.5	12.5	13.0
7.0	12.0	13.0	13.5	14.5	15.0	



MATED STACK HEIGHTS
(MILLIMETERS) REF

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				
			mm	INCH	DRAWN BY TREGORI	DATE 2005/05/17	TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS						
		4 PLACES	± ---	± ---	CHECKED BY JCOMERC I	DATE 2005/05/17							
		3 PLACES	± ---	± .005	APPROVED BY JCOMERC I		DATE 2010/03/05		MOLEX INCORPORATED				
		2 PLACES	± ---	± ---									
		1 PLACE	± ---	± ---									
	ANGULAR ± ---°			MATERIAL NO. SEE CHARTS		DOCUMENT NO. SD-45971-001			SHEET NO. 2 OF 10				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
REV													

5

4

3

2

1

[illegible]

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0163		45971-0263		45971-0363		45971-0463		45971-0563		
		10	0.782	45971-1163		45971-1263		45971-1363		45971-1463		45971-1563		
		20	1.282	45971-2163		45971-2263		45971-2363		45971-2463		45971-2563		
		30	1.782	45971-3163		45971-3263		45971-3363		45971-3463		45971-3563		
		40	2.282	45971-4163		45971-4263		45971-4363		45971-4463		45971-4563		
		50	2.782	45971-5163		45971-5263		45971-5363		45971-5463		45971-5563		
		15	1.032	45971-6163		45971-6263		45971-6363		45971-6463		45971-6563		
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0167		45971-0267		45971-0367		45971-0467		45971-0567		
		10	0.782	45971-1167		45971-1267		45971-1367		45971-1467		45971-1567		
		20	1.282	45971-2167		45971-2267		45971-2367		45971-2467		45971-2567		
		30	1.782	45971-3167		45971-3267		45971-3367		45971-3467		45971-3567		
		40	2.282	45971-4167		45971-4267		45971-4367		45971-4467		45971-4567		
		50	2.782	45971-5167		45971-5267		45971-5367		45971-5467		45971-5567		
		15	1.032	45971-6167		45971-6267		45971-6367		45971-6467		45971-6567		
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0167		45971-0267		45971-0367		45971-0467		45971-0567		
		10	0.782	45971-1167		45971-1267		45971-1367		45971-1467		45971-1567		
		20	1.282	45971-2167		45971-2267		45971-2367		45971-2467		45971-2567		
		30	1.782	45971-3167		45971-3267		45971-3367		45971-3467		45971-3567		
		40	2.282	45971-4167		45971-4267		45971-4367		45971-4467		45971-4567		
		50	2.782	45971-5167		45971-5267		45971-5367		45971-5467		45971-5567		
		15	1.032	45971-6167		45971-6267		45971-6367		45971-6467		45971-6567		
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0167		45971-0267		45971-0367		45971-0467		45971-0567		
		10	0.782	45971-1167		45971-1267		45971-1367		45971-1467		45971-1567		
		20	1.282	45971-2167		45971-2267		45971-2367		45971-2467		45971-2567		
		30	1.782	45971-3167		45971-3267		45971-3367		45971-3467		45971-3567		
		40	2.282	45971-4167		45971-4267		45971-4367		45971-4467		45971-4567		
		50	2.782	45971-5167		45971-5267		45971-5367		45971-5467		45971-5567		
		15	1.032	45971-6167		45971-6267		45971-6367		45971-6467		45971-6567		
NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 6 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL														
SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05														
DESCRIPTION														
REV														
GENERAL TOLERANCES (UNLESS SPECIFIED)														
mm INCH														
4 PLACES ± --- ± ---														
3 PLACES ± --- ± .005														
2 PLACES ± --- ± ---														
1 PLACE ± --- ± ---														
ANGULAR ± ---°														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														
DIMENSION STYLE INCH ONLY														
DRAWN BY DATE														
TGREGORI 2005/05/17														
CHECKED BY DATE														
JCOMERC I 2005/05/17														
APPROVED BY DATE														
JCOMERC I 2010/03/05														
MATERIAL NO.														
SEE CHART														
SIZE A THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
SCALE 1:1														
DESIGN UNITS INCH														
THIRD ANGLE PROJECTION														
TITLE														
SEARAY RECEPTACLE ASSEMBLY .050 CENTERS														
MOLEX MOLEX INCORPORATED														
DOCUMENT NO. SD-45971-001														
SHEET NO. 4 OF 10														
tb_frame_A_P_AM_T Rev. E 2006/04/15														
		5		4		3		2		1				

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0181		45971-0281		45971-0381		45971-0481		45971-0581		
		10	0.782	45971-1181		45971-1281		45971-1381		45971-1481		45971-1581		
		20	1.282	45971-2181		45971-2281		45971-2381		45971-2481		45971-2581		
		30	1.782	45971-3181		45971-3281		45971-3381		45971-3481		45971-3581		
		40	2.282	45971-4181		45971-4281		45971-4381		45971-4481		45971-4581		
		50	2.782	45971-5181		45971-5281		45971-5381		45971-5481		45971-5581		
		15	1.032	45971-6181		45971-6281		45971-6381		45971-6481		45971-6581		
		25	1.532	45971-7181		45971-7281		45971-7381		45971-7481		45971-7581		
		35	2.032	45971-8181		45971-8281		45971-8381		45971-8481		45971-8581		
45	2.532	45971-9181		45971-9281		45971-9381		45971-9481		45971-9581				
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
SEE SHEET 1		EC NO: UCP2010-2270		DRWN: TGREGORI 2010/03/05		CH'KD: JCOMERC I 2005/05/17		APPR: JCOMERC I 2010/03/05		DESCRIPTION		REV		
O														

		6		5		4		3		2		1																																																						
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																				
		DIM R: HOUSING HEIGHT																																																																
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO																																																						
		19	1.232	45971-0183		45971-0283		45971-0383		45971-0483		45971-0583																																																						
		10	0.782	45971-1183		45971-1283		45971-1383		45971-1483		45971-1583																																																						
		20	1.282	45971-2183		45971-2283		45971-2383		45971-2483		45971-2583																																																						
		30	1.782	45971-3183		45971-3283		45971-3383		45971-3483		45971-3583																																																						
		40	2.282	45971-4183		45971-4283		45971-4383		45971-4483		45971-4583																																																						
		50	2.782	45971-5183		45971-5283		45971-5383		45971-5483		45971-5583																																																						
		15	1.032	45971-6183		45971-6283		45971-6383		45971-6483		45971-6583																																																						
		25	1.532	45971-7183		45971-7283		45971-7383		45971-7483		45971-7583																																																						
		35	2.032	45971-8183		45971-8283		45971-8383		45971-8483		45971-8583																																																						
45	2.532	45971-9183		45971-9283		45971-9383		45971-9483		45971-9583																																																								
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																				
		DIM R: HOUSING HEIGHT																																																																
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO																																																						
		19	1.232	45971-0187		45971-0287		45971-0387		45971-0487		45971-0587																																																						
		10	0.782	45971-1187		45971-1287		45971-1387		45971-1487		45971-1587																																																						
		20	1.282	45971-2187		45971-2287		45971-2387		45971-2487		45971-2587																																																						
		30	1.782	45971-3187		45971-3287		45971-3387		45971-3487		45971-3587																																																						
		40	2.282	45971-4187		45971-4287		45971-4387		45971-4487		45971-4587																																																						
		50	2.782	45971-5187		45971-5287		45971-5387		45971-5487		45971-5587																																																						
		15	1.032	45971-6187		45971-6287		45971-6387		45971-6487		45971-6587																																																						
		25	1.532	45971-7187		45971-7287		45971-7387		45971-7487		45971-7587																																																						
		35	2.032	45971-8187		45971-8287		45971-8387		45971-8487		45971-8587																																																						
45	2.532	45971-9187		45971-9287		45971-9387		45971-9487		45971-9587																																																								
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																				
		DIM R: HOUSING HEIGHT																																																																
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO																																																						
		19	1.232	45971-0187		45971-0287		45971-0387		45971-0487		45971-0587																																																						
		10	0.782	45971-1187		45971-1287		45971-1387		45971-1487		45971-1587																																																						
		20	1.282	45971-2187		45971-2287		45971-2387		45971-2487		45971-2587																																																						
		30	1.782	45971-3187		45971-3287		45971-3387		45971-3487		45971-3587																																																						
		40	2.282	45971-4187		45971-4287		45971-4387		45971-4487		45971-4587																																																						
		50	2.782	45971-5187		45971-5287		45971-5387		45971-5487		45971-5587																																																						
		15	1.032	45971-6187		45971-6287		45971-6387		45971-6487		45971-6587																																																						
		25	1.532	45971-7187		45971-7287		45971-7387		45971-7487		45971-7587																																																						
		35	2.032	45971-8187		45971-8287		45971-8387		45971-8487		45971-8587																																																						
45	2.532	45971-9187		45971-9287		45971-9387		45971-9487		45971-9587																																																								
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																				
		DIM R: HOUSING HEIGHT																																																																
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO																																																						
		19	1.232	45971-0187		45971-0287		45971-0387		45971-0487		45971-0587																																																						
		10	0.782	45971-1187		45971-1287		45971-1387		45971-1487		45971-1587																																																						
		20	1.282	45971-2187		45971-2287		45971-2387		45971-2487		45971-2587																																																						
		30	1.782	45971-3187		45971-3287		45971-3387		45971-3487		45971-3587																																																						
		40	2.282	45971-4187		45971-4287		45971-4387		45971-4487		45971-4587																																																						
		50	2.782	45971-5187		45971-5287		45971-5387		45971-5487		45971-5587																																																						
		15	1.032	45971-6187		45971-6287		45971-6387		45971-6487		45971-6587																																																						
		25	1.532	45971-7187		45971-7287		45971-7387		45971-7487		45971-7587																																																						
		35	2.032	45971-8187		45971-8287		45971-8387		45971-8487		45971-8587																																																						
45	2.532	45971-9187		45971-9287		45971-9387		45971-9487		45971-9587																																																								
NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 8 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL																																																																		
<table><tr><td rowspan="5">SEE SHEET 1 EC NO: UCP2010-2270 DRWN:TGREGORI 2010/03/05 CH'KD:JCOMERC I 2005/05/17 APPR:JCOMERC I 2010/03/05</td><td rowspan="5">DESCRIPTION</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE INCH ONLY</td><td>SCALE 1:1</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY TGREGORI</td><td>DATE 2005/05/17</td><td colspan="4" rowspan="3">SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY JCOMERC I</td><td>DATE 2005/05/17</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .005</td><td>APPROVED BY JCOMERC I</td><td>DATE 2010/03/05</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td><td colspan="2">ANGULAR ± ---°</td><td colspan="2">MATERIAL NO. SEE CHART</td><td colspan="2">DOCUMENT NO. SD-45971-001</td><td colspan="2">SHEET NO. 6 OF 10</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE A</td><td colspan="7">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>														SEE SHEET 1 EC NO: UCP2010-2270 DRWN:TGREGORI 2010/03/05 CH'KD:JCOMERC I 2005/05/17 APPR:JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	SEARAY RECEPTACLE ASSEMBLY .050 CENTERS				4 PLACES	± ---	± ---	CHECKED BY JCOMERC I	DATE 2005/05/17	3 PLACES	± ---	± .005	APPROVED BY JCOMERC I	DATE 2010/03/05	2 PLACES	± ---	± ---	ANGULAR ± ---°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001		SHEET NO. 6 OF 10		1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
SEE SHEET 1 EC NO: UCP2010-2270 DRWN:TGREGORI 2010/03/05 CH'KD:JCOMERC I 2005/05/17 APPR:JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																										
			mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	SEARAY RECEPTACLE ASSEMBLY .050 CENTERS																																																											
		4 PLACES	± ---	± ---	CHECKED BY JCOMERC I	DATE 2005/05/17																																																												
		3 PLACES	± ---	± .005	APPROVED BY JCOMERC I	DATE 2010/03/05																																																												
		2 PLACES	± ---	± ---	ANGULAR ± ---°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001		SHEET NO. 6 OF 10																																																							
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																												
tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1																																																								

D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY				
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297					
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO					
		19	1.232	45971-0111	45971-0211	45971-0311	45971-0411	45971-0511					
		10	0.782	45971-1111	45971-1211	45971-1311	45971-1411	45971-1511					
		20	1.282	45971-2111	45971-2211	45971-2311	45971-2411	45971-2511					
		30	1.782	45971-3111	45971-3211	45971-3311	45971-3411	45971-3511					
		40	2.282	45971-4111	45971-4211	45971-4311	45971-4411	45971-4511					
		50	2.782	45971-5111	45971-5211	45971-5311	45971-5411	45971-5511					
		15	1.032	45971-6111	45971-6211	45971-6311	45971-6411	45971-6511					
		25	1.532	45971-7111	45971-7211	45971-7311	45971-7411	45971-7511					
		35	2.032	45971-8111	45971-8211	45971-8311	45971-8411	45971-8511					
		45	2.532	45971-9111	45971-9211	45971-9311	45971-9411	45971-9511					
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY				
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297					
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO					
		19	1.232	45971-0115	45971-0215	45971-0315	45971-0415	45971-0515					
		10	0.782	45971-1115	45971-1215	45971-1315	45971-1415	45971-1515					
		20	1.282	45971-2115	45971-2215	45971-2315	45971-2415	45971-2515					
		30	1.782	45971-3115	45971-3215	45971-3315	45971-3415	45971-3515					
		40	2.282	45971-4115	45971-4215	45971-4315	45971-4415	45971-4515					
		50	2.782	45971-5115	45971-5215	45971-5315	45971-5415	45971-5515					
		15	1.032	45971-6115	45971-6215	45971-6315	45971-6415	45971-6515					
		25	1.532	45971-7115	45971-7215	45971-7315	45971-7415	45971-7515					
		35	2.032	45971-8115	45971-8215	45971-8315	45971-8415	45971-8515					
		45	2.532	45971-9115	45971-9215	45971-9315	45971-9415	45971-9515					
B	NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 10 SOLDER CHARGE: TIN PACKAGING: TRAYS AND TAPE AND REEL												
	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05 REV	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				
		4 PLACES ± ---		mm	INCH	DRAWN BY DATE TGREGORI 2005/05/17		TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS					
		3 PLACES ± ---		± .005		CHECKED BY DATE JCOMERC I 2005/05/17							
		2 PLACES ± ---		± ---		APPROVED BY DATE JCOMERC I 2010/03/05							
		1 PLACE ± ---		± ---		MATERIAL NO. SEE CHART							
		ANGULAR ± ---°		DOCUMENT NO. SD-45971-001					SHEET NO. 7 OF 10				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

tb_frame_A_P_AM_T
Rev. E 2006/04/15

5

4

3

2

1

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0113		45971-0213		45971-0313		45971-0413		45971-0513		
		10	0.782	45971-1113		45971-1213		45971-1313		45971-1413		45971-1513		
		20	1.282	45971-2113		45971-2213		45971-2313		45971-2413		45971-2513		
		30	1.782	45971-3113		45971-3213		45971-3313		45971-3413		45971-3513		
		40	2.282	45971-4113		45971-4213		45971-4313		45971-4413		45971-4513		
		50	2.782	45971-5113		45971-5213		45971-5313		45971-5413		45971-5513		
		15	1.032	45971-6113		45971-6213		45971-6313		45971-6413		45971-6513		
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517		
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517		
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517		
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517		
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517		
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517		
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517		
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517		
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517		
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517		
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517		
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517		
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517		
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517		
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517		
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517		
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517		
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517		
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517		
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517		
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517		
NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 10 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL														
SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05														
DESCRIPTION														
REV														
GENERAL TOLERANCES (UNLESS SPECIFIED)														
DIMENSION STYLE INCH ONLY														
SCALE 1:1														
DESIGN UNITS INCH														
THIRD ANGLE PROJECTION														
DRAWN BY DATE TGREGORI 2005/05/17														
CHECKED BY DATE JCOMERC I 2005/05/17														
APPROVED BY DATE JCOMERC I 2010/03/05														
MATERIAL NO.														
SEE CHART														
DOCUMENT NO. SD-45971-001														
SHEET NO. 8 OF 10														
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
SIZE A														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														
ANGULAR ±---°														
4 PLACES ±--- mm ±--- INCH														
3 PLACES ±--- ±.005														
2 PLACES ±--- ±---														
1 PLACE ±--- ±---														
tb_frame_A_P_AM_T Rev. E 2006/04/15														
		5		4		3		2		1				

		6				5				4				3				2				1	
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0121		45971-0221		45971-0321		45971-0421		45971-0521											
		10	0.782	45971-1121		45971-1221		45971-1321		45971-1421		45971-1521											
		20	1.282	45971-2121		45971-2221		45971-2321		45971-2421		45971-2521											
		30	1.782	45971-3121		45971-3221		45971-3321		45971-3421		45971-3521											
		40	2.282	45971-4121		45971-4221		45971-4321		45971-4421		45971-4521											
		50	2.782	45971-5121		45971-5221		45971-5321		45971-5421		45971-5521											
		15	1.032	45971-6121		45971-6221		45971-6321		45971-6421		45971-6521											
		25	1.532	45971-7121		45971-7221		45971-7321		45971-7421		45971-7521											
		35	2.032	45971-8121		45971-8221		45971-8321		45971-8421		45971-8521											
		45	2.532	45971-9121		45971-9221		45971-9321		45971-9421		45971-9521											
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0125		45971-0225		45971-0325		45971-0425		45971-0525											
		10	0.782	45971-1125		45971-1225		45971-1325		45971-1425		45971-1525											
		20	1.282	45971-2125		45971-2225		45971-2325		45971-2425		45971-2525											
		30	1.782	45971-3125		45971-3225		45971-3325		45971-3425		45971-3525											
		40	2.282	45971-4125		45971-4225		45971-4325		45971-4425		45971-4525											
		50	2.782	45971-5125		45971-5225		45971-5325		45971-5425		45971-5525											
		15	1.032	45971-6125		45971-6225		45971-6325		45971-6425		45971-6525											
		25	1.532	45971-7125		45971-7225		45971-7325		45971-7425		45971-7525											
		35	2.032	45971-8125		45971-8225		45971-8325		45971-8425		45971-8525											
		45	2.532	45971-9125		45971-9225		45971-9325		45971-9425		45971-9525											
B	NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 12 SOLDER CHARGE: TIN PACKAGING: TRAYS AND TAPE AND REEL	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CH'KD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05		REV	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION										
										DRAWN BY TGREGORI		DATE 2005/05/17		SEARAY RECEPTACLE ASSEMBLY .050 CENTERS									
						4 PLACES		± --- ± ---		CHECKED BY JCOMERC I		DATE 2005/05/17											
						3 PLACES		± --- ± .005		APPROVED BY JCOMERC I		DATE 2010/03/05											
						2 PLACES		± --- ± ---		MATERIAL NO.		DOCUMENT NO. SD-45971-001											
						1 PLACE		± --- ± ---		SEE CHART													
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
						tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1							

NOTES:
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS
 NO OF ROWS: 12
 SOLDER CHARGE: TIN
 PACKAGING: TRAYS AND TAPE AND REEL

		6		5		4		3		2		1									
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY							
		DIM R: HOUSING HEIGHT																			
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO									
		19	1.232	45971-0123		45971-0223		45971-0323		45971-0423		45971-0523									
		10	0.782	45971-1123		45971-1223		45971-1323		45971-1423		45971-1523									
		20	1.282	45971-2123		45971-2223		45971-2323		45971-2423		45971-2523									
		30	1.782	45971-3123		45971-3223		45971-3323		45971-3423		45971-3523									
		40	2.282	45971-4123		45971-4223		45971-4323		45971-4423		45971-4523									
		50	2.782	45971-5123		45971-5223		45971-5323		45971-5423		45971-5523									
		15	1.032	45971-6123		45971-6223		45971-6323		45971-6423		45971-6523									
		25	1.532	45971-7123		45971-7223		45971-7323		45971-7423		45971-7523									
		35	2.032	45971-8123		45971-8223		45971-8323		45971-8423		45971-8523									
45	2.532	45971-9123		45971-9223		45971-9323		45971-9423		45971-9523											
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY							
		DIM R: HOUSING HEIGHT																			
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO									
		19	1.232	45971-0127		45971-0227		45971-0327		45971-0427		45971-0527									
		10	0.782	45971-1127		45971-1227		45971-1327		45971-1427		45971-1527									
		20	1.282	45971-2127		45971-2227		45971-2327		45971-2427		45971-2527									
		30	1.782	45971-3127		45971-3227		45971-3327		45971-3427		45971-3527									
		40	2.282	45971-4127		45971-4227		45971-4327		45971-4427		45971-4527									
		50	2.782	45971-5127		45971-5227		45971-5327		45971-5427		45971-5527									
		15	1.032	45971-6127		45971-6227		45971-6327		45971-6427		45971-6527									
		25	1.532	45971-7127		45971-7227		45971-7327		45971-7427		45971-7527									
		35	2.032	45971-8127		45971-8227		45971-8327		45971-8427		45971-8527									
45	2.532	45971-9127		45971-9227		45971-9327		45971-9427		45971-9527											
B	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05 REV O	GENERAL TOLERANCES (UNLESS SPECIFIED)		mm		INCH		DIMENSION STYLE INCH ONLY		SCALE 1:1		DESIGN UNITS INCH		THIRD ANGLE PROJECTION							
		4 PLACES		± ---		± ---		DRAWN BY TGREGORI		DATE 2005/05/17		SEARAY RECEPTACLE ASSEMBLY .050 CENTERS MOLEX INCORPORATED									
		3 PLACES		± ---		± .005		CHECKED BY JCOMERC I		DATE 2005/05/17											
		2 PLACES		± ---		± ---		APPROVED BY JCOMERC I		DATE 2010/03/05											
		1 PLACE		± ---		± ---		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001						SHEET NO. 10 OF 10					
		ANGULAR ± ---°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
		NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 12 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL																			
		tb_frame_A_P_AM_T Rev. E 2006/04/15																			
				5				4				3				2				1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9