




Copyright FCI.

PRODUCT NO.	ROWS	SIGNAL							POWER								
		E2	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1	E1	
51923-010__ NOTE: 3	D C B A		SM	SM	SM	SM	SM	SM									
			SL	SL	SL	SL	SL	SL									
			SK	SK	SK	SK	SK	SK									
			SJ	SJ	SJ	SJ	SJ	SJ									



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PH	[2.34]	POWER
PN	[2.34]	POWER
SM	[N/A]	SIGNAL
SL	[N/A]	SIGNAL
SK	[N/A]	SIGNAL
SJ	[N/A]	SIGNAL
PM	[1.07]	POWER


spec ref *		dr		Luo Weller	2013/07/02	projection	MM	size	A4	scale	1:1
tolerance std		eng		Luo Weller	2014/02/16			ecn no -			
SEE NOTES		chr		-	-			rel level Released			
		appr		Pei-Ming Zheng	2014/02/16			product family PwrBlade			
surface ✓	linear	0.X	±0.5		title	3ACP + 4P + 24S R/A STB RCPT CABLE PORT		dwg no	51923-010		rev A
		0.XX	±0.25								
		0.XXX	±0.1								
	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw		sheet 1 of 4		

ProjE File - REV C - 2009-06-09


PRODUCT NUMBER

51923-010--
NOTE: 3


DIM "M" ± 0.010




BROKEN-OUT SECTION A-A
SCALE 2:1




BROKEN-OUT SECTION B-B
SCALE 2:1





SECTION F-F
SCALE 2:1



SECTION C-C

dr	Luo Weller	2013/07/02	projection 	MM 	size	A4	scale	1:1	
eng	Luo Weller	2014/02/16			ecn no	-			
chr	-	-			rel level	Released			
appr	Pei-Ming Zheng	2014/02/16	product family		PwrBlade				
		title			dwg no			rev	
www.fci.com		3ACP + 4P + 24S R/A STB RCPT CABLE PORT			51923-010			A	
cat. no.		-			Product - Customer Drw			sheet 2 of 4	



dr	Luo Weller	2013/07/02	projection 	MM 	size	A4	scale	1:1	
eng	Luo Weller	2014/02/16			ecn no				-
chr	-	-							
appr	Pei-Ming Zheng	2014/02/16	product family		PwrBlade		rel level		Released
	title 3ACP + 4P + 24S R/A STB RCPT CABLE PORT				dwg no 51923-010			rev A	
www.fci.com	cat. no.		-		Product - Customer Drw			sheet 3 of 4	



Copyright FCI.

PRODUCT NUMBER
51923-010__
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE ITEM 5 & 6 IN PRINT 10064183 FOR PLATING SPEC OF 51923-010 AND 51923-010LF RESPECTIVELY.
- 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9. $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
- 10. CONNECTOR KEEP-OUT ZONE.

dr	Luo Weller	2013/07/02	projection	MM	size	A4	scale	1:1			
eng	Luo Weller	2014/02/16			ecn no -						
chr	-	-									
appr	Pei-Ming Zheng	2014/02/16	product family		PwrBlade	rel level			Released		
	title				3ACP + 4P + 24S		dwg no		51923-010	rev	A
		R/A STB RCPT CABLE PORT									
www.fci.com		cat. no.		-		Product - Customer Drw				sheet 4 of 4	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9