


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	24OCT2016	DW	CW



NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)





注釋

1. 技術參數：

 壳体材料： 鋁合金

 表面處理： 見表格

 防護等級： IP68 （配合）



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 240CT2016 DAVID WANG CHR 240CT2016 CHRIS WANG APVD 240CT2016 XIANG XU		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±. 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH		NAME H24BPR-H130-TG/SHC-PG/M-EMC-C	
		PRODUCT SPEC 108-137191		APPLICATION SPEC 114-137191	
MATERIAL - -		WEIGHT -		SIZE A2	
				CAGE CODE -	
				DRAWING NO C-T108224XXXX009	
				RESTRICTED TO -	
		Customer Drawing		SCALE 1:1 SHEET 1 OF 2 REV A	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1

T1082244032-009	H24BPR-H130-TG/SHC-M40/M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M40, SIDE ENTRY M32, POWDER COATED, GREY H24BPR中部锁定高结构顶出M40,侧出M32上壳 灰色	M40	M32
T1082243240-009	H24BPR-H130-TG/SHC-M32/M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M32, SIDE ENTRY M40, POWDER COATED, GREY H24BPR中部锁定高结构顶出M32,侧出M40上壳 灰色	M32	M40
T1082242240-009	H24BPR-H130-TG/SHC-2M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M40, POWDER COATED, GREY H24BPR中部锁定高结构顶出/侧出M40上壳 灰色	M40	M40
T1082242232-009	H24BPR-H130-TG/SHC-2M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M32, POWDER COATED, GREY H24BPR中部锁定高结构顶出/侧出M32上壳 灰色	M32	M32
T1082241240-009	H24BPR-H130-TG/SHC-2M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M40, POWDER COATED, SILVER WHITE H24BPR中部锁定高结构顶出/侧出M40上壳 银白色	M40	M40
T1082241232-009	H24BPR-H130-TG/SHC-2M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M32, POWDER COATED, SILVER WHITE H24BPR中部锁定高结构顶出/侧出M32上壳 银白色	M32	M32
T1082244032-109	H24BPR-H130-TG/SHC-M40/M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M40, SIDE ENTRY M32, POWDER COATED, BLACK H24BPR中部锁定高结构顶出M40,侧出M32上壳 黑色	M40	M32
T1082243240-109	H24BPR-H130-TG/SHC-M32/M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M32, SIDE ENTRY M40, POWDER COATED, BLACK H24BPR中部锁定高结构顶出M32,侧出M40上壳 黑色	M32	M40
T1082240240-009	H24BPR-H130-TG/SHC-2M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M40, POWDER COATED, BLACK H24BPR中部锁定高结构顶出/侧出M40上壳 黑色	M40	M40
T1082240232-009	H24BPR-H130-TG/SHC-2M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M32, POWDER COATED, BLACK H24BPR中部锁定高结构顶出/侧出M32上壳 黑色	M32	M32
PART NUMBER 料 号	DESCRIPTION 描 述		PG/M THREAD-2 PG/M 螺纹-2	PG/M THREAD-1 PG/M 螺纹-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

-

DWN 24OCT2016
DAVID WANG

CHK 24OCT2016
CHRIS WANG

APVD 24OCT2016
XIANG XU

PRODUCT SPEC
108-137191

APPLICATION SPEC
114-137191

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
H24BPR-H130-TG/SHC-PG/M-EMC-C

SIZE
A2

CAGE CODE
-

DRAWING NO
T108224XXXX009

RESTRICTED TO
-

SCALE 1:1 SHEET 2 OF 2 REV A

1471-9 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9