





PRODUCT NUMBER SEE SHEET 2



spec ref		*		dr	Zhan Rainbow	2017/07/31	projection 	MM 	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhan Rainbow	2017/08/03			ecn no				-
				chr	Kaka Zhang	2017/08/03			rel level				Released
				appr	Pei-Ming Zheng	2017/08/03			product family				PwrBlade+
ISO 406													
ISO 1101													
surface	linear	0.X	±0.5	Amphenol FCI	title				dwg no	10106263-4004401		rev	A
		0.XX	±0.25										
		0.XXX	±0.10		RA PF PLUG								
	ISO 1302	angular	0°	±2°									

PRODUCT NO.	ROW S	HIGH POWER SIGNAL				HIGH POWER					
		E1	P1	P2	1	2	3	4	P3	P4	E2
10106263-4004401LF	D C B A		HE	HE	SD	SD	SD	SD	HE	HE	
					SC	SC	SC	SC			
					SB	SB	SB	SB			
					SA	SA	SA	SA			




CODE	DESCRIPTION
HE	STD HIGH POWER CONTACT (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

spec ref	*
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED
ISO 406	
ISO 1101	
surface	linear
	0.X ±0.5
	0.XX ±0.25
	0.XXX ±0.10
ISO 1302	angular
	0° ±2°

dr	Zhan Rainbow	2017/07/31	projection	MM	size	A3	scale	3:2
eng	Zhan Rainbow	2017/08/03			ecn no	-		
chr	Kaka Zhang	2017/08/03			rel level	Released		
appr	Pei-Ming Zheng	2017/08/03	product family	PwrBlade+				
Amphenol FCI	2ACP+16S+2ACP		dwg no	10106263-4004401	rev	A		
www.fci.com	RA PF PLUG		cat. no.		Product - Customer Drw		sheet 2 of 3	

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
- 9) THIS PRODUCT MEETS EUROPEN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 10)PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref *				dr	Zhan Rainbow	2017/07/31	projection 	MM 	size	A3	scale	3:2
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhan Rainbow	2017/08/03			ecn no	-		
				chr	Kaka Zhang	2017/08/03						
				appr	Pei-Ming Zheng	2017/08/03	product family		PwrBlade+	rel level	Released	
surface  ISO 1302	linear	0.X	±0.5	Amphenol FCi	title 2ACP+16S+2ACP RA PF PLUG			dwg no 10106263-4004401	rev A			
		0.XX	±0.25									
		0.XXX	±0.10									
				www.fci.com	cat. no.			Product - Customer Drw			sheet 3 of 3	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9