

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-14-003117	04MAR2014	GK	HMR



REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151396-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385289
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385289

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1385289	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV B1

PART NUMBER	REV	FIRST USED
1385289-1	B	122500-1
1385289-2	B	565435-5
1385289-3	B	354500-1



- 1 RECOMMENDED SPARE PARTS.
2 GREASE LIGHTLY.
3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.

TERMINAL NAME: JST VL CONNECTOR									
AMP PN		MFR PN		JST TERMINAL		AMP CRIMP SPECS			
PIN				PAD LTR	CRIMP HEIGHT	WIRE SIZE			
286971		SVM-61T-P2.0		A	.042 ±.002 [1.07 ±.05mm]	18			
				B	NOT	USED			
SOCKET				C	NOT	USED			
1572905		SVF-61T-P2.0		D	NOT	USED			
				CRIMP	SIZE	TYPE	RANGE		
				WIRE	.120 [3.05mm]	F	-		
				INSUL	.160 [4.06mm]	F	.160 MAX		
WIRE STRIP LENGTH		TERM APPL SPEC		FEED	INSTRUCTION	SET UP GAGE	LAYOUT		
.215		NONE		.551	408-8040	458637-1	L2550		

2	2	2	-	C	5-354779-9	PIN, WIRE DISC (.3285)A	126
1	1	1	-	A	986950-1	WASHER, FLAT PRECISION	125
1	1	1	-	A	217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	1	-	-	4088040	SF APPL INST 408-8040	123
1	1	1	-	A	4-21028-0	PIN,SLT SPR(Ø.093x.75)ST GDE PL	121
REF	REF	REF	-	A	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER	120
REF	REF	REF	-	A	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING	119
REF	REF	REF	-	A	21045-3	RING,RET "C"(Ø.187)FD FING PIN	118
1	1	1	-	A	21024-5	WASHER, LOCK(#10)ADJ BLOCK	117
REF	REF	REF	-	A	21024-5	WASHER,LOCK(#10)ADJ PLATE	116
REF	REF	REF	-	A	21024-5	WASHER,LOCK(#10)FEED GDE ROD	115
2	2	2	-	A	21024-2	WASHER,LOCK(#4)FRONT STP GUIDE	114
REF	REF	REF	-	A	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD	113
4	4	4	-	A	21024-4	WASHER,LOCK(#8)STRIPPER	112
REF	REF	REF	-	A	21899-4	WASHER,FLAT(Ø5/16)SCREW ADJ	110
1	1	1	-	A	21018-5	NUT,HEX(NO.6)HOLDDOWN	108
REF	REF	REF	-	A	21068-5	NUT,HEX(6-32)FEED ADJ	107
1	1	1	-	A	992031-1	PIN, CLEVIS	105
1	1	1	-	A	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	104
2	2	2	-	A	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
REF	REF	REF	-	A	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ	101
1	1	1	-	B	461264-1	PLATE, IDENTIFICATION	100
2	2	2	-	A	3-21002-0	SCR,BHC(10-32x.88)DRAG	99
1	1	1	-	A	22733-8	SCR,BHC(8-32x.38 LW)ANVIL	98
REF	REF	REF	-	A	2-21002-9	SCR,BHC(10-32x.75)CAP	97
REF	REF	REF	-	A	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING	96
REF	REF	REF	-	A	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	95
6	6	6	-	A	2-21002-2	SCR,BHC(8-32x.50)TERM H DWN	94
1	1	1	-	A	1-21002-7	SCR,BHC(6-32x.38)CAM	91
1	1	1	-	A	7-21000-9	SCR,SHC(4-40x.19)STRIPPER	89
2	2	2	-	A	2-21000-8	SCR,SHC(8-32x.62)DEP-HOLD	87
1	1	1	-	A	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER	86
2	2	2	-	A	1-21000-3	SCR,SHC(4-40x.25)F ST GUIDE	85
1	1	1	-	A	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	84
REF	REF	REF	-	A	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD	83
REF	REF	REF	-	A	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK	82
1	1	1	-	A	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL	81
REF	REF	REF	-	A	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK	80
-	REF	-	-	B	455749-1	GUARD, WINDOW	79
REF	-	-	-	B	679532-1	INSERT, GUARD	78
1	1	1	-	A	690603-1	SPRING, ASSIST	75
1	1	1	-	A	23030-1	SCR,SHC(6-32x.25 SL)INS DISC	74
REF	REF	REF	-	A	458109-1	WASHER, SPECIAL	72
REF	REF	REF	-	A	690517-1	SPACER	71
-3	-2	-1	U/M	DWG SIZE	PART NO	DESCRIPTION	ITEM NO
QTY REQD PER ASSY				PARTS LIST			

-1	LEADMAKER		MECH POST FEED			
-2	BENCH MODEL K		MECH PRE FEED			
-3	BENCH MODEL G		MECH PRE FEED			
REF	REF	REF	-	B	22594-8	NUT,HEX(1/2-20)
REF	REF	REF	-	B	240628-1	PLATE, ADJUSTMENT
REF	REF	REF	-	B	240626-1	SHAFT, PIVOT
REF	REF	REF	-	B	240633-1	BUSHING
REF	REF	REF	-	A	455680-1	LEVER, INTERMEDIATE
REF	REF	REF	-	B	240629-1	BLOCK, PIVOT
REF	REF	REF	-	A	240632-2	SCREW, ADJ FEED ROD
REF	REF	REF	-	B	240659-3	PIN, CAM ROLLER
REF	REF	REF	-	B	240658-1	ROLLER, CAM
REF	REF	REF	-	B	454398-2	ROD, FEED
REF	REF	REF	-	A	454178-1	GUIDE, FEED ROD
REF	REF	REF	-	C	454220-1	CAP, RAM
REF	REF	REF	-	D	454485-1	HOUSING
1	1	1	-	B	690542-2	PAWL, FEED
REF	REF	REF	-	B	240624-1	PIN, FEED FINGER
REF	REF	REF	-	B	691499-1	SPRING, FEED FINGER
REF	REF	REF	-	B	690541-1	HOLDER, FEED FINGER
REF	REF	REF	-	A	455679-1	LEVER, TERMINAL FEED ARM
1	1	1	-	A	811242-7	BUMPER, HOLDDOWN
1	1	1	-	A	690753-1	SPACER, TONKER
1	-	-	-	B	690602-6	CAM, PRE-FEED 1 5/8 ST
-	1	-	-	B	690602-5	CAM, PRE-FEED 1 1/8 ST
-	-	1	-	B	690501-4	CAM, POST-FEED 1 5/8 ST
1	1	1	-	B	459456-1	APPLICATOR, BASIC (SUBASSY)
1	1	1	-	A	690191-1	PLUG, NYLON
1	1	1	-	C	455673-1	RAM
1	1	1	-	A	690125-1	WASHER, LAMINATED
1	1	1	-	A	690124-1	WASHER, RAM
1	1	1	-	A	7-21002-9	BOLT, CRIMPER(5/16x1.00)
1	1	1	-	A	23241-6	BALL, STEEL
1	1	1	-	A	690170-1	SPRING, COMPRESSION
1	1	1	-	C	1-690142-0	DISC, INSULATION
1	1	1	-	D	354777-1	WIRE DISC, PLASTIC
1	1	1	-	A	22480-5	WASHER, SPRING
1	1	1	-	B	690212-1	POST, RAM
1	1	1	-	B	690786-3	SUPPORT, TERMINAL
REF	REF	REF	-	D	455675-1	PLATE, BASE
1	1	1	-	A	690432-3	SCREW, ADJUSTMENT
REF	REF	REF	-	B	455689-1	BLOCK, STRIP GUIDE ADJ
1	1	1	-	C	455671-9	PLATE, STRIP GUIDE
1	1	1	-	C	1-455888-9	SPACER, FRONT SHEAR DEP
2	2	2	-	A	1-22284-0	SPRING, DRAG
1	1	1	-	B	690546-1	LEVER, DRAG RELEASE
1	1	1	-	B	240792-1	DRAG, TERMINAL
1	1	1	-	D	6-690504-8	GUIDE, STRIP (REAR)
1	1	1	-	A	690438-1	GUIDE, STRIP (FRONT)
-	-	1	-	B	690472-2	STRIPPER
REF	REF	REF	-	A	4-22284-9	SPRING, FEED RETURN
1	1	-	-	A	679218-1	STRIPPER WIRE STOP ASSY
1	1	-	-	B	458949-1	STRIPPER
1	1	1	-	B	318563-1	GUARD, CHIP, FRONT
1	1	1	-	A	5-22280-0	SPRING, SHEAR
1	1	1	-	B	690461-1	STOP, SHEAR
1	1	1	-	C	690459-1	HOLDER, SHEAR (FRONT)
1	1	1	-	C	454276-1	SHEAR, FLOAT (FRONT)
1	1	1	-	C	1-662190-3	ANVIL
1	1	1	-	C	5-240641-2	SPACER, DEPRESSOR (REAR)
1	1	1	-	C	1-455889-4	DEPRESSOR, SHEAR (FRONT)
1	1	1	-	B	1-238011-0	SPACER, BLOCK CRIMPER
1	1	1	-	C	683453-5	CRIMPER, INSULATION
1	1	1	-	C	1-455888-1	SPACER, CRIMPER
1	1	1	-	C	2-456409-0	CRIMPER, WIRE
-3	-2	-1	U/M	DWG SIZE	PART NO	DESCRIPTION
QTY REQD PER ASSY				PARTS LIST		
				REVISION RECORD		
				MATERIAL		
				FINISH		
				DR		
				CHK		
				REL		
				NAME		
				SCALE		
				DWG NO		
				SHEET		
				REV		
				CUSTOMER AND ASSEMBLY DRAWING		
				RESTRICTED TO		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9