

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

D

D

NOTES:
1. PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.
2. MATERIALS:
- HOUSING:GF-LCP
 COLOR:SEE TABLE
- CONTACT:PHOSPHOR BRONZE
 PLATING:TIN

C

C

SCALE 4:1

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-1, 1-2213756-1
SHOWN

BLACK	15 POS UMNL HEADER HOUSING POLARIZED	1-2213756-4
BLACK	12 POS UMNL HEADER HOUSING POLARIZED	1-2213756-3
BLACK	9 POS UMNL HEADER HOUSING POLARIZED	1-2213756-2
BLACK	6 POS UMNL HEADER HOUSING POLARIZED	1-2213756-1
NATURAL	15 POS UMNL HEADER HOUSING POLARIZED	2213756-4
NATURAL	12 POS UMNL HEADER HOUSING POLARIZED	2213756-3
NATURAL	9 POS UMNL HEADER HOUSING POLARIZED	2213756-2
NATURAL	6 POS UMNL HEADER HOUSING POLARIZED	2213756-1
COLOR	POSITION	PART NO.

B

B

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.5
2 PLC ±0.13
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

APVD

02NOV2015

PRODUCT SPEC

108-1053

APPLICATION SPEC

114-133083

WEIGHT

-

CUSTOMER DRAWING

DWN

02NOV2015

CHK

02NOV2015

APVD

02NOV2015

NAME

3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE

SIZE

A2

CAGE CODE

-

DRAWING NO

©-2213756

RESTRICTED TO

-

SCALE

2:1

SHEET

1

OF

4

REV

A1

TE Connectivity

3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE

A

A

D

D

C




C

B


B

A


A



2213756-2, 1-2213756-2
SHOWN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	 TE Connectivity					
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015						
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE					
	0 PLC ±	PRODUCT SPEC	SIZE A2			CAGE CODE -	DRAWING NO C=2213756	RESTRICTED TO -
	1 PLC ±0.5	108-1053						
	2 PLC ±0.13	APPLICATION SPEC	SCALE			SHEET	OF	REV
3 PLC ±	114-133083	2:1			4			
4 PLC ±	FINISH	WEIGHT	CUSTOMER DRAWING					
MATERIAL								
-	-	-						
-	-							

D

C

B





A

D

C

B

A



2213756-3, 1-2213756-3
SHOWN

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN J. SHAFFER 02NOV2015
mm		CHK M. MOSTOLLER 02NOV2015
		APVD M. MOSTOLLER 02NOV2015
		PRODUCT SPEC
		108-1053
		APPLICATION SPEC
		114-133083
MATERIAL		WEIGHT
-		-
-		-

TE Connectivity

3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-2213756	-

CUSTOMER DRAWING

SCALE 2:1

SHEET 3 OF 4

REV A1

D

C

B






A

D

C

B

A



2213756-4, 1-2213756-4
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	108-1053		SIZE	RESTRICTED TO
		APPLICATION SPEC	114-133083		CAGE CODE	
MATERIAL		WEIGHT	-		DRAWING NO	
		CUSTOMER DRAWING			SCALE	
			2:1		SHEET	
			4 OF 4		REV	
			A1			

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9