




P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

D



D



NOTES:
1. PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.
2. MATERIALS:
- HOUSING:GF-LCP
 COLOR:SEE TABLE
- CONTACT:PHOSPHOR BRONZE
 PLATING:TIN

C

C



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-1, 1-2213756-1
SHOWN

BLACK	15 POS UMNL HEADER HOUSING POLARIZED	1-2213756-4
BLACK	12 POS UMNL HEADER HOUSING POLARIZED	1-2213756-3
BLACK	9 POS UMNL HEADER HOUSING POLARIZED	1-2213756-2
BLACK	6 POS UMNL HEADER HOUSING POLARIZED	1-2213756-1
NATURAL	15 POS UMNL HEADER HOUSING POLARIZED	2213756-4
NATURAL	12 POS UMNL HEADER HOUSING POLARIZED	2213756-3
NATURAL	9 POS UMNL HEADER HOUSING POLARIZED	2213756-2
NATURAL	6 POS UMNL HEADER HOUSING POLARIZED	2213756-1
COLOR	POSITION	PART NO.

B

B

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.5
2 PLC ±0.13
3 PLC ±
4 PLC ±
ANGLES ±
FINISH -

MATERIAL

-

-

DWN J. SHAFFER 02NOV2015

CHK M. MOSTOLLER 02NOV2015

APVD M. MOSTOLLER 02NOV2015

PRODUCT SPEC 108-1053

APPLICATION SPEC 114-133083

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE

SIZE A2

CAGE CODE -

DRAWING NO. C-2213756

RESTRICTED TO -

SCALE 2:1

SHEET 1 OF 4

REV A1

A

A

D

D

C




C

B


B

A

A



2213756-2, 1-2213756-2
SHOWN



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN J. SHAFFER 02NOV2015
mm		CHK M. MOSTOLLER 02NOV2015
		APVD M. MOSTOLLER 02NOV2015
		PRODUCT SPEC
		108-1053
		APPLICATION SPEC
		114-133083
MATERIAL	FINISH	WEIGHT
-	-	-
-	-	-

TE Connectivity

NAME

3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-2213756	-
SCALE 2:1		SHEET 2 OF 4	REV A1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

D

C

B





A

D

C

B

A



2213756-3, 1-2213756-3
SHOWN

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE		CAGE CODE	DRAWING NO
		108-1053	A2		-	C-2213756
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	RESTRICTED TO		-	
0 PLC ±		114-133083	SCALE		2:1	SHEET
1 PLC ±0.5		WEIGHT	CUSTOMER DRAWING		3	OF
2 PLC ±0.13		-			4	REV
3 PLC ±					A1	
4 PLC ±						
ANGLES ±						
FINISH						
-						
-						

D

C

B






A

D

C

B

A



2213756-4, 1-2213756-4
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	108-1053		SIZE	RESTRICTED TO
		APPLICATION SPEC	114-133083		CAGE CODE	
MATERIAL		WEIGHT	-		DRAWING NO	
		CUSTOMER DRAWING			SCALE	
			2:1		SHEET	
			4 OF 4		REV	
			A1			

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9