




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

- NOTES:
- PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.
 - MATERIALS:
 - HOUSING:GF-LCP
COLOR:SEE TABLE
 - CONTACT:PHOSPHOR BRONZE
PLATING:TIN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-1, 1-2213756-1
SHOWN



BLACK	15 POS UMNL HEADER HOUSING POLARIZED	1-2213756-4
BLACK	12 POS UMNL HEADER HOUSING POLARIZED	1-2213756-3
BLACK	9 POS UMNL HEADER HOUSING POLARIZED	1-2213756-2
BLACK	6 POS UMNL HEADER HOUSING POLARIZED	1-2213756-1
NATURAL	15 POS UMNL HEADER HOUSING POLARIZED	2213756-4
NATURAL	12 POS UMNL HEADER HOUSING POLARIZED	2213756-3
NATURAL	9 POS UMNL HEADER HOUSING POLARIZED	2213756-2
NATURAL	6 POS UMNL HEADER HOUSING POLARIZED	2213756-1
COLOR	POSITION	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	108-1053		SIZE	CAGE CODE
		APPLICATION SPEC	114-133083		A2	-
MATERIAL		WEIGHT	-		DRAWING NO	RESTRICTED TO
-		CUSTOMER DRAWING	SCALE 2:1		SHEET 1 OF 4	REV A1

D

D

C




C

B


B

A

A



2213756-2, 1-2213756-2
SHOWN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE A2			
		APPLICATION SPEC	CAGE CODE -			
MATERIAL		114-133083	DRAWING NO C-2213756			
		WEIGHT -	RESTRICTED TO -			
		CUSTOMER DRAWING	SCALE 2:1 SHEET 2 OF 4 REV A1			

D

C

B





A

D

C

B

A



2213756-3, 1-2213756-3
SHOWN

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN J. SHAFFER 02NOV2015
mm		CHK M. MOSTOLLER 02NOV2015
		APVD M. MOSTOLLER 02NOV2015
		PRODUCT SPEC
		108-1053
		APPLICATION SPEC
		114-133083
MATERIAL		WEIGHT
-		-
-		-

TE Connectivity

3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-2213756	-

CUSTOMER DRAWING

SCALE 2:1

SHEET 3 OF 4

REV A1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

D

C

B






A

D

C

B

A



2213756-4, 1-2213756-4
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE			
		108-1053	A2			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	CAGE CODE		DRAWING NO	
0 PLC ±		114-133083	-		C-2213756	
1 PLC ±0.5		WEIGHT			RESTRICTED TO	
2 PLC ±0.13		CUSTOMER DRAWING			-	
3 PLC ±		SCALE	2:1		SHEET	
4 PLC ±		4 OF 4			REV	
ANGLES ±					A1	
FINISH						
-						
-						

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9