




Amphenol
FCi


© 2016 AFci

spec ref -				dr Sunny2 Liu		2016/07/22		projection		MM		size A2		scale 4:1	
tolerance std -				eng Sunny2 Liu		2016/08/03						ecn no -		rel level Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED				chr Terris Liu		2016/08/02									
ASME Y14.5				appr Pei-Ming Zheng		2016/08/03									
								product family				CARD EDGE			
surface -		linear		0.X		±0.5		Amphenol FCI		title HPCE STMT RECPT		dwg no 10140587		rev A	
				0.XX		±0.25									
				0.XXX		±0.10									
ASME Y14.5		angular		0°		±°		cat. no. -		Product - Customer Drw				sheet 1 of 4	

PDS: Rev :A





STATUS:Released

Printed: Aug 03, 2016




Amphenol
FCi

© 2016 AFCi

spec ref		-		dr	Sunny2 Liu	2016/07/22	projection		MM	size	A2	scale	2:1							
tolerance std		-		eng	Sunny2 Liu	2016/08/03				ecn no	-	rel level	Released							
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Terris Liu	2016/08/02														
				appr	Pei-Ming Zheng	2016/08/03														
				product family																
surface		linear		0.X		±0.5	Amphenol		FCi		title		HPCE STMT RECPT		dwg no		10140587		rev	
				0.XX		±0.25														
				0.XXX		±0.10														
ASME Y14.5		angular		0°		±°														
				cat. no.		-		Product - Customer Drw				sheet 2 of 4								


© 2016 AFCI





PDS: Rev :A

STATUS: Released

Printed: Aug 03, 2016



spec ref -		dr Sunny2 Liu		2016/07/22		projection		MM		size A2		scale 1:1	
tolerance std -		eng Sunny2 Liu		2016/08/03						ecn no -		rel level Released	
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr Terris Liu									
		appr Pei-Ming Zheng		2016/08/03		product family							
surface -		linear		0.X ±0.5		Amphenol FCI		title HPCE STMT RECPT 2LPI2S		dwg no 10140587		rev A	
				0.XX ±0.25									
				0.XXX ±0.10									
ASMF Y14.5		angular		0° +°		cat. no. -		Product -		Customer Drw		sheet 3 of 4	

PART NUMBER	MOUNTING EARS	POLARIZATION KEY	REAR KEY
10140587-001LF	YES	YES	YES
10140587-002LF			NO
10140587-003LF		NO	YES
10140587-004LF			NO
10140587-005LF	NO	YES	YES
10140587-006LF			NO
10140587-007LF		NO	YES
10140587-008LF			NO



NOTES:

- CONNECTOR MATERIALS:
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
- CONTACT FINISH REF. GS-12-604 SECTION 5.2.
- PRODUCT SPECIFICATION: GS-12-604.
- APPLICATION SPECIFICATION: GS-20-128.
- PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS FCI SPECIFICATION: GS-24-007.
- PACKAGING MEETS FCI SPECIFICATION: GS-14-937.
- HOST BOARD ALIGNMENT KEY IS RECOMMENDED TO ENSURE PROPER ALIGNMENT OF SOLDER TAILS WITH HOST BOARD PADS.

spec ref -		dr Sunny2 Liu		2016/07/22		projection		MM		size A2		scale 4:1	
tolerance std -		eng Sunny2 Liu		2016/08/03						ecn no -		rel level Released	
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		TERRIS									
		chr Terris Liu		2016/08/02		product family		CARD EDGE					
		appr Pei-Ming Zheng		2016/08/03									
surface -		linear		0.X ±0.5		Amphenol FCI		title HPCE STMT RECPT		dwg no 10140587		rev A	
		0.XX ±0.25											
ASME Y14.5		0.XXX ±0.10											
		angular 0° ±°				cat. no. -		Product - Customer Drw		sheet 4 of 4			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9