

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-001889	13FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151435-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911279
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911279

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK	RAGHAVENDRA			
		APVD	RAGHAVENDRA		NAME SIDE FEED SYSTEM III APPLICATOR	
		PRODUCT SPEC				
		APPLICATION SPEC				
MATERIAL		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
			A3		©- 1911279	
FINISH		CUSTOMER DRAWING		SCALE	SHEET 1 OF 2	REV A1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION			
COPYRIGHT 2019 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.			
PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP
1911279-1	A	CUTS CARRIER	8-1911279-1
1911279-6	A	CONTINUOUS CARRIER	8-1911279-6
7-1911279-1	A	-1 AND SPARE PARTS	9-1911279-1
7-1911279-6	A	-6 AND SPARE PARTS	9-1911279-6
7-1911279-7	A	SPARE PARTS KIT	-

APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	1.58mm [.062]	F
INSUL	2.54mm [.100]	F
APPL INSTRUCTIONS 408-10135		

TERMINAL DATA: JST TERMINAL		JST CRIMP SPEC	
TERMINAL NAME: SOCKET			
WIRE STRIP LENGTH 2.7-3.1 mm [.110-.125 IN]			INSULATION DIAMETER RANGE 1.30-2.70mm [.051-.106 IN]
TERMINAL APPL SPEC	 JST	-	-
TERMINALS APPLIED			
			
TE TERMINAL	JST TERMINAL	TE TERMINAL	JST TERMINAL
1949842-1	SZF-01T-P0.7	1949843-1	SZM-01T-P0.7

WIRE SIZE	CRIMP HEIGHT
20AWG or 0.5mm ²	mm [INCH]
22AWG or 0.3mm ²	

- RECOMMENDED SPARE PARTS.
- GREASE BEARING SURFACES LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
- ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATIONS.
- APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.
- APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.



FEED FINGER 1901694-1	SET UP GAGE 1901067-1	LOC A	DIST 66	REVISIONS			
P	LTR	DESCRIPTION	DATE	OWN	APVD		
	A	RELEASED	08JUN2009	BH	BH		

-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	453412-1	SHAFT, STABILIZER CRIMPER ADJUSTER	78
-	1	1	1	1	993093-1	PLUNGER, BALL, METRIC	75
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE SIII	71
-	1	1	1	1	1901048-1	TAG,IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-5	HOLDDOWN, TERMINAL	51
-	1	1	1	1	2-1752354-0	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	2031969-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW,SET,SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1	1	1752309-2	RING,INSULATION CRIMP	38
-	1	1	1	1	1752356-3	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1320908	SPACER, STRIP GUIDE	30
-	1	1	1	1	2-1901087-4	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	-	1	-	1338684-2	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	356885-5	STOP, SHEAR	11
-	-	1	-	1	1-1320921-0	SHEAR HOLDER, FRONT, CUT	10
-	1	1	1	1	462006-6	FLOATING SHEAR, FRONT	9
1	2	2	1	1	1633776-2	ANVIL	8
-	1	1	1	1	1633777-2	CRIMPER, STABILIZER	6
-	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR	5
-	1	1	1	1	5-238011-2	BLOCK, CRIMPER SPACER	4
1	2	2	1	1	2-683453-9	CRIMPER, INSULATION PREMIUM	3
-	1	1	1	1	455888-5	SPACER, CRIMPER	2
1	2	2	1	1	1-456403-3	CRIMPER, WIRE PREMIUM	1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION				OWN B. HIGMAN	25FEB2009	Tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS (INCHES[mm])				CHK G. BAILEY	25FEB2009	SIDE FEED SYSTEM III APPLICATOR		
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD N. DEMING	25FEB2009	-		
0 PLC				PRODUCT SPEC		-		
1 PLC				APPLICATION SPEC		-		
2 PLC				SEE TABLE		-		
3 PLC				WEIGHT		-		
4 PLC				CUSTOMER DRAWING		-		
ANGLES				SCALE		3:5		
MATERIAL				SHEET		1 OF 1		
FINISH				REV		A		

AMP 4805 REV 31MAR2000

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9