

1 NUMERI DI IDENTIFICAZIONE CAVITA'.
(CIRCUIT IDENTIFICATION)

2 MARCHIO DI FABBRICA (LIBERA POSIZIONE).
(AMP LOGO FREE POSITION)

RETENTION TOOTH IS REQUESTED FOR THE 2 AND 3 POS. ONLY

4 PERTE PRELIMINARE, NON ANCORA IN PRODUZIONE
(PRELIMINARY PART, NOT YET RELEASED FOR PRODUCTION)

5 PER QUESTI P/N LA POLARIZZAZIONE POSTERIORE DEVE
INTENDERSI COMPLETA, A FINE BLOCCETTO.
(per la rappresentazione vedere foglio 1/2)
(FOR THE INDICATE P/N THE POLARIZATION MUST BE
AT THE END OF CONNECTOR (see sheet 2 of 2.

 CODIFICA CON DIFFERENTE DIMENSIONE.
(CODIFICATION WITH DIFFERENT DIMENSION).

 BECOMES 6.5 FOR BOTH CAVITIES ON THE 2 POS., ON CAVITY N.1 AND N.3 ON THE 3 POS. AND ON CAVITY N.1 ON THE 4 POS. CONNECTOR

 INCLUDE LA POLARIZZAZIONE DOVE E' ESISTENTE
(INCLUDING POLARIZATION KEY, WHEN EXISTING)

9 DETAIL FOR PN X-282002-8 AND PN 1-2293382-2, SPECIAL VERSION,
SEE ALSO NOTE 3

 P/N NON RILASCIATO PER LA PRODUZIONE
(P/N NOT YET RELEASED FOR PRODUCTION)

$$\begin{pmatrix} 1 & 1 \\ & \ddots \end{pmatrix} \dots$$

12 GEOMETRIA ALTERNATIVA DEL DENTINO DI AGGANCIO VEDI NOTA 3 PER ALTRI DETTAGLI
(ALTERNATIVE SHAPE FOR RETENTION TOOTH, SEE NOTE 3 FOR ADDITIONAL DETAILS)

13) STATO DI FORNITURA: CONFEZIONAMENTO IN "VASSOI + SCATOLA"
(PACKAGING: "ON TRAY PLUS CARTON BOX")


14) CONFEZIONAMENTO IN BOBINA OBSOLETO
(PACKAGING: ON REEL OBSOLETE)

15 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

16 THE DESIRED POLARIZATION CAN BE OBTAINED BY THE TERMINATION MACHINE

EXCEPTION MADE FOR PN X-282002-8, PN 1-2293382-2, 3-282002-4 AND 6-282002-4
FOR THIS PN CAVITY 1 IS WITHOUT RETENTION TOOTH AND HAS THE SAME DESIGN
AS THE CAVITY N.2

DETAIL FOR PN 0-282233-2 ONLY



SEZ. A-A

COLOR CODE STRIP ALLOCATED IN QUESTA AREA DEL COPERCHIO
(COLOR CODE STRIP LOCATED ON THE COVER AS SHOWN)

LIMITES INTERIORE DEL CAVO
(LOWER CABLE LIMIT)

15.0 REF.

24.5

22.7

5.5

2.5

1.5

0.8 ± 0.2

1.0

9.2

23.6

14 MAX

30.4

9.0 ± 0.2 (STOP ON COUNTERPART)

± 0.2

3.0


ALTEZZA DELLA POLARIZZAZIONE
(POLARIZATION HEIGHT)

ALLETTE DI POLARIZZAZIONE A FILO BLOCCETTO
(POLARIZATION RIBS AT THE END OF CONNECTOR)


CODIFICA S
(SPECIAL CODE)

CODIFICA SPECIALE
(SPECIAL CODIFICATION)

DETTAGLIO DEL CONTATTO, DIMENSIONI RIFERITE AL
COMPONENTE INSERITO IN CAVITA'
(ENLARGED VIEW OF TAB CONTACT
DIM. REFERRED TO CONTACT INSERTED IN THE
HOUSING CAVITY)





CONNETTORE COMPLETO DI CAVO
(TERMINATED CONNECTOR)

[illegible]


DETAIL PN/s :
1-282006-3
2-282006-3
3-282006-3

POLARIZATION KEYS
(VIEW FROM "X")



PN X-282002-8
PN 1-2293382-2

IL "B" FOR CAVITY 1 & 2)



2	BLOCCHETTO (HOUSING)	NATURALE (NATURAL)	PA 6.6 CARICATO VETRO (POLIAMIDE 6.6 GLASSFIBER FILLED)	
1	CONTATTO (CONTACT)	STAGNATO (TIN-PLATED)	OTTONE (BRASS)	
ITEM	DENOMINAZIONE (DESCRIPTION)	FINITURA / COLORE (FINISH / COLOUR)	MATERIALE (MATERIAL)	
			DIAM. ISOLANTE (INS. DIA. RANGE) 3,0 max.	RANGO FILO (WIRE RANGE) 0.5 - 1.5mm2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995 CHK G. TURCO 23JUL1995		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±  0.3		NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.	
MATERIAL SEE TABLE		FINISH SEE TABLE			
		WEIGHT -			
		PRODUCT SPEC 108-20065-1, 108-20065-2		SIZE A2	
		APPLICATION SPEC 114-20016, 114-20016-1		CAGE CODE 00779	
				DRAWING NO G=282002	
				RESTRICTED TO -	
		Customer Drawing		SCALE - SHEET 1 OF 6 REV AA26	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA	
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
2		1-282002-1	V	2-282002-1	V	2S 5	1-2	-	9.9	NERO BLACK	02-C
2		1-282002-2	V	2-282002-2	V	1S 2D	1-2	-	9.9	GRIGIO GREY	02-B 02-E 02-F
2		1-282002-3	V	2-282002-3	V	2D	1-2	-	9.9	ROSSO RED	02-L
2		1-282002-4	V	2-282002-4	V	1D 5 2S 5	1-2	-	9.9	BLU BLUE	02-A
2		1-282002-5	V	2-282002-5	V	1D	1-2	-	9.9	NERO BLACK	02-Q
2		1-282002-6	V	2-282002-6	V	-	1-2	-	9.9	NERO BLACK	-
2		1-282002-7	V	2-282002-7	V	-	1-2	-	9.9	-	-
2		1-282002-8	V	2-282002-8	V	1S 2D	1-2	-	9.9	VERDE GREEN	02-B 02-E 02-F
2	4	2-282002-9	I	-	-	1D 2D	1-2	-	9.9	-	-
2	4	3-282002-0	I	-	-	1S 1D	1-2	-	9.9	-	-
2	4	3-282002-4	I	-	-	1D 5 2S 5	1-2	-	9.9	-	02-A
2		5-282002-4	I	-	-	1S 2D	1-2	-	9.9	YELLOW	02-B 02-E 02-F
2	4	6-282002-0	I	-	-	1S 5 2S 5	1-2	-	9.9	RED	-
3		1-282003-1	V	2-282003-1	V	1D	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I
3		1-282003-2	V	2-282003-2	V	2D 3D	2-3	-	14.9	BLU BLUE	03-B
3		1-282003-3	V	2-282003-3	V	1S 3D	1-2	-	14.9	VERDE GREEN	03-F
3		1-282003-4	V	2-282003-4	V	2D 3D	2-3	-	14.9	ROSSO RED	03-B
3		1-282003-5	V	2-282003-5	V	2D 3D	2-3	-	14.9	GRIGIO GREY	03-B
3		1-282003-6	V	2-282003-6	V	-	1-2	-	14.9	VIOLA VIOLET	-
3		1-282003-7	V	-	-	2D 3D	2-3	-	14.9	NERO BLACK	03-B
3	4	3-282003-3	I	-	-	1S 1D	1-2	-	14.9	-	-
3	4	3-282003-4	I	-	-	1S - 2S 2D - 3S	1-2	-	14.9	-	-
3	4	3-282003-5	I	-	-	1S 3D	2-3	-	14.9	-	-
3	4	3-282003-6	I	-	-	1S - 1D 2S - 2D	1-2	-	14.9	-	-
3	6	0-282233-2	V	2-282233-2	V	1S 5	1-2	-	14.9	-	03-D
3		1-284396-1	Z	-	-	2S	2-3	-	14.9	NERO BLACK	-

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

VISTE SOLO PER RIFERIMENTO

VIEWS ONLY FOR REFERENCE

LEGENDA

(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

AGGANCIO
(LOCKING LANCE)

CODIFICA
(CODIFICATION)

LATO BANDA COLORATA
(COLOR STRIP SIDE)

POLARIZZAZIONE
(POLARIZATION)

POLARIZZAZIONE
(POLARIZATION)

CODIFICA
(CODIFICATION)

CODIFICA SPECIALE
(SPECIAL CODIFICATION)

AGGANCIO
(LOCKING LANCE)

CODIFICA
(CODIFICATION)

CODIFICA SPECIALE
(SPECIAL CODIFICATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

0.3

FINISH

SEE TABLE

DWN 23JUL1995
G. ENDRIZZI

CHK 23JUL1995
G. TURCO

APVD 23JUL1995
G. TURCO

PRODUCT SPEC
108-20065-1, 108-20065-2

APPLICATION SPEC
114-20016, 114-20016-1

WEIGHT
-

Customer Drawing

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE
A260779

CAGE CODE
C-282002

DRAWING NO

RESTRICTED TO

SCALE
-

SHEET 2 OF 6


REV
AA26

1471-9 (3/11)

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
-	-			SESTESSEMENT I		

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)




NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L +0.2 -0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI						
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	POSSIBLE RAST 5 POLARIZ. ⑩
4		1-282004-1	V	2-282004-1	V	1D ⑤	1-2 3-4	2D	19.9 GRIGIO GREY 04-A
4		1-282004-2	V	2-282004-2	V	3D ⑤	2-3	-	19.9 NERO BLACK 04-D
4		1-282004-3	V	2-282004-3	V	1D ⑤	1-2 3-4	2D	19.9 ROSSO RED 04-A
4		1-282004-4	S	-	-	3D	1-2	-	19.9 BLU BLUE -
4		3-282004-4	AA	-	-	4D 1S	3-4 1-2	-	19.9 -
4		4-282004-4	I	-	-	4D 1S-1D-2S-2D 3S-3D-4S-4D AS-BD-CS-DD	3-4 1-2	-	19.9 -
5		1-282005-1	V	2-282005-1	V	4D ⑤	4-5	-	24.9 ROSSO RED -
5		1-284545-1	Z	-	-	2S ⑤	4-5	-	24.9 ROSSO RED -
5		1-284545-2	A	-	-	1S 5D	- 3-4	3D	24.9 -
5		1-284545-3	A	-	-	1S 5D	1-2 3-4	-	24.9 BLU BLUE -
5		1-293003-5	Z	-	-	-	4-5	-	24.9 NERO BLACK -
6		1-282006-2	V	2-282006-2	V	2S 5D	2-3	-	29.9 VIOLA VIOLET -
6		1-282006-3	V	2-282006-3	V	2S - 3D 4D - 5D	4-5	-	29.9 -
6		2-282006-4	V	-	-	3D 5D	-	5S	29.9 NERO BLACK -
6		1-284745-1	Z	-	-	6D ⑤	4-5	-	29.9 ROSSO RED -
6		1-284745-2	I	-	-	6D ⑤	-	4D	29.9 RED -
6		1-284745-3	I	-	-	5D ⑤	3-4	-	29.9 VIOLET -
6		1-284745-4	I	-	-	1S ⑤	2-3	-	29.9 ORANGE -
7		1-282007-1	V	2-282007-1	V	1D ⑤ 5D	1-2 5-6	3S	34.9 -
7		2-282007-2	V	-	-	4D 6D	-	6S	34.9 VIOLA VIOLET -
7		2-282007-3	I	-	-	1S - 2S - 2D 3S - 3D - 4D 5S - 6S - 6D 7S - 7D	1-2 5-6	-	34.9 -
7		3-282007-2	AA	-	-	-	1-2 5-6	5S	34.9 -
7		1-284397-1	Z	-	-	2D	1-2 5-6	-	34.9 NERO BLACK -
7		1-293004-7	Z	-	-	-	1-2 5-6	-	34.9 ROSSO RED -
7		2-293004-7	I	-	-	-	1-2 5-6	-	34.9 GRIGIO GREY -
8		0-284085-1	V	2-284085-1	V	2D - 6S 4D - 6D	-	4S	39.9 -
8		0-284085-2	V	2-284085-2	V	-	2-3	-	39.9 VIOLA VIOLET -

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	TE Connectivity			
DIMENSIONS: mm		CHK G. TURCO 23JUL1995				
		APVD G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-20065-1, 108-20065-2				
0 PLC ±: 1 PLC ±: 2 PLC ±: 3 PLC ±: 4 PLC ±: ANGLES ±		APPLICATION SPEC 114-20016, 114-20016-1				
MATERIAL		WEIGHT --	SIZE A260779			
FINISH		Customer Drawing	DRAWING NO C-282002			
SEE TABLE		SEE TABLE	RESTRICTED TO -			
			SCALE -			
			SHEET 3			
			OF 6			
			REV AA26			

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.				POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L +0.2 L -0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI								
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L +0.2 L -0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
10		1-282010-1	V	2-282010-1	V	6D 8S	4-5 8-9	6S	49.9	-	-
10		0-284004-1	V	-	-	6D 8S	4-5 8-9	6S	49.9	-	-

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI CHK G. TURCO APVD G. TURCO PRODUCT SPEC 108-20065-1, 108-20065-2 APPLICATION SPEC 114-20016, 114-20016-1 WEIGHT --	23JUL1995 23JUL1995 23JUL1995	TE Connectivity			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS. -		SIZE A2	CAGE CODE b0779	DRAWING NO C-282002	RESTRICTED TO -
MATERIAL SEE TABLE	FINISH SEE TABLE	Customer Drawing		SCALE -	SHEET 4	OF 6	REV AA26

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PA GF, UL-VO GWEPT 750° C NO FLAME, NATURAL

		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES					
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE RAST 5 POLARIZ.
2		2293382-2	AA			IS 2D	1-2	-	9.9		02-B 02-E 02-F
2		1-2293382-2	AA			IS 2D	1-2		9.9	GREEN	02-B 02-E 02-F
2		2-2293382-2	I			ID 2D	1-2	-	9.9		
2		3-2293382-2	AA			ID 2S	1-2	-	9.9	BLUE	02-A
2		4-2293382-2	I			IS ID	1-2	-	9.9		
2		5-2293382-2	I			IS 2D	1-2	-	9.9	GREY	02-B 02-E 02-F
3		2293382-3	AA			2S	2-3	-	14.9		
3		1-2293382-3	AA			-	1-2	-	14.9	VIOLET	-
3		2-2293382-3	AA			ID	1-2	-	14.9	ORANGE	03-A 03-I
3		3-2293382-3	I			IS ID	1-2	-	14.9		
3		4-2293382-3	I			ID 2S 2D 3S	1-2	-	14.9		
3		5-2293382-3	I			IS 3D	2-3	-	14.9		
3		6-2293382-3	AA			IS ID 2S 2D	1-2	-	14.9		
3		7-2293382-3	I			IS 3D	1-2		14.9	GREEN	03-F
4		2293382-4	AA			ID	1-2 3-4	2D	19.9	GREY	04-A
4		1-2293382-4	AA			IS 4D	1-2 3-4	-	19.9		
4		2-2293382-4	I			TBD	TBD	TBD	19.9		
5		2293382-5	AA			-	4-5	-	24.9		
6		2293382-6	I			TBD	TBD	TBD	29.9		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

0.3
±

SEE TABLE

APVD 23JUL1995
G. TURCO

CHK 23JUL1995
G. TURCO

PRODUCT SPEC

108-20065-1, 108-20065-2

APPLICATION SPEC

114-20016, 114-20016-1

WEIGHT

Customer Drawing

23JUL1995
G. ENDRIZZI

23JUL1995
G. TURCO

23JUL1995
G. TURCO

NAME

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET 5 OF 6

REV AA26

1471-9 (3/11)

1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC-

DIST-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PA GF, UL-V0 GWEPT 750° C NO FLAME, NATURAL

		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES					
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE RAST 5 POLARIZ.
7		2293382-7	I			-	1-2 5-6	-	34.9		
7		2-2293382-7	I			1S 2S 2D 3S 3D 4D 5S 6S 6D 7S 7D	1-2 5-6		34.9		
8		2293382-8	I			TBD	TBD	TBD	39.9		
9		2293382-9	I			TBD	TBD	TBD	44.9		
10		1-2293382-0	I			6D 8S	4-5 8-9	6S	49.9		

10

10

10

10

10

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

FINISH

SEE TABLE

DWN G. ENDRIZZI 23JUL1995
CHK G. TURCO 23JUL1995
APVD G. TURCO 23JUL1995
PRODUCT SPEC 108-20065-1, 108-20065-2
APPLICATION SPEC 114-20016, 114-20016-1
WEIGHT -

Customer Drawing

SCALE -

SHEET 6 OF 6

REV AA26

TE Connectivity

MONO-SHAPE MKI
TAB CONNECTORS 2-10 POS.
-

SIZEA260779

CAGE CODEC-282002

DRAWING NO

RESTRICTED TO -

1471-9 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9