






LOC		DIST		REVISIONS						
ES	00	P	LTR	DESCRIPTION				DATE	DWN	APVD
		E5	REV	PWE	ECR-12-021188			10DEC2012	ML	SZ



SECTION H-H




E3

.225	6.000	1.275	.250	6.350	.200	.375	6.050	NO	48S + 18P	6600323-9
.225	4.650	1.675	.250	5.000	.200	.375	4.700	NO	64S + 11P	6600323-8
.225	3.800	3.075	.250	4.150	.200	.375	3.850	YES	120S + 2P	6600323-7
.225	2.800	.200	.300	3.150	.200	.375	2.850	NO	4S + 8ACP	6600323-6
.225	3.800	1.075	.250	4.150	.200	.375	3.850	NO	40S + 10P	6600323-5
.225	1.500	-	-	1.850	.200	.375	1.550	NO	48S	6600323-4
.225	2.400	.675	.250	2.750	.200	.375	2.450	NO	24S + 6P	6600323-3
.225	2.900	.675	.250	3.250	.200	.375	2.950	NO	24S + 8P	6600323-2
.225	3.100	.875	.250	3.450	.200	.375	3.150	NO	32S + 8P	6600323-1
DIM TT	DIM U	DIM W	DIM T	DIM L	DIM K	DIM G	DIM D	RETENTION CLIP	DESCRIPTION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	J. McCLINTON	15AUG05	TE Connectivity			
				CHK	D. TROUT	15AUG05				
DIMENSIONS:				APVD	R. WHYNE	15AUG05	NAME			
INCH				PRODUCT SPEC				VERTICAL HEADER ASSEMBLY, W/GUIDES, PRESS FIT, TYPE SP, MULTI-BEAM XL		
				APPLICATION SPEC				SIZE	CAGE CODE	DRAWING NO
				WEIGHT				A100779	C=6600323	
MATERIAL				CUSTOMER DRAWING				SCALE	3:1	SHEET 1 OF 7

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-


PART NUMBER	ROWS		SIGNAL								POWER								
			1	2	3	4	5	6	7	8	P1	P2	P3	P4	P5	P6	P7	P8	
6600323-1	D		EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM	VM	VM	
	C		EV	EV	EV	EV	EV	EV	EV	EV									
	B		EV	EV	EV	EV	EV	EV	EV	EV									
	A		EV	EV	EV	EV	EV	EV	EV	EV									
32S+8P																			



PART NUMBER	ROWS		SIGNAL						POWER									
			1	2	3	4	5	6	P1	P2	P3	P4	P5	P6	P7	P8		
6600323-2	D		EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM	VM	VM		
	C		EV	EV	EV	EV	EV	EV										
	B		EV	EV	EV	EV	EV	EV										EV
	A		EV	EV	EV	EV	EV	EV										EV
24S+8P																		



PART NUMBER	ROWS		SIGNAL												
			1	2	3	4	5	6	7	8	9	10	11	12	
6600323-4	D		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	C		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	B		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	A		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
48S															




-	RETENTION CLIP	HD
MLBF	SIGNAL CONTACT	ES
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM
MATING SEQUENCE	DESCRIPTION	IDENTIFIER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. McCLINTON 15AUG05	TE Connectivity	
DIMENSIONS: INCH		CHK D. TROUT 15AUG05		
		APVD R. WHYNE 15AUG05	NAME VERTICAL HEADER ASSEMBLY, W/GUIDES, PRESS FIT, TYPE SP, MULTI-BEAM XL	
		PRODUCT SPEC		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIZE A100779C=6600323	
0 PLC ±.005		WEIGHT		
1 PLC ±.005		CUSTOMER DRAWING	SCALE 3:1	
2 PLC ±.005			SHEET 2 OF 7	
3 PLC ±.005			REV E5	
4 PLC ±0.0005				
ANGLES				
FINISH				

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL										POWER										
			1	2	3	4	5	6	7	8	9	10	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	
6600323-5	D		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM	VM	VM	VM		
	C		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV											
	B		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV											
	A		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV											
40S+10P																							



RECOMMENDED PCB LAYOUT 6600323-5
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN J. McCLINTON 15AUG05
CHK D. TROUT 15AUG05
APVD R. WHYNE 15AUG05

DIMENSIONS:
INCH

0 PLC ±.
1 PLC ±.
2 PLC ±.
3 PLC ±.
4 PLC ±0.0005
ANGLES ±.
FINISH -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.
1 PLC ±.
2 PLC ±.
3 PLC ±.
4 PLC ±0.0005
ANGLES ±.
FINISH -

MATERIAL -

-

NAME
VERTICAL HEADER ASSEMBLY, W/GUIDES,
PRESS FIT, TYPE SP,
MULTI-BEAM XL

SIZE A1
CAGE CODE 100779
DRAWING NO. C=6600323


RESTRICTED TO -

CUSTOMER DRAWING

SCALE 3:1
SHEET 3 OF 7
REV E5

TE Connectivity

PART NUMBER	ROWS		SIGNAL						POWER						
			1	2	3	4	5	6	P1	P2	P3	P4	P5	P6	
6600323-3	D		EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM	
	C		EV	EV	EV	EV	EV	EV							
	B		EV	EV	EV	EV	EV	EV							
	A		EV	EV	EV	EV	EV	EV							
24S+6P															


4805 (3/11)

Technical drawing of a rectangular plate with a grid of holes. The drawing includes dimensions: overall width 4.180 MIN, overall height .600 MIN, and a central grid of 20x10 holes. Various callouts specify hole diameters (e.g., Ø.040±.003, Ø.098±.002) and material properties (e.g., 2 PLC, 136 PLC). The drawing is divided into two sections by a centerline, with the left section labeled 'BSC' and the right section labeled 'TYP'.


4805 (3/11)


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL																POWER												
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11		
6600323-8	D		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM			
	C		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV														
	B		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV														
	A		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV														
64S + 11P																															



LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION		DATE	DWN	APVD
		-		SEE SHEET 1		-	-	-

PART NUMBER	ROWS		SIGNAL												POWER																		
			1	2	3	4	5	6	7	8	9	10	11	12	P1	P2	P3	P4	P5	P6	P7	P8	P9	PI0	PI1	PI2	PI3	PI4	PI5	PI6		PI7	PI8
6600323-9	D		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM		
	C		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV																		EV	
	B		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV																		EV	EV
	A		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV																		EV	EV
48S + 18P																																	



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9