



Modular Fuseblocks for High-Speed Semiconductor Fuses 0-5000 Volts, 400 Amps

BH-2 Series



Dimensional Data $\frac{\text{mm} (\pm .25)}{\text{Inches} (\pm .01)}$



Catalog Symbol: BH-2 Series
 Base: Light weight, high temperature thermoplastic
 Mounting Studs: Plated steel
 Connector: Tin-plated aluminum.
 Standard connector accepts #6 - 250 MCM copper wire
 Nut: Plated steel
 Washer: Spring steel
 Agency Information:
 UL Recognized, Guide IZLT2, File E14853 up to 700 Volts
 CSA Certified, Class 6225-01, File 47235 up to 700 Volts
 Withstand Rating: 200,000A RMS Sym. or interrupting rating of fuse used, whichever is smaller.

Catalog Code Description:

Block Series

BH - 2 X X X

Agency Information

- 0 No Agency Information
- 1 UL Recognition and CSA Certification
- 2 UL Recognition Only
- 3 CSA Certification Only

Wire Connector

- 0 No Connector
- 3 2 Hole for #6 - 250MCM Copper Wire (for use with Base 1, 2, & 3)

Stud Size

- 1 1/4 - 20
- 2 9/16 - 18
- 3 3/8 - 16

- NOTES:** 1. Always check applicable end use standards for required spacing between blocks, fuses or other hardware.
 2. For applications above 700V, consult appropriate electrical standard for proper creepage distances, clearance distances and insulator voltage withstand ratings.

CE CE logo denotes compliance with European Union Low Voltage Directive (50-1000 VAC, 75-1500 VDC). Refer to Data Sheet: 8002 or contact Bussmann Application Engineering at 314-527-1270 for more information.

Modular Fuseblocks

for High-Speed Semiconductor Fuses

0-5000 Volts, 400 Amps

BH-2 Series

Electrical Characteristics

Buss Cat. No.	Fuseblock Part No.	Stud Ref.	Fuse Volt Rating	Dimensions mm / Inches		
				"A"	"B"	"C"
170E7183	BH-2033	$\frac{3}{8}$	5000V	450.09 / 17.720	629.41 / 24.780	495.05 / 19.490
170E7184	BH-2033	$\frac{3}{8}$	5000V	450.09 / 17.720	629.41 / 24.780	495.05 / 19.490
170E7185	BH-2033	$\frac{3}{8}$	5000V	450.09 / 17.720	629.41 / 24.780	495.05 / 19.490
170E7187	BH-2033	$\frac{3}{8}$	5000V	450.09 / 17.720	629.41 / 24.780	495.05 / 19.490
170E7188	BH-2033	$\frac{3}{8}$	5000V	450.09 / 17.720	629.41 / 24.780	495.05 / 19.490
170E7189	BH-2033	$\frac{3}{8}$	5000V	450.09 / 17.720	629.41 / 24.780	495.05 / 19.490
170E8129	BH-2033	$\frac{3}{8}$	3300V	163.07 / 6.420	342.39 / 13.480	208.03 / 8.190
170E9629	BH-2033	$\frac{3}{8}$	4000V	299.97 / 11.810	479.30 / 18.870	344.93 / 13.580
170E9630	BH-2033	$\frac{3}{8}$	4000V	299.97 / 11.810	479.30 / 18.870	344.93 / 13.580

The only controlled copy of this Data Sheet is the electronic read-only version located on the Bussmann Network Drive. All other copies of this document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9