


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	T	REDRAWN/REVISED PER ECO-17-001756	10NOV2017	GR	JO

D



1 CONTACT AREAS PLATED WITH $0.76 \mu\text{m}$ GOLD;
SOLDER TAILS PLATED WITH $3.81 \mu\text{m}$ MIN TIN-LEAD;
ALL OVER $1.27 \mu\text{m}$ MIN NICKEL

2. NOTE DELETED

3 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION
OF THE POST AND HOUSING.

4 CONTACT AREAS PLATED WITH $0.76 \mu\text{m}$ GOLD;
SOLDER TAILS PLATED WITH $3.81 \mu\text{m}$ MIN TIN;
ALL OVER $1.27 \mu\text{m}$ MIN NICKEL

5. NOTE DELETED

6 FINISH: $0.03 \mu\text{m}$ MIN GOLD ON GOLD PLATED AREA,
 $3.81 \mu\text{m}$ MATTE IN TIN-LEAD ON TIN PLATED AREA.
UNDER PLATING: $1.27 \mu\text{m}$ NICKEL ON ENTIRE CONTACT.
GOLD AND TIN PLATING MAY NOT OVERLAP.

7 FINISH: $0.03 \mu\text{m}$ MIN GOLD ON GOLD PLATED AREA,
 $3.81 \mu\text{m}$ MATTE IN TIN ON TIN PLATED AREA. UNDER
PLATING: $1.27 \mu\text{m}$ NICKEL ON ENTIRE CONTACT
GOLD AND TIN PLATING MAY NOT OVERLAP.



8. NOTE DELETED

9. NOTE DELETED


10. NOTE DELETED

11 MATERIAL: HOUSING:LCP, COLOR-BLACK
CONTACT:COPPER ALLOY


C



B



RECOMMENDED HOLE PATTERN
FOR MANUAL INSERTION



A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. RAMESH CHK J. OLSON APVD J. OLSON	10NOV2017 10NOV2017 10NOV2017	TE Connectivity	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-1093	APPLICATION SPEC 114-25031		
MATERIAL 11	SEE TABLE	WEIGHT -	CUSTOMER DRAWING	NAME HEADER ASSEMBLY, RIGHT ANGLE, UNSHROUDED, SINGLE ROW, AMPMODU System 50	RESTRICTED TO
				SIZE A200779	CAGE CODE C-104186
				DRAWING NO 114-25031	REV T
				SCALE 5:1	SHEET 1 OF 2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

BY -

ALL RIGHTS RESERVED.

7

39.7530319-104168-0

63.8849508-104168-9

57.5344458-104168-8

51.1839408-104168-7

44.8334358-104168-6

38.4829308-104168-5

34.6726278-104168-4

32.1324258-104168-3

28.3221228-104168-2

25.7819208-104168-1

21.9716178-104168-0

19.4314157-104168-9

16.8912137-104168-8

15.6211127-104168-7

13.089107-104168-6

10.54788-104168-5

9.27677-104168-4

8.00566-104168-3

6.73455-104168-2

5.46344-104168-1

4

39.7530317-104168-0

63.8849506-104168-9

57.5344456-104168-8

51.1839406-104168-7

44.8334356-104168-6

38.4829306-104168-5

34.6726276-104168-4

32.1324256-104168-3

28.3221226-104168-2

25.7819206-104168-1

21.9716176-104168-0

19.4314155-104168-9

16.8912135-104168-8

15.6211125-104168-7

13.089109-104168-6

10.54788-104168-5

9.27677-104168-4

8.00566-104168-3

6.73455-104168-2

5.46344-104168-1

FINISH

DIM_ B

A SPACES

NO OF POSN

PART NUMBER

6

39.7530314-104186-0

63.8849503-104186-9

57.5344453-104186-8

51.1839403-104186-7

44.8334353-104186-6

38.4829303-104186-5

34.6726273-104186-4

32.1324253-104186-3

28.3221223-104186-2

25.7819203-104186-1

21.9716173-104186-0

19.4314152-104186-9

16.8912132-104186-8

15.6211122-104186-7

13.0891092-104186-6

10.54788-104186-5

9.27677-104186-4

8.00566-104186-3

6.73455-104186-2

5.46344-104186-1

1

39.7530312-104186-0

63.8849501-104186-9

57.5344451-104186-8

51.1839401-104186-7

44.8334351-104186-6

38.4829301-104186-5

34.6726271-104186-4

32.1324251-104186-3

28.3221221-104186-2

25.7819201-104186-1

21.9716171-104186-0

19.431415-104186-9

16.891213-104186-8

15.621112-104186-7

13.089109-104186-6

10.54788-104186-5

9.27677-104186-4

8.00566-104186-3

6.73455-104186-2

5.46344-104186-1

FINISH

DIM_ B

A SPACES

NO OF POSN

PART NUMBER

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC±

1 PLC±

2 PLC±0.3

3 PLC±0.13

4 PLC±

ANGLES±0.5°

FINISH-

DWN10NOV2017
G. RAMESH

CHK10NOV2017
J. OLSON

APVD10NOV2017
J. OLSON

PRODUCT SPEC108-1093

APPLICATION SPEC114-25031

WEIGHT-

CUSTOMER DRAWING

NAMEHEADER ASSEMBLY, RIGHT ANGLE, UNSHROUDED, SINGLE ROW, AMPMODU System 50

SIZEA2

CAGE CODE00779

DRAWING NO©-104186

RESTRICTED TO

SCALE5:1

SHEET2 OF 2

REV T

1471-9 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9