THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E2	ADDED NEW DASH NUMBER 2-5	03MAY2012	CZ	SZ
	E3	REVISED	16FEB2013	ML	SZ
	E4	ADD NEW DASH NUMBER 2-6	09MAY2014	CZ	SZ





1. "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN.
2. MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-O.
   SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
   POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
3. CONTACT PLATING: NOBLE METAL PLATED ON THE CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
4. MECHANICAL CONNECTOR KEEP OUT ZONE.
5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
6. PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
7. PCB - .0453 +/-.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 PLATING TO ACHIEVE A .040 DIA. HOLE.
8. FOR DETAIL DIM PLEASE REFER TO TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL -2

FINISH -3

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHERKE 02MAY05
APVD M.PERCHERKE 02MAY05
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 12 REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

	DIM Y	DIM V	DIM U	DIM S	DIM K	DIM L	DIM W	DIM D	DESCRIPTION	PART NUMBER
E4	-	-	2.400	.250	.375	2.750	1.050	2.450	24S + 6P	2-6450541-6
	-	-	-	-	.425	2.350	-	2.050	64S	2-6450541-5
	-	-	1.100	-	.375	1.450	-	1.150	32S	2-6450541-4
	-	-	3.800	.250	.375	4.150	3.450	3.850	120S + 2P	2-6450541-3
	-	-	1.500	.250	.375	1.850	0.625	1.550	8S + 4P	2-6450541-2
	-	-	1.600	.250	.375	1.950	0.725	1.650	12S + 4P	2-6450541-1
	-	-	6.075	.200	.375	6.425	1.375	6.125	36S + 24P	2-6450541-0
	-	-	4.025	(8)	.375	4.375	2.125	4.075	60S + 8P	1-6450541-9
	-	-	2.925	.200	.375	3.275	1.025	2.975	24S + 10P	1-6450541-8
	-	-	2.400	.250	.375	2.750	1.050	-	24S + 6P	1-6450541-7
	-	-	1.750	.200	.375	2.100	.650	-	8S + 6HDP	1-6450541-4
	-	-	0.950	.200	.375	1.300	.650	-	8S + 2HDP	1-6450541-3
	-	-	1.700	.250	.375	2.050	.850	-	16S + 4P	1-6450541-2
	-	-	2.850	.200	.375	3.200	.950	-	20S + 10HDP	6450541-7
	-	-	2.900	.250	.375	3.250	1.050	-	24S + 8P	6450541-5
	-	-	2.400	.250	.375	2.750	1.050	-	24S + 6P	6450541-4
	-	-	1.900	.250	.375	2.250	1.050	-	24S + 4P	6450541-3
	-	-	4.400	.250	.375	4.750	1.050	-	24S + 14P	6450541-2
	.200	.600	3.800	.375	.400	4.150	.900	3.850	12S + 11P	6450541-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHERKE 02MAY05
APVD M.PERCHERKE 02MAY05

PRODUCT SPEC 108-1973

APPLICATION SPEC 114-13038

WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING

SCALE 4:1 SHEET 2 OF 12 REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS
6450541-1	D C B A
12S + 11P	



ASSY PART NUMBER	ROWS
6450541-2	D C B A
24S + 14P	







TAIL LENGTH	CODE	DESCRIPTION
.165	HS	STD POWER PRESS FIT CONTACT
.165	BP	SIGNAL PRESS FIT CONTACT
.135	GS	STD POWER PRESSFIT CONTACT
.135	GP	MFBL POWER PRESSFIT CONTACT
.135	AP	SIGNAL PRESSFIT CONTACT

CONTACT TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN R GRZYBOWSKI 02MAY05
CHK M PERCHERKE 02MAY05
APVD M PERCHERKE 02MAY05
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 3 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS	POWER P4	P3	P2	P1	SIGNAL 6	5	4	3	2	1
6450541-3	D C B A	GP	GP	GP	GP	AP	AP	AP	AP	AP	AP
						AP	AP	AP	AP	AP	AP
						AP	AP	AP	AP	AP	AP
						AP	AP	AP	AP	AP	AP
24S + 4P											



PART NUMBER	ROWS	POWER P8	P7	P6	P5	P4	P3	P2	P1	SIGNAL 6	5	4	3	2	1
6450541-5	D C B A	GP	GP	GP	GP	GP	GP	GP	GP	AP	AP	AP	AP	AP	AP
										AP	AP	AP	AP	AP	AP
										AP	AP	AP	AP	AP	AP
										AP	AP	AP	AP	AP	AP
24S + 8P															



ASSY PART NUMBER	ROWS	POWER P6	P5	P4	P3	P2	P1	SIGNAL 6	5	4	3	2	1
6450541-4	D C B A	GP	GP	GP	GP	GP	GP	AP	AP	AP	AP	AP	AP
								AP	AP	AP	AP	AP	AP
								AP	AP	AP	AP	AP	AP
								AP	AP	AP	AP	AP	AP
24S + 6P													



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN	R GRZYBOWSKI	02MAY05
CHK	M PERCHERKE	02MAY05
APVD	M PERCHERKE	02MAY05
PRODUCT SPEC	108-1973	
APPLICATION SPEC	114-13038	
WEIGHT	-	

TE Connectivity

NAME: VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 4 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER P4	POWER P3	POWER P2	POWER P1	SIGNAL 4	SIGNAL 3	SIGNAL 2	SIGNAL 1
1-6450541-2	D	GS	GS	GS	GS	AP	AP	AP	AP
	C					AP	AP	AP	AP
	B					AP	AP	AP	AP
	A					AP	AP	AP	AP
16S + 4P		HD							HD



PART NUMBER	ROWS	POWER P2	POWER P1	SIGNAL 2	SIGNAL 1
1-6450541-3	D	HS	HS	BP	BP
	C			BP	BP
	B			BP	BP
	A			BP	BP
8S + 2HDP					



PART NUMBER	ROWS	POWER P6	POWER P5	POWER P4	POWER P3	POWER P2	POWER P1	SIGNAL 2	SIGNAL 1
1-6450541-4	D	HS	HS	HS	HS	HS	HS	BP	BP
	C							BP	BP
	B							BP	BP
	A							BP	BP
8S + 6HDP									



PART NUMBER	ROWS	POWER P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	SIGNAL 5	4	3	2	1
6450541-7	D	GS	GS	GS	GS	GS	GS	GS	GS	GS	GS	AP	AP	AP	AP	AP
	C											AP	AP	AP	AP	AP
	B											AP	AP	AP	AP	AP
	A											AP	AP	AP	AP	AP
20S + 10HDP																



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R GRZYBOWSKI 02MAY05	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2°	CHK M PERCHERKE 02MAY05	NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -
MATERIAL - -	FINISH - -	APVD M PERCHERKE 02MAY05	
		PRODUCT SPEC 108-1973	
		APPLICATION SPEC 114-13038	SIZE A1 | CAGE CODE 00779 | DRAWING NO C-6450541 | RESTRICTED TO -
		WEIGHT -	CUSTOMER DRAWING | SCALE 4:1 | SHEET 5 OF 12 | REV F4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS	POWER						SIGNAL					
		P6	P5	P4	P3	P2	P1	6	5	4	3	2	1
1-6450541-7	D C B A	GS	GS	GS	GS	GS	GS	AP AP AP AP	AP AP AP AP	AP AP AP AP	AP AP AP AP	AP AP AP AP	AP AP AP AP
24S + 6P													



PART NUMBER	ROWS	POWER				SIGNAL		
		P4	P3	P2	P1	3	2	1
2-6450541-1	D C B A	GS	GS	GS	GS	AP AP AP	AP AP AP	AP AP AP	AP AP AP
12S + 4P								



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN	R GRZYBOWSKI	02MAY05
CHK	M PERCHERKE	02MAY05
APVD	M PERCHERKE	02MAY05
PRODUCT SPEC	108-1973	
APPLICATION SPEC	114-13038	
WEIGHT	-	

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING

SCALE	SHEET	OF	REV
4:1	6	12	E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS
1-6450541-8	D C B A
24S + 10P	





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHERKE 02MAY05
APVD M.PERCHERKE 02MAY05
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 7 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS
1-6450541-9	D C B A
60S + 8P	

POWER: P8 P7 P6 P5 P4 P3 P2 P1 — GS GS GS GS GS GS GS GS

SIGNAL: 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 — AP AP AP | | AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP

8 .400 — 8 .400 — 8 .200 5 PLC

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHERKE 02MAY05
APVD M.PERCHERKE 02MAY05
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 8 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS
2-6450541-0	D C B A
36S + 24P	

	POWER																								SIGNAL								
	P24	P23	P22	P21	P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	9	8	7	6	5	4	3	2	1
D	GP	GP		GS	GS	GS	GS	GS	GS	GS	GS	GS	GS		GS	GS	GS	GS	GS	GS	GS	GS	GS	GS	AP	AP				AP	AP	AP	AP
C																									AP	AP				AP	AP	AP	AP
B																									AP	AP				AP	AP	AP	AP
A																									AP	AP				AP	AP	AP	AP

NO CONTACTS LOADED

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ± .01
3 PLC ± .005
4 PLC ± .0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN R.GRZYBOWSKI	02MAY05
CHK M.PERCHERKE	02MAY05
APVD M.PERCHERKE	02MAY05
PRODUCT SPEC	108-1973
APPLICATION SPEC	114-13038
WEIGHT	-

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 9 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER				SIGNAL	
			P4	P3	P2	P1	2	1
2-6450541-2	D		GS	GS	GS	GS	AP	AP
	C						AP	AP
	B						AP	AP
	A						AP	AP
8S + 4P								

PART NUMBER	ROWS		SIGNAL							
			8	7	6	5	4	3	2	1
2-6450541-4	D		AP	AP	AP	AP	AP	AP	AP	AP
	C		AP	AP	AP	AP	AP	AP	AP	AP
	B		AP	AP	AP	AP	AP	AP	AP	AP
	A		AP	AP	AP	AP	AP	AP	AP	AP
32S										





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN	R.GRZYBOWSKI	02MAY05
CHK	M.PERCHERKE	02MAY05
APVD	M.PERCHERKE	02MAY05
PRODUCT SPEC	108-1973	
APPLICATION SPEC	114-13038	
WEIGHT	-	

TE Connectivity

NAME: VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 10 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS	POWER P2	POWER P1	SIGNAL 30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
2-6450541-3	D C B A	GS	GS	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
				AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
				AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
				AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP
	HD																															HD
120S + 2P																																



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN	R GRZYBOWSKI	02MAY05
CHK	M PERCHERKE	02MAY05
APVD	M PERCHERKE	02MAY05
PRODUCT SPEC	108-1973	
APPLICATION SPEC	114-13038	
WEIGHT	-	

TE Connectivity

NAME: VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 11 OF 12 | REV E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS	SIGNAL 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
2-6450541-5	D	AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP
	C	AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP
	B	AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP
	A	AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP AP
64S		

E2



ASSY PART NUMBER	ROWS	POWER P6 P5 P4 P3 P2 P1	SIGNAL 6 5 4 3 2 1
2-6450541-6	D	GP GP GP GP GP GP	AP AP AP AP AP AP
	C		AP AP AP AP AP AP
	B		AP AP AP AP AP AP
	A		AP AP AP AP AP AP
24S + 6P		HD	HD



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHERKE 02MAY05
APVD M.PERCHERKE 02MAY05
PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450541	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 12 OF 12 | REV E4

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9