






REV.	ECN NO.	DATE	SIGN	DESCRIPTION
A	Initial Release	2014/07/31	Cary	Change To Rev. A

ALTW
CONFIDENTIAL
2014-07-31
R&D DEPT.

ALTW
DCC. DEPT.
CONFIDENTIAL
2014.08.12
ISSUED




RECOMMENDED PCB LAYOUT
GENERAL TOLERANCE IS ±0.05



Notes:

- * \varnothing Important Dimension To Check.
- * Waterproof Rate: IP68(mating)
1M Depth Of Water In 24 Hours.
- * Housing: High temperature thermoplastic.
UL94V-0, color is natural white.
- * Terminal: Copper Alloy, Gold plated on contact area.
- * Solder Peg: Copper Alloy, Tin plated over Nickel.
- * Current Rating: 5A maximum.
- * Voltage Rating: 250V DC/AV maximum.
- * Operating Temperature: -40~+105°C

UNIT: mm



TOLERANCE
±0.5mm


TITLE SSL1.2 2P R/A SMT JACK CONN.			
SCALE 3:1	SIZE A4	SHEET 1 OF 2	
REV. A	WC-REV. A.4	QC: Inspection item	

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO. SSL12-J2D00-000001	DRAWN BY Cary_liu	DATE 2014-07-31
DWG NO. SSL12-J2D00-000001	CHECKED BY Fisher	DATE 2014-07-31
CUSTOMER ALTW	APPROVED BY Jerry	DATE 2014-07-31

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.



- MATERIALS**
1. Carrier Tape: Polystyren (PS)
 2. Cover Tape: Polystyren (PS)
 3. Reel: Polystyren (PS)
- QUANTITY**
1. 450Pcs Per Reel
 2. 8 Reel Per Carton (3600Pcs/Carton)
 3. Reference Standard: EIA-481-D
 4. Net Weight: 2.7Kg/Carton
 5. Gross Weight: 7.9Kg/Carton

ALTW
CONFIDENTIAL
2014-07-31
R&D DEPT.

UNIT:mm				TITLE SSL1.2 2P R/A SMT JACK CONN.	Amphenol LTW	ITEM NO SSL12-J2D00-000001	DRAWN BY Cary_liu	DATE 2014-07-31
TOLERANCE $\pm 0.5\text{mm}$				SCALE 3:1	SIZE A4	SHEET 2 OF 2	CHECKED BY Fisher	DATE 2014-07-31
				REV. A	WC-REV. A.4	QC: Inspection item	APPROVED BY Jerry	DATE 2014-07-31
安費諾亮泰企業股份有限公司						CUSTOMER ALTW		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9