





THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
HB		—		P	LTR	DESCRIPTION	DATE
							DWN
							APVD
				C1		CHANGE THE WIDTH OF THE TERMINAL FROM 0.6MM TO 0.8MM	ECD-14-011875
							08-AUG-14
							Q.L
							B.F

Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm



NOTE:

1. LOT NO. SYSTEM AS FOLLOWING;



2. ONE CHARACTER DISTINGUISH THE LINE IDENTITY, SUCH AS: A, B...

3. TERMINAL DIMENSION IS BEFORE SOLDER DIP.

4. FOR THE TIN-PLATING OF THE PINS:

+0.1mm FOR WIDTH, THICKNESS AND DIAMETER.

+0.5mm FOR LENGTH.

5. MARKING FROM INK CHANGE TO LASER

6. ADD LOT NO. SYSTEM AS FOLLOWING;



I. DIGITS FOR DAY OF THE WEEK

1...MONDAY IN THIS WEEK;

2...TUESDAY IN THIS WEEK;

.....SUNDAY IN THIS WEEK

II. DIGITS FOR SHIFT OF THE DAY

1...DAY SHIFT IN THIS DAY;

2...NIGHT SHIFT IN THIS DAY;

III. ONE CHARACTER DISTINGUISH THE LINE IDENTITY, SUCH AS: A, B, ..., Z

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
mm			
		0 PLC	±
		1 PLC	±
		2 PLC	±
		3 PLC	±
		4 PLC	±
		ANGLES	±
MATERIAL		FINISH	
—		—	

DWN	ZHENXING.FU
CHK	N.FUNAYAMA
APVD	HSU, CHIHEN-HUI
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—
CUSTOMER DRAWING	

TE Connectivity	
NAME	
PCJ-WG SPEC ,000	
SIZE	CAGE CODE
A3	00779
W	C=1721348
RESTRICTED TO	
—	
SCALE	5:1
SHEET	1 OF 2
REV	C1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HB

—

P

LTR

DESCRIPTION

DATE

DWN

APVD

—

—

SEE SHEET 1

—

—

—

D

C

B

A

N	PCJ-12402MH-WG, 000	1-1721348-4	SEAL UP INSPECTION	24V	PCJ-12402MH-WG
M	PCJ-11802MH-WG, 000	1-1721348-3	SEAL UP INSPECTION	18V	PCJ-11802MH-WG
I	PCJ-11202MH-WG, 000	1-1721348-2	SEAL UP INSPECTION	12V	PCJ-11202MH-WG
k	PCJ-10902MH-WG, 000	1-1721348-1	SEAL UP INSPECTION	9V	PCJ-10902MH-WG
j	PCJ-10602MH-WG, 000	1-1721348-0	SEAL UP INSPECTION	6V	PCJ-10602MH-WG
i	PCJ-10502MH-WG, 000	1721348-9	SEAL UP INSPECTION	5V	PCJ-10502MH-WG
h	PCJ-10302MH-WG, 000	1721348-8	SEAL UP INSPECTION	3V	PCJ-10302MH-WG
g	PCJ-12402M-WG, 000	1721348-7		24V	PCJ-12402M-WG
f	PCJ-11802M-WG, 000	1721348-6		18V	PCJ-11802M-WG
e	PCJ-11202M-WG, 000	1721348-5		12V	PCJ-11202M-WG
d	PCJ-10902M-WG, 000	1721348-4		9V	PCJ-10902M-WG
c	PCJ-10602M-WG, 000	1721348-3		6V	PCJ-10602M-WG
b	PCJ-10502M-WG, 000	1721348-2		5V	PCJ-10502M-WG
a	PCJ-10302M-WG, 000	1721348-1		3V	PCJ-10302M-WG
No.	EC TYPE NAME	TE PART NO	DESCRIPTION	PART B	PART A

RELAY TYPE

		Sn-Ag-Cu	SOLDER	18
94V-0		PBT	CASE	17
		UV	SEAL(CASE) JUST FOR WASH TIGHT	16
		EPOXY	SEAL(CASE AND BASE)	15
		3UEW	MAGNETIC WIRE	14
94V-0		PBT	CARD	13
		Ag ALLOY	STATIONARY CONTACT	12
	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	11
		Ag ALLOY	MOVABLE CONTACT	10
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	9
94V-0		PBT	BASE	8
		STAINLESS	HINGE SPRING	7
	NIP	STEEL	ARMATURE	6
	NIP	STEEL	CORE	5
	NIP	STEEL	YOKE	4
	SOLDER DIP	Cu ALLOY	COIL TERMINAL B	3
	SOLDER DIP	Cu ALLOY	COIL TERMINAL A	2
94V-0		PBT	BOBBIN	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 RUC ±

ANGLES ±

FINISH

MATERIAL

DWN

ZHENXING.FU

CHK

N.FUNAYAMA

APVD

HSU,CHIEN-HUI

PRODUCT SPEC

—

APPLICATION SPEC

—

WEIGHT

—

CUSTOMER DRAWING

NAME

PCJ-WG SPEC ,000

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1721348

—

SCALE

5:1

SHEET

2 OF 2

REV

C1

1470-19 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9