





FCIconnect.com


Copyright FCI

PRODUCT NUMBER
SEE TABLE




mat'l. code SEE NOTE 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family HPC			
ltr	ecn	no	dr	date	tolerances unless otherwise specified				INCH/MM scale 1:1 	title 3 ROW R/A HEADER SOLDER TO BOARD, 0 G.P.			
E	v40227	PDP		1/11/94	angles linear	.XX ±.01/.3				sheet 1 of 3 size 50119 A3			
F	v90522	HTB		2/26/99		.XXX ±.005/.13							
G	v00262	JWS		1/25/00		.XXXX ±.0020/.051							
H	v02768	LSS		11/21/00		dr	D. SHEAFFER	6/05/91					
J	v05-0756	DAI		10/07/05	enrg	S. CLARK	6/05/91						
K	v05-1040	HTB		11/14/05	chr	S. CLARK	6/05/91						
L	M06-0255	MNR		7/06/06	appd	S. CLARK	6/05/91						
sheet index		revision		L	L	L							
		sheet		1	2	3							

form: A3



SECTION X-X



form: A3	1	2	3	4	5	6
----------	---	---	---	---	---	---

PRODUCT NUMBER	NUMBER OF POSITIONS SEE NOTE 2	TAIL LENGTH REF.	TERMINAL PLATING
50119-1YYYH	YYY	.180/4.57	30μ"/.76μ GOLD
50119-1YYYJ	YYY	.120/3.05	30μ"/.76μ GOLD
50119-3YYYH	YYY	.180/4.57	50μ"/1.27μ GOLD
50119-3YYYJ	YYY	.120/3.05	50μ"/1.27μ GOLD
50119-5YYYH	YYY	.180/4.57	30μ"/.76μ GXT
50119-5YYYHLF	YYY	.180/4.57	30μ"/.76μ GXT
50119-5YYYJ	YYY	.120/3.05	30μ"/.76μ GXT
50119-5YYYJLF	YYY	.120/3.05	30μ"/.76μ GXT

NOTES:

1. PRODUCT NUMBERING CODE:

50119 - X YYY Z LF

LEAD FREE (OPTIONAL)
TAIL LENGTH SEE TABLE
NO. OF POSITIONS SEE NOTE 2
PLATING SEE TABLE
BASE NUMBER

PRODUCT NUMBERING CODE FOR
SELECT LOAD PART NUMBERS:

Diagram illustrating the structure of a part number:

- LEAD FREE (OPTIONAL)
- SEQUENCE NUMBER
- ALWAYS 'XX'
- BASE NUMBER

- ②. THIS PRODUCT IS CONFIGURED IN SIZES OF 6 THRU 80
COLUMNS IN INCREMENTS OF ONE.
i.e.: 6,7,8,9,.....78,79,80.

3. HOUSING MATERIAL: GLASS AND MINERAL FILLED HIGH TEMP. THERMOPLASTIC. FLAME RETARDANT PER UL94V-0. COLOR: BLACK.
PIN MATERIAL: PHOS. BRONZE
4. MANUFACTURE'S NAME, P/N, AND LOT CODE TO APPEAR ON THIS SURFACE PER BUS-12-108.
5. LENGTH FORMULAS:
$$\text{DIM "A"} = .100/2.54 \times \text{NO. OF COLUMNS} + .75/19.1$$
$$\text{DIM "B"} = .100/2.54 \times \text{NO. OF COLUMNS} + .450/11.43$$
$$\text{DIM "C"} = .100/2.54 \times \text{NO. OF COLUMNS} - .100/2.54$$
6. THIS PRODUCT (WITH "LF" SUFFIX) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THIS HOUSING WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR 10-30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

[illegible]

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9