







mat'l. code				surface		tolerance		projection		product family	
ISO 1301				ISO 406		ISO 1101		mm		MOD JACK	
tolerances unless otherwise specified				0.X $\pm$ 0.3		0.XX $\pm$ 0.13		scale 1.0		R/A CAT5 GANG JACK ASSY	
angle				0' $\pm$ 2'		0.XXX $\pm$ 0.051		8 POS UNSHIELDED SNAP PEG		sheet 1 of 2	
date				8/17/04		8/30/95		FCI		size A4	
MTH				10/06/04		8/30/95		95679		type Product Customer Drawing	
MTH				4/8/05		8/30/95					
DT				2/9/06		8/30/95					
SH				2011-11-18		8/30/95					
SH				03/27/12		8/30/95					
app						8/30/95					
sheet index				revision		K					
sheet				1		2					

1. APPLICABLE PC BOARD THICKNESS: 1.6 mm.
2. CONTACTS: PHOSPHOR BRONZE ALLOY UNS-C51000,
Ø0.460 ROUND WIRE, PLATING SEE TABLE.
3. CENTER PEG FOR 8 PORT AND ABOVE.
- ④ 4. OPTIONAL CENTER PEG IN PORT 6
(95679-X06PLF) WITH CENTER PEG
(95679-X06LF) WITHOUT CENTER PEG
- ⑤ 5. PART NUMBERS WITH LF IN THE END ARE LEAD FREE.
4. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATION AS DESCRIBED IN GS-22-008.
5. THE HOUSING TEMPERATURE WITHSTAND EXPOSURE TO 260°C PEAK
TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A
1.5 MM MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES
IF THEY ARE AVAILABLE.
- ⑥ 6. PLATING OPTION:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.
7. PRODUCT SPECIFICATION GS-12-083
PACKAGING SPECIFICATION GS-14-361



RECOMMENDED PC BOARD LAYOUT

PLATING CODE X	PLATING ⑥
0	5u" Au + high performance lubricant
1	15u" GOLD.
2	15u" G.X.T.
3	5u" Au + high performance lubricant
5	50u" GXT.

mat'l. code		surface		tolerance		projection		product family	
		ISO 1301 ✓		ISO 406 ISO 1101				MOD JACK	
ltr ecn nodr		date		tolerances unless otherwise specified		title			
K				angle		MM		R/A CAT5 GANG JACK ASSY	
				0.X±0.3				8 POS UNSHIELDED SNAP PEG	
				0.XX±0.13		scale 1.0			
				0°±2'					
		dr		L.POTTEIGER		8/30/95		dwg no	
		eng		Y.BELOPOLSKY		8/30/95		sheet 2 of 2	
		chr		Y.BELOPOLSKY		8/30/95		95679	
		app		Y.BELOPOLSKY		8/30/95		A4	
sheet		revision						type	
index		sheet						Product Customer Drawing	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9