

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF




REV

1470-19 (3/11)


Pro/ENGINEER DRAWING

8				7							
THIS DRAWING IS UNPUBLISHED:				RELEASED FOR PUBLICATION				20			
© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.											
PART NUMBER		REV	FIRST USED	POWER UNIT		FEED TYPE		DESCRIPTION			
1852426-1		A	122500-1	LEADMAKER		POST FEED		CUTS CARRIER			
1852426-2		A	565435-5	BENCH MODEL K		PRE FEED		CUTS CARRIER			
1852426-3		A	354500-1	BENCH MODEL G		PRE FEED		CUTS CARRIER			
1852426-6		B	122500-1	LEADMAKER		POST FEED		CONTINUOUS CARRIER			
7-1852426-7		A	-	-		-		SPARE PARTS			

- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE



TERMINAL NAME: PIN AND SOCKET TERMINAL					
TE PN SOCKET	TE PN PIN	MOLEX TERMINAL - MOLEX CRIMP SPECS			
1572153	1572154				
-	1832534	PAD LTR	CRIMP HEIGHT	WIRE SIZE	
-	1572154-6	A	1.055±0.015mm (.0415±.0005)	18AWG	
MOLEX PN SOCKET	MOLEX PN PIN	B	0.99±0.03mm (.039±.001)	20AWG	
02-06-1101	02-06-2101	C	0.94±0.03mm (.037±.001)	22AWG	
02-06-5101	02-06-6101	D	0.89±0.03mm (.035±.001)	24AWG	
02-06-5108	02-06-6118	CRIMP	SIZE	TYPE	RANGE
02-06-5100	02-06-6100	WIRE	2.01mm (.079)	F	18-24 AWG
02-06-1118	02-06-6116	INSUL	2.83mm (.111)	F	1.52-3.05Ø
WIRE STRIP LENGTH 2.57-2.95	TERM APPL SPEC NONE	FEED 9.53mm	APPLICATOR INSTRUCTIONS 408-8040	SET UP GAGE 458637-1	



-	2	2	2	2	-	2-354779-7	PIN, WIRE DISC, .3125	129
-	2	2	2	2	-	2-354779-4	PIN, WIRE DISC, .3110	128
-	2	2	2	2	-	2-354779-0	PIN, WIRE DISC, .3090	127
-	2	2	2	2	-	1-354779-7	PIN, WIRE DISC, .3075	126
-	-	-	REF	-	...	455749-1	GUARD WINDOW	116
-	-	REF	-	-	...	679532-1	INSERT, GUARD	115
-	1	1	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	112
-	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	1	1	1	1	-	691668-1	GUARD, REAR CHIP	90
-	1	1	1	1	-	318563-1	GUARD, FRONT CHIP	89
-	1	1	1	1	-	455888-4	SPACER, CRIMPER	82
-	1	1	1	1	-	2-240641-9	SPACER	81
-	1	1	1	1	-	4088040	SF APPL INST 408-8040	72
-	1	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	71
-	1	1	1	1	-	461264-1	PLATE, IDENTIFICATION	67
-	2	2	2	2	-	21017-2	SCREW, DRIVE	66
-	1	1	1	1	-	986950-1	WASHER, FLAT PRECISION	64
-	1	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	1	1	1	1	-	23030-1	SCR, SKT HD CAP 6-32 X .25	62
-	1	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	1	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
-	1	1	1	1	-	458537-2	PAWL, FEED	56
-	1	-	-	-	-	681023-1	SHEAR HOLDER, REAR	55
-	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	2	2	2	2	-	2-21000-8	SCR, SKT HD CAP 8-32 X .625	53
-	-	1	-	-	...	690602-6	CAM, PRE FEED, 1 5/8	49
-	-	-	1	-	...	690602-5	CAM, PRE FEED, 1 1/8	48
-	1	-	-	1	-	690501-4	CAM, POST-FEED 1 5/8	47
-	1	1	1	1	-	459456-1	APPL, BASIC SUB ASSY (SIDE WISE MQCA)	46
-	1	1	1	1	-	690191-1	PLUG, NYLON	45
-	1	1	1	1	-	455673-1	RAM, SIDE FEED	44
-	1	1	1	1	-	690125-1	SHIM SUB-ASSY	43
-	1	1	1	1	-	690124-9	WASHER, RAM (.125)	42
-	1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	1	1	1	1	-	23241-6	BALL, STEEL	40
-	1	1	1	1	-	690170-1	SPRING, COMPRESSION	39
-	1	1	1	1	-	690142-1	DISC, INSULATION	38
-	1	1	1	1	-	354777-1	WIRE DISC, ASSEMBLY	37
-	1	1	1	1	-	22480-5	SPRING, COMPRESSION	36
-	1	1	1	1	-	690212-1	POST, RAM	35
-	2	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
-	1	1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	1	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
-	1	1	1	1	-	1320908-4	SPACER, STRIP GUIDE	30
-	1	1	1	1	-	1633091-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	-	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	-	1320928-1	PLATE, STRIP GUIDE	24
-	1	-	-	1	-	690472-2	STRIPPER	22
-	1	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	2	2	2	2	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	-	1	1	-	-	691353-1	STRIPPER	19
-	1	1	1	1	-	2-690518-2	HOLD DOWN, TERMINAL	18
-	1	-	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	17
-	2	2	2	2	-	1-21000-8	SCR, SKT HD CAP 6-32 X .250	16
-	1	1	1	1	-	690464-1	SHEAR PLATE, REAR	15
-	-	1	1	1	-	690462-1	SHEAR HOLDER, REAR	14
-	1	1	1	1	-	690463-6	FLOATING SHEAR, REAR	13
-	2	2	2	2	-	3-22280-3	SPRING, COMPRESSION	12
-	2	2	2	2	-	690461-1	STOP, SHEAR	11
-	-	1	1	1	-	690459-1	SHEAR HOLDER, FRONT	10
-	1	1	1	1	-	462006-1	FLOATING SHEAR, FRONT	9
1	1	1	1	1	-	1633381-8	ANVIL, COMBINATION	8
-	1	1	1	1	-	3-240641-0	SPACER	7
-	1	1	1	1	-	453393-3	DEPRESSOR, REAR SHEAR	6
-	1	1	1	1	-	2-455889-0	DEPRESSOR, SHEAR	5
-	1	1	1	1	-	1-238011-6	BLOCK, CRIMPER SPACER	4
1	1	1	1	1	-	3-1633471-9	CRIMPER, INSULATION F	3
-	1	1	1	1	-	455888-7	SPACER, CRIMPER	2
1	1	1	1	1	-	7-1633305-8	CRIMPER, WIRE PREMIUM	1

DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		MATERIAL		FINISH		WEIGHT		CUSTOMER DRAWING		SCALE		SHEET		OF		REV		BI	
0 PLC		±.001		-		-		-		-		-		-		-		-		-	
1 PLC		±.001		-		-		-		-		-		-		-		-		-	
2 PLC		±.001		-		-		-		-		-		-		-		-		-	
3 PLC		±.001		-		-		-		-		-		-		-		-		-	
4 PLC		±.001		-		-		-		-		-		-		-		-		-	
ANGLES		±.0001		-		-		-		-		-		-		-		-		-	
APPLICATION SPEC		-		-		-		-		-		-		-		-		-		-	
SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO		-		-		-		-		-		-		-	
A		00779		C-1852426		-		-		-		-		-		-		-		-	
CUSTOMER DRAWING		-		-		-		-		-		-		-		-		-		-	

CUSTOMER VIEWABLE ASSEMBLY

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9