




All dimensions are in mm; tolerances according to ISO 2768 m-H

### Interface

According to IEC 61169-16

### Documents

Application note AN001 "Calibration Services"

### Material and plating

#### Connector parts

Center conductor  
Outer conductor  
Dielectric  
Substrate

#### Material

CuBe  
Stainless steel  
PPE  
Al<sub>2</sub>O<sub>3</sub>

#### Plating

Gold, min. 1.27 µm, over nickel  
Passivated

Dieses Dokument ist urheberrechtlich geschützt • This document is protected by copyright • Rosenberger Hochfrequenztechnik GmbH & Co. KG  
RF\_35/09.14/6.2

| Technical Data Sheet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |               |          | Rosenberger                                         |                           |                  |                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|----------|-----------------------------------------------------|---------------------------|------------------|-------------------|
| RPC-N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          | Mismatch Jack |          | 05K150-060S3                                        |                           |                  |                   |
| <div>Electrical data</div> <div>Frequency rangeDC to 18 GHz</div> <div>VSWR1.2 ± 0.04, DC to 8 GHz<br/>1.2 ± 0.05, 8 GHz to 12.4 GHz<br/>1.2 ± 0.07, 12.4 GHz to 18 GHz</div> <div>DC Resistance60 Ω</div> <div>Power handling≤ 1 W</div> <div>Mechanical data</div> <div>Mating cycles≥ 500</div> <div>Maximum torque1.70 Nm</div> <div>Recommended torque1.10 Nm</div> <div>Gauge5.18 mm to 5.26 mm</div> <div>Environmental data</div> <div>Operating temperature range<sup>1</sup>+20 °C to +26 °C</div> <div>Rated temperature range of use<sup>2</sup>0 °C to +50 °C</div> <div>Storage temperature range-40 °C to +85 °C</div> <div>RoHScompliant</div> <div><sup>1</sup> Temperature range over which these specification are valid.</div> <div><sup>2</sup> This range is underneath and above the operating temperature range, within the mismatch is fully functional and could be used without damage.</div> <div>Declaration of calibration options</div> <div>Factory Calibration</div> <div>Standard delivery for this calibration standard includes a Factory Calibration. The Calibration Certificate issued reports individual calibration results, traceable to national / international standards.</div> <div>Accredited Calibration</div> <div>Optional this calibration standard can be delivered with an Accredited Calibration (DAkkS) having the highest confidence in the traceability. The DAkkS Calibration Certificate issued reports individual calibration results in a complex format, traceable to national / international standards. Calibration results are reported in a dense data set file. The uncertainties are smaller than in a Factory Calibration.</div> <div>For further, more detailed information see application note AN001 on the Rosenberger homepage.</div> <div>Calibration interval</div> <div>Recommendation12 months</div> <div>Packing</div> <div>Standard1 pce in box</div> <div>Weight41.8 g/pce</div> |          |               |          |                                                     |                           |                  |                   |
| <div>While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          |               |          |                                                     |                           |                  |                   |
| Draft                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Date     | Approved      | Date     | Rev.                                                | Engineering change number | Name             | Date              |
| Kerstin Herzog                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 12.07.04 | Martin Moder  | 29.01.15 | e00                                                 | 14-1492                   | Herbert Babinger | 29.01.15          |
| Rosenberger Hochfrequenztechnik GmbH & Co. KG<br>P.O.Box 1260 D-84526 Tittmoning Germany<br>www.rosenberger.de                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          |               |          | Tel. : +49 8684 18-0<br>Email : info@rosenberger.de |                           |                  | Page<br><br>2 / 2 |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9