



FEMALE PLUG M12 STRAIGHT



NOTES:

RATED VOLTAGE: 3, 4 contacts 250V
5 contacts 60V
8 contacts 30V
RATED CURRENT: 3, 4, 5 contacts 4A
8 contacts 2A
PROTECTION CLASS: IP 67
TEMPERATURE: -25°C / +85°C

Thicker Overmold for Cables
with bigger Outer Diameter



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY	5	GREY
						6	PINK
						7	BLUE
						8	RED
CODING REQUIRED TO IEC 61076-2-101							

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

7	1	LABEL YELLOW	VINYL	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING	TPU	SEE PART LIST
4	1	COUPLING NUT FEMALE	SEE PART LIST	SEE PART LIST
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5 8	CONTACT M12 FEMALE	BRONZE	SELECTIVE Au OVER Ni
			BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW PN			molex			
	mm		2:1								
	GENERAL TOLERANCES (UNLESS SPECIFIED)										
	▽ = 0	ANGULAR TOL ± 1.0 °				EC NO: 625445			CSE M12 XP AC FE STR XM SE UNSH		
	▽ = 0	4 PLACES ±				DRWN: SSM 2019/10/08					
	▽ = 0	3 PLACES ±				CHK'D: RSILLER 2019/10/10					
	▽ = 0	2 PLACES ± 0.05				APPR: RSILLER 2019/10/10			PRODUCT CUSTOMER DRAWING		
	▽ = 0	1 PLACE ± 0.3				INITIAL REVISION:					
	▽ = 0	0 PLACES ± 0.5				DRWN: JMARSZALEK 2016/01/11			DOCUMENT NUMBER		
	□ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				APPR: RSILLER 2016/04/08			1200651978		
	■ = 0					THIRD ANGLE PROJECTION			DOC TYPE		
▽ = 0					DRAWING			DOC PART			
					SERIES			REVISION			
					A3-SIZE			120065			
					SEE SHEET 3-4			CUSTOMER			
					GENERAL MARKET			SHEET NUMBER			
					1 OF 4						

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

OPTIONS

8 0 X 0 0 0 X X X X X X X X X

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
000=Plug Female Straight

Cable type: See Table

Units:
M=Meter


Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

Overmold color:
Blank (Standard)=Black
A=Grey / G=Black / Y=Yellow

Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
9=Knurled / Hexagonal Brass Ni Plated

H= 2 pcs. of I/D Carrier PVC Transparent

COUPLING NUTS




CABLE INFORMATION (for more information see Cable Data Sheet).


CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
E02	3 / 4 / 5 / 8	0.25mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
H08	3 / 4 / 5 / 8	0.25mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
P02	3 / 4 / 5 / 8	0.25mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length



SCALE 1:1

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW PN												
 = 0	mm		1:1														
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)																
 = 0	ANGULAR TOL ± 1.0 °																
 = 0	4 PLACES		±		EC NO: 625445					CSE M12 XP AC FE STR XM SE UNSH							
 = 0	3 PLACES		±		DRWN: SSM 2019/10/08												
 = 0	2 PLACES		± 0.05		CHK'D: RSILLER 2019/10/10												
 = 0	1 PLACE		± 0.3		APPR: RSILLER 2019/10/10					PRODUCT CUSTOMER DRAWING							
 = 0	0 PLACES		± 0.5		INITIAL REVISION:												
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: JMARSZALEK		2016/01/11			DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
 = 0					APPR: RSILLER		2016/04/08			1200651978		PSD		000		A5	
 = 0					THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
			A3-SIZE		120065		SEE SHEET 3-4		GENERAL MARKET		2 OF 4						

10				9				8				7				6				5				4				3				2				1																																																							
PART LIST																																																																																											
No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length																																																								
1	1200060001	803000E03M020	2m	36	1200060458	804000P03M0501	5m	71	1200063673	803000P03M1001	10m	106	1200658008	804000H09M050H	5m	107	1200658009	804000H09M100H	10m	108	1200658020	805000P03M040	4m	109	1200658021	808000P02M150	15m	110	1200658022	808000P02M030	3m	111	1200658064	804000P03M010	1m																																																								
2	1200060002	803000E03M050	5m	37	1200060461	804000P03M200	20m	72	1200063779	805000E03M300	30m	112	1200658081	805000E03M200	20m	113	1200658165	805000E03M030	3m	114	1200658172	805000H09M020	2m	115	1200658173	805000H09M050	5m	116	1200658174	805000H09M100	10m	117	1200658175	803000H09M020	2m																																																								
3	1200060003	803000E03M100	10m	38	1200060634	805000E03M020	2m	73	1200063940	804000P03M0051	0.5m	118	1200658176	803000H09M050	5m	119	1200658177	803000H09M100	10m	120	1200658178	804000H09M020	2m	121	1200658179	804000H09M050	5m	122	1200658190	804000H09M100	10m	123	1200658191	804000H09M150	15m																																																								
4	1200060004	803000P03M020	2m	39	1200060638	805000E03M100	10m	74	1200064033	804000P03M120	12m	124	1200658197	805000P03M010	1m	125	1200658208	805000E03M0061	*	0.6m	126	1200658210	805000E03M0501	*	5m	127	1200658219	803000E03M0201	*	2m	128	1200658224	808000E02M050	5m																																																									
5	1200060005	803000P03M050	5m	40	1200060646	805000P03M003	0.3m	75	1200064093	803000P03M032	3.2m	129	1200658228	804000E03M3001	*	30m	130	1200658244	808000H08M050	5m	131	1200658264	808000H08M100	10m	132	1200658270	804000E03M1005	10m	133	1200658277	808000E02M020	2m	134	1200658278	808000E02M100	10m																																																							
6	1200060006	803000P03M100	10m	41	1200060647	805000P03M020	2m	76	1200064292	805000P03M200	20m	135	1200658288	804000E03M050G	5m	136	1200658309	808000E02M0501	5m	137	1200658321	804000P03M005	0.5m	138	1200658331	805000E03M050H	5m	139	1200658350	803000E03M1001	*	10m	140	1200658473	804000H09M030	3m																																																							
7	1200060014	804000E03M020	2m	42	1200060649	805000P03M100	10m	77	1200064313	805000P03M200G	20m																																																																																
8	1200060015	804000E03M050	5m	43	1200061337	804000E03M0205	2m	78	1200064390	804000P03M1001	10m																																																																																
9	1200060016	804000E03M100	10m	44	1200061431	805000P03M150	15m	79	1200064422	804000E03M120	12m																																																																																
10	1200060018	804000P03M020	2m	45	1200061528	804000E03M250	25m	80	1200064434	804000H09M050G	5m																																																																																
11	1200060019	804000P03M050	5m	46	1200061765	803000P03M002	0.2m	81	1200065004	805000P03M0201	2m																																																																																
12	1200060027	803000E03M006	0.6m	47	1200061785	804000P03M006	0.6m	82	1200065006	804000H09M250G	25m																																																																																
13	1200060032	804000E03M005	0.5m	48	1200061913	804000E03M300	30m	83	1200065012	803000P03M030G	3m																																																																																
14	1200060034	804000P03M025	2.5m	49	1200061958	803000E03M021	2.1m	84	1200650951	808000P02M020	2m																																																																																
15	1200060107	803000E03M003	0.3m	50	1200062071	803000E03M060	6m	85	1200650952	808000P02M040	4m																																																																																
16	1200060113	803000E03M030	3m	51	1200062098	803000P03M006	0.6m	86	1200650953	808000P02M050	5m																																																																																
17	1200060115	803000E03M0501	*	52	1200062130	804000E03M050H	5m	87	1200650954	808000P02M060	6m																																																																																
18	1200060116	803000E03M0505	5m	53	1200062167	804000P03M100H	10m	88	1200650955	808000P02M080	8m																																																																																
19	1200060117	803000E03M1005	10m	54	1200062264	804000E03M1505	15m	89	1200650956	808000P02M0801	8m																																																																																
20	1200060119	803000E03M150	15m	55	1200062347	804000P03M050H	5m	90	1200650957	808000P02M100	10m																																																																																
21	1200060121	803000E03M200	20m	56	1200062521	805000P03M030	3m	91	1200651769	803000P03M050G	5m																																																																																
22	1200060124	803000E03M2505	25m	57	1200062772	803000P03M250	25m	92	1200651780	804000P03M050G	5m																																																																																
23	1200060152	803000P03M010	1m	58	1200062811	803000P03M100H	10m	93	1200651782	804000P03M100	10m																																																																																
24	1200060153	803000P03M030	3m	59	1200062853	804000P03M150	15m	94	1200651792	805000P03M050	5m																																																																																
25	1200060157	803000P03M150	15m	60	1200062866	804000E03M020H	2m	95	1200651794	808000P02M010	1m																																																																																
26	1200060158	803000P03M200	20m	61	1200062992	804000E03M200H	20m	96	1200651795	808000P02M070	7m																																																																																
27	1200060426	804000E03M010	1m	62	1200063121	804000P03M0053	0.5m	97	1200651817	808000P02M200	20m																																																																																
28	1200060427	804000E03M0201	**	63	1200063224	804000E03M003	0.3m	98	1200651818	808000P02M250	25m																																																																																
29	1200060428	804000E03M030	3m	64	1200063227	804000P03M0063	0.6m	99	1200651820	808000P02M300	30m																																																																																
30	1200060429	804000E03M0501	*	65	1200063314	805000E03M010	1m	100	1200651978	805000E03M050	5m																																																																																
31	1200060430	804000E03M0505	5m	66	1200063402	804000P03M003	0.3m	101	1200652143	804000P03M040	4m																																																																																
32	1200060431	804000E03M150	15m	67	1200063407	804000E03M1001	*	102	1200652144	804000P03M060	6m																																																																																
33	1200060432	804000E03M200	20m	68	1200063415	803000P03M0707	7m	103	1200652154	805000P03M060	6m																																																																																
34	1200060456	804000P03M0201	2m	69	1200063443	804000E03M030H	3m	104	1200655073	808000P02M003	0.3m																																																																																
35	1200060457	804000P03M030	3m	70	1200063647	804000E03M2001	20m	105	1200655081	805000E03M150	15m																																																																																
NOTES:																																																																																											
* - Part No. with Yellow PVC overmolding																																																																																											
** - Part No. with Black PVC overmolding																																																																																											
<table><tr><td colspan="2">SYMBOLS</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td></td><td>= 0</td><td>DIMENSION UNITS</td><td>SCALE</td></tr><tr><td></td><td>= 0</td><td>mm</td><td>1:1</td></tr><tr><td></td><td>= 0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>= 0</td><td>ANGULAR TOL</td><td>± 1.0 °</td></tr><tr><td></td><td>= 0</td><td>4 PLACES</td><td>±</td></tr><tr><td></td><td>= 0</td><td>3 PLACES</td><td>±</td></tr><tr><td></td><td>= 0</td><td>2 PLACES</td><td>± 0.05</td></tr><tr><td></td><td>= 0</td><td>1 PLACE</td><td>± 0.3</td></tr><tr><td></td><td>= 0</td><td>0 PLACES</td><td>± 0.5</td></tr><tr><td></td><td>= 0</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr><tr><td></td><td>= 0</td><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td></tr><tr><td></td><td>= 0</td><td></td><td>A3-SIZE</td></tr></table>																																								SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			= 0	DIMENSION UNITS	SCALE		= 0	mm	1:1		= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			= 0	ANGULAR TOL	± 1.0 °		= 0	4 PLACES	±		= 0	3 PLACES	±		= 0	2 PLACES	± 0.05		= 0	1 PLACE	± 0.3		= 0	0 PLACES	± 0.5		= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			= 0	THIRD ANGLE PROJECTION	DRAWING		= 0		A3-SIZE
SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																									
	= 0	DIMENSION UNITS	SCALE																																																																																								
	= 0	mm	1:1																																																																																								
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																									
	= 0	ANGULAR TOL	± 1.0 °																																																																																								
	= 0	4 PLACES	±																																																																																								
	= 0	3 PLACES	±																																																																																								
	= 0	2 PLACES	± 0.05																																																																																								
	= 0	1 PLACE	± 0.3																																																																																								
	= 0	0 PLACES	± 0.5																																																																																								
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																									
	= 0	THIRD ANGLE PROJECTION	DRAWING																																																																																								
	= 0		A3-SIZE																																																																																								
<table><tr><td colspan="2">CURRENT REV DESC: ADDED NEW PN</td><td colspan="2">EC NO: 625445</td></tr><tr><td colspan="2"></td><td colspan="2">DRWN: SSM 2019/10/08</td></tr><tr><td colspan="2"></td><td colspan="2">CHK'D: RSILLER 2019/10/10</td></tr><tr><td colspan="2"></td><td colspan="2">APPR: RSILLER 2019/10/10</td></tr><tr><td colspan="2">INITIAL REVISION:</td><td colspan="2">2016/01/11</td></tr><tr><td colspan="2">DRWN: JMARSZALEK</td><td colspan="2">2016/04/08</td></tr><tr><td colspan="2">APPR: RSILLER</td><td colspan="2"></td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td colspan="2">DOC TYPE</td></tr><tr><td colspan="2">1200651978</td><td colspan="2">PSD</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td></tr><tr><td colspan="2">SEE SHEET 3-4</td><td colspan="2">GENERAL MARKET</td></tr><tr><td colspan="2">SHEET NUMBER</td><td colspan="2">3 OF 4</td></tr></table>																																								CURRENT REV DESC: ADDED NEW PN		EC NO: 625445				DRWN: SSM 2019/10/08				CHK'D: RSILLER 2019/10/10				APPR: RSILLER 2019/10/10		INITIAL REVISION:		2016/01/11		DRWN: JMARSZALEK		2016/04/08		APPR: RSILLER				DOCUMENT NUMBER		DOC TYPE		1200651978		PSD		MATERIAL NUMBER		CUSTOMER		SEE SHEET 3-4		GENERAL MARKET		SHEET NUMBER		3 OF 4					
CURRENT REV DESC: ADDED NEW PN		EC NO: 625445																																																																																									
		DRWN: SSM 2019/10/08																																																																																									
		CHK'D: RSILLER 2019/10/10																																																																																									
		APPR: RSILLER 2019/10/10																																																																																									
INITIAL REVISION:		2016/01/11																																																																																									
DRWN: JMARSZALEK		2016/04/08																																																																																									
APPR: RSILLER																																																																																											
DOCUMENT NUMBER		DOC TYPE																																																																																									
1200651978		PSD																																																																																									
MATERIAL NUMBER		CUSTOMER																																																																																									
SEE SHEET 3-4		GENERAL MARKET																																																																																									
SHEET NUMBER		3 OF 4																																																																																									
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2019/10/10</td><td>09:06:34</td></tr></table>																																								DOCUMENT STATUS	P1	RELEASE DATE	2019/10/10	09:06:34																																															
DOCUMENT STATUS	P1	RELEASE DATE	2019/10/10	09:06:34																																																																																							

10

9

8

7

6

5

4

3

2

1

PART LIST

No.	Part No.	Engineering No.	Cable Length
141	1200658475	804000E03M1501	* 15m
142	1200658492	804000P03M100G	10m
143	1200658502	805000E03M005	0.5m
144	1200658503	805000E03M0201	2m
145	1200658511	808000E02M010	1m
146	1200658525	808000P02C350	0.35m
147	1200658545	804000P03M015	1.5m
148	1200658550	804000H09M015	1.5m
149	1200658551	808000E02M1001	10m
150	1200658562	803000E03M010	1m
151	1200658563	803000E03M040	4m
152	1200658570	804000E03M040	4m
153	1200658590	808000E02M030	3m
154	1200658591	808000E02M040	4m
155	1200658592	805000E03M040	4m
156	1200658609	804000P02M020	2m
157	1200658610	803000P03M040	4m
158	1200658622	804000P03M010G	1m
159	1200658623	804000P03M030G	3m
160	1200658630	804000P03M040G	4m
161	1200658632	805000H09M010	1m
162	1200658633	805000H09M015	1.5m
163	1200658634	805000H09M030	3m
164	1200658635	805000H09M040	4m
165	1200658636	803000H09M010	1m
166	1200658637	803000H09M015	1.5m
167	1200658638	803000H09M030	3m
168	1200658639	803000H09M040	4m
169	1200658640	804000H09M010	1m
170	1200658641	804000H09M040	4m
171	1200658642	808000H08M010	1m
172	1200658643	808000H08M015	1.5m
173	1200658644	808000H08M020	2m
174	1200658645	808000H08M030	3m
175	1200658646	808000H08M040	4m

No.	Part No.	Engineering No.	Cable Length
176	1200658780	805000H09M200	20m
177	1200658782	804000E03M060	6m
178	1200658812	808000E02M150	15m
179	1200658813	808000H08M025	2.5m
180	1200658860	808000E02M0061G	0.6m
181	1200658880	804000H09M200	20m
182	1200658882	804000E03M100H	10m
183	1200658887	803000E03M020H	2m
184	1200658889	803000E03M050H	5m
185	1200658891	804000H09M003	0.3m
186	1200658894	804000E03M020G	2m
187	1200658896	804000E03M075	7.5m
188	1200658899	808000H08M250	25m
189	1200658907	804000H09M020H	2m
190	1200658920	808000E02M005H	0.5m
191	1200658921	808000E02M010H	1m
192	1200658927	804000P02M050	5m
193	1200658928	805000E03M1001	10m
194	1200658930	808000H08M150	15m
195	1200658977	805000P03M050G	5m
196	1200658983	804000E03M002	0.2m
197	1200658984	808000E02M2501	25m
198	1200658990	805000P03M050H	5m
199	1200658991	805000P03M100H	10m
200	1200659038	804000E02M100	10m
201	1200659040	804000E02M050	5m
202	1200659052	808000E02M2001	20m
203	1200659053	808000E02M3001	30m
204	1200659054	803000E03M050Y	5m
205	1200659055	803000E03M100Y	10m
206	1200659058	804000E03M050Y	5m
207	1200659059	804000E03M100Y	10m
208	1200659082	805000E03M100Y	10m
209	1200659088	804000P03M050HY	5m
210	1200659092	808000P02M050Y	5m

No.	Part No.	Engineering No.	Cable Length
211	1200659097	804000H09M050Y	5m
212	1200659100	808000E02M050Y	5m
213	1200659102	808000H08M100Y	10m
214	1200659103	808000E02M100Y	10m
215	1200659106	808000E02M150Y	15m
216	1200659107	808000H08M150Y	15m
217	1200659123	804000P03M100HY	10m
218	1200659144	805000H09M300	30m
219	1200659187	808000E02M4001	40m
220	1200659199	808000E02M150H	15m
221	1200659200	808000E02M250H	25m
222	1200659207	805000E03C230	0.23m
223	1200659214	805000P03M300	30m
224	1200659256	808000E02M200	20m
225	1200659279	805000E03M007	0.7m
226	1200659280	805000E03M350	35m
227	1200659282	805000P03M005	0.5m
228	1200659283	805000P03M007	0.7m
229	1200659302	804000P03M1005	10m
230	1200659326	805000P03M020H	2m
231	1200659329	805000P03M150H	15m
232	1200659330	805000P03M200H	20m
233	1200659334	808000P02M200H	20m
234	1200659340	804000P03M1501	15m
235	1200659341	804000P03M2501	25m
236	1200659368	805000E03M015	1.5m
237	1200659370	804000P03M020Y	2m
238	1200659387	808000E02M500	50m
239	1200659388	804000P03M012	1.2m
240	1200659389	804000P03M075	7.5m
241	1200659397	808000P02M100Y	10m
242	1200659399	808000P02M015	1.5m
243	1200659474	804000P03M250	25m
244	1200659475	804000P03M300	30m
245	1200659509	805000E03M600	60m

No.	Part No.	Engineering No.	Cable Length
246	1200659552	808000P02M050H	5m
247	1200659553	808000P02M100H	10m
248	1200659554	808000P02M150H	15m
249	1200659584	803000H09M003	0.3m
250	1200659594	805000P03M300H	30m
251	1200659595	805000P03M350H	35m
252	1200659613	808000E02M300	30m
253	1200659786	804000E02M041	4.1m
254	1200659790	804000E02M020	2m
255	1200659538	808000E02M100	10m
256	1200656061	803000E02M010	1m
257	1200656303	805000E03M050Y	5m
258	1200656436	804000P03M0601	6m
259	1200656766	808000P02M350	35m
260			
261			
262			
263			
264			
265			
266			
267			
268			
269			
270			
271			
272			
273			
274			
275			
276			
277			
278			
279			
280			

NOTES:

- * - Part No. with Yellow PVC overmolding
** - Part No. with Black PVC overmolding

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
	= 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW PN													
	= 0	mm		1:1															
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)																	
	= 0																		
	= 0	ANGULAR TOL		± 1.0 °		EC NO: 625445				CSE M12 XP AC FE STR XM SE UNSH									
	= 0	4 PLACES		±		DRWN: SSM 2019/10/08													
	= 0	3 PLACES		±		CHK'D: RSILLER 2019/10/10													
	= 0	2 PLACES		± 0.05		APPR: RSILLER 2019/10/10				PRODUCT CUSTOMER DRAWING									
	= 0	1 PLACE		± 0.3		INITIAL REVISION: DRWN: JMARSZALEK 2016/01/11 APPR: RSILLER 2016/04/08													
	= 0	0 PLACES		± 0.5															
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
	= 0							A3-SIZE		120065		MATERIAL NUMBER		CUSTOMER		1200651978		PSD	
	= 0							A3-SIZE		120065		SEE SHEET 3-4		GENERAL MARKET		SHEET NUMBER 4 OF 4			

DOCUMENT STATUS	P1	RELEASE DATE	2019/10/10	09:06:34
-----------------	----	--------------	------------	----------

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9