








SECTION D-D



SECTION C-C

spec ref		-		dr		Eric Jiang		2013/06/04		projection		MM		size		A2		scale		3:1	
tolerance std		-		eng		De-Ming Lu		2013/09/26						ecn no		-		Released		rev	
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		-		-						rel level		-					
				appr		Pei-Ming Zheng		2013/09/26		product family		HPCE									
surface		✓		linear				title		RECEPTACLE (28P-12S-24P)		dwg no		10125909		rev		A			
				0.X																±0.50	
				0.XX																±0.25	
				0.XXX		±0.10															
ASME Y14.5				angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 4			


PDS: Rev :A

STATUS:Released

Printed: Sep 26, 2013


12345678

A
B
C
D
E
F




RECOMMENDED MATING BOARD
FOOTPRINT


FCI
Copyright FCI.

spec ref		-		dr Eric Jiang		2013/06/04		projection				MM		size A2		scale 4:1					
tolerance std		-		eng De-Ming Lu		2013/09/26						ecn no		-							
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr -		-						rel level		Released							
				appr Pei-Ming Zheng		2013/09/26		product family				HPCE									
surface		✓				title		RECEPTACLE (28P-12S-24P)				dwg no		10125909		rev		A			
ASME Y14.5		linear		0.X		±0.50															
				0.XX		±0.25															
				0.XXX		±0.10															
		angular		0°		±2°															
				www.fci.com		cat. no.		-		Product -		Customer Drw				sheet 3 of 4					

PART NUMBER	FEATURE C HOST BOARD ALIGNMENT KEY (SEE NOTE 8)	FEATURE A MOUNTING EARS	FEATURE B FRONT POLARIZATION KEY
I0125909-001LF	NO	YES	NO
I0125909-002LF	NO		YES
I0125909-003LF	YES		NO
I0125909-004LF	YES		YES




FEATURE B



SEE DETAIL A

FEATURE A



FEATURE C

DETAIL A
SCALE 4:1

- NOTES:
- CONNECTOR MATERIALS:
 - HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
 - CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
 - CONTACT FINISH REF. GS-12-604 SECTION 5.2.
 - PRODUCT SPECIFICATION: GS-12-604.
 - APPLICATION SPECIFICATION: GS-20-128.
 - PRODUCT MARKING (FCI - PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN.
 - PACKAGING MEETS FCI SPECIFICATION GS-14-937.
 - HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 60 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN.
 - HOST BOARD ALIGNMENT KEY IS RECOMMENDED TO ENSURE PROPER ALIGNMENT OF SOLDER TAILS WITH HOST BOARD PADS.

spec ref -				dr Eric Jiang 2013/06/04		projection		MM		size A2		scale 4:1	
tolerance std -				eng De-Ming Lu 2013/09/26						ecn no -		rel level	
TOLERANCES UNLESS OTHERWISE SPECIFIED				chr -									
ASME Y14.5				appr Pei-Ming Zheng 2013/09/26		product family HPCE						Released	
surface		linear				title RECEPTACLE (28P-12S-24P) HPCE - (STRADDLE MOUNT)		dwg no 10125909		rev A			
		0.X ±0.50											
		0.XX ±0.25											
ASME Y14.5		0.XXX ±0.10		www.fci.com		cat. no. -		Product - Customer Drw				sheet 4 of 4	
		angular 0° ±2°											

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9