







LOC		DIST		REVISIONS				
F	LYR	DESCRIPTION			DATE	OWN	APVD	
S10		REVISED PER ECO-09-009758			23APR2009	DLD	DCM	
S11		REVISED PER ECO-09-028550			29DEC2009	DLD	DCM	



SCALE 1:1



- △ MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- △ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- △ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

SEE PINOUT CHARTS		PART NUMBER	
DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		SIZE CAGE CODE DRAWING NO	
PRODUCT SPEC		RESTRICTED TO	
APPLICATION SPEC		A1 00779 C=1438082	
WEIGHT		SCALE 4:1 SHEET 1 OF 5	
CUSTOMER DRAWING		REV S11	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44							35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																
		44							35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																
									35																											6-1438735-2	2LIT-14A464-SD-084															
			43	42		40	39	37					29					20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																	
45		43						38	36			31				25	24				18	17	16	14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082																
45		43						38	36			31				25	24						16	14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43						38	36		32	31				25	24		21	19	18	17	16	14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45		43					39	38	37	36			31			25	24				18	17	16	14	13	12		9	7	6			2	1	4-1438735-7	2LIT-14A464-SD-079																
				42															20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078																
				42															20	18				13	11	10							1	3-1438735-7	2LIT-14A464-SD-077																	
45		43					39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076																
45		43						38	36			31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39	37					29						20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074															
45		43					39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073																
45		43						38	36			31				25	24		21	20	19	18	17	16	14	12				7			2	1	3-1438735-1	2LIT-14A464-SD-072																
45		43					39	38	37	36			31			25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071																
45		43						38	36			31				25	24		21	20	19			16	14	12				7			2	1	2-1438735-9	2LIT-14A464-SD-070																
45		43					39	38	37	36			31			25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069																
45		43						38	36			31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068																
										33															13						6	5				2	1	2-1438735-5	2LIT-14A464-SD-067													
45	44	43	42			40		38	37	36		33	31				24	22	21	20		18	17	16	15				9	8				2	1	2-1438735-4	2LIT-14A464-SD-066															
		43										31		29							18								8					2	1	2-1438735-1	2LIT-14A464-SD-065															
45		43						38	36	35			31			25	24		21					16	14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064															
45		43					39	38	37	36	35		31			25	24				18	17	16	14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063																
45		43						38	36	35		32	31			25	24		21	19	18	17	16	14	12				7	6			1	1-1438735-8	2LIT-14A464-SD-062																	
45		43						38	36	35		31				25	24							16	14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061															
45		43						38	36	35		31				25	24		21	19			16	14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060																
45		43						38	36	35		31				25	24				18	17	16	14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059																
45		43					39	38	37	36	35		31			25	24		21	19	18	17	16	14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058																
45		43						38	36	35		31				25	24		21	19	18	17	16	14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057																
				42					37										20	18		15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056															
45		43								36	35		31				24		21	19			16	14	12				7	6			1	1-1438735-1	2LIT-14A464-SD-055																	
									35						27																		3			1-1438735-0	2LIT-14A464-SD-054															
				43								31		29							18								9	8				2		1438735-9	2LIT-14A464-SD-053															
									35						27															7						1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20 COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.		DWN R. VESTAL 01AUG2003	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK D. STRAUSSER 01AUG2003	NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		APVD D. STRAUSSER 01AUG2003	RESTRICTED TO	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±0.10 5 PLC ±. 4 PLC ±. ANGLES ±° FINISH -		PRODUCT SPEC APPLICATION SPEC WEIGHT -	SIZE A 00779 C=1438082	
MATERIAL -		CUSTOMER DRAWING		SCALE 4:1 SHEET 3 OF 5 REV 1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9