

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0459713185](#)
Status: **Active**
Description: 1.27mm (.050") by 1.27mm (.050") Pitch SEARAY* Receptacle, 240 Circuits, 5.00mm (.196") Unmated Height, 8 Rows, With Pegs, Solder Charge™ Lead Free

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Product Specification PS-45970-001 \(PDF\)](#)
[Product Specification PS-45970-002 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification


CSA LR19980
UL E29179

General

Product Family PCB Receptacles
Series [45971](#)
Application Board-to-Board
Product Name SEARAY*

Physical

Circuits (Loaded) 240
Circuits (maximum) 240
Circuits Detail 240
Color - Resin Black
Durability (mating cycles max) 100
Flammability 94V-0
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part No
Material - Metal Copper Alloy
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin High Temperature Thermoplastic
Number of Rows 8
Orientation Vertical
PC Tail Length (in) 0.086 In
PC Tail Length (mm) 2.18 mm
PCB Locator Yes
PCB Retention Yes
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.57 mm
Packaging Type Embossed Tape on Reel
Pitch - Mating Interface (in) 0.050 In
Pitch - Mating Interface (mm) 1.27 mm
Pitch - Term. Interface (in) 0.050 In
Pitch - Term. Interface (mm) 1.27 mm
Plating min: Mating (µin) 30
Plating min: Mating (µm) 0.75
Plating min: Termination (µin) 100
Plating min: Termination (µm) 2.5
Polarized to Mating Part Yes
Polarized to PCB Yes
Robotic Placement Pick and Place Cap
Stackable No



EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series

[45971Series](#)

Mates With

[45970 SEARAY* Plug](#)

Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-55°C to +125°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact	2.7A
Grounding to PCB	No
Voltage - Maximum	240V AC

Solder Process Data

Duration at Max. Process Temperature (seconds)	3
Lead-free Process Capability	Reflow Capable (SMT only)
Max. Cycles at Max. Process Temperature	1
Process Temperature max. C	260


Material Info

Reference - Drawing Numbers

Application Specification	AS-45970-001, AS-45970-002, AS-45970-990
Packaging Specification	PK-45971-001, PK-45971-002
Product Specification	PS-45970-001, PS-45970-002
Sales Drawing	SD-45971-001
Test Summary	TS-45970-001

*SEARAY is a trademark of Samtec, Inc.

This document was generated on 05/25/2010
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



DATE CODE




ACROSS ALL
SOLDER CHARGES

LEAD CODE:

1 = TIN

2 = TIN / LEAD




DIM M $\pm .010$


DIM C $\pm .010$

ROW 1 / POSITION 1 ID THIS SIDE


.050 TYP
TERMINAL PITCH



.050 TYP
TERMINAL PITCH



DIM R $^{+.002}_{-.004}$
UNMATED HEIGHT



PICK AND
PLACE CAP

NOTES:

- MATERIALS: HOUSING: LCP, UL94V-0, BLACK
CONTACTS: COPPER ALLOY
SOLDER CHARGE: SEE CHART
- FINISH: ALL OPTIONS - SELECT GOLD IN CONTACT AREA: 30 MI MIN
OPTIONS 5.0: SELECT GOLD FLASH IN TAIL, 7 MI MIN
OPTIONS 6.0 THRU 8.0: SELECT TIN IN TAIL, 100 MI MIN
ALL OPTIONS - OVER NICKEL
- PRODUCT SPECIFICATION: PS-45970-001
- PACKAGING SPECIFICATION: SEE CHART
- MATES WITH SEARAY PLUG ASSEMBLY 45970
- APPLICATION SPECIFICATION: AS-45970-001
- COSMETIC SPECIFICATION: PS-45499-002 CLASS B
- PART STATUS: CONTACT MOLEX

UPDATED NOTE 2 EC NO: UCP2010-2270 DRWN: TREGORI 2010/03/05 CHKD: JCOMERC 2005/05/17 APPR: JCOMERC 2010/03/05	DESCRIPTION
	REV
	O

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	$\pm$ ---	$\pm$ ---
3 PLACES	$\pm$ ---	$\pm .005$
2 PLACES	$\pm$ ---	$\pm$ ---
1 PLACE	$\pm$ ---	$\pm$ ---

ANGULAR $\pm$ ---°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE INCH ONLY

DRAWN BY	DATE
TGREGORI	2005/05/17
CHECKED BY	DATE
JCOMERC	2005/05/17
APPROVED BY	DATE
JCOMERC	2010/03/05

MATERIAL NO.
SEE CHART

SIZE
A

SCALE
3:1

DESIGN UNITS
INCH

THIRD ANGLE
PROJECTION

TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS	
MOLEX INCORPORATED	
DOCUMENT NO. SD-45971-001	SHEET NO. 1 OF 10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

6


5

4

3

2

1




F
.005
MIN SOLDER
PASTE THICKNESS

NO OF ROWS	DIM C	DIM E
6	.378	.125
8	.478	.175
10	.578	.225
12	.678	.275

RECOMMENDED PCB LAYOUT: COMPONENT SIDE
SOLDER SCREEN APERTURE SIZE: .035
PCB THICKNESS: NA
F

DIM P PLUG STACK HEIGHT	DIM R RECEPTACLE STACK HEIGHT					
	MM	5.0	6.0	6.5	7.5	8.0
	2.0	7.0	8.0	8.5	9.5	10.0
	3.0	8.0	9.0	9.5	10.5	11.0
	3.5	8.5	9.5	10.0	11.0	11.5
	2.5	7.5	8.5	9.0	10.0	10.5
	4.5	9.5	10.5	11.0	12.0	12.5
	5.0	10.0	11.0	11.5	12.5	13.0
7.0	12.0	13.0	13.5	14.5	15.0	



MATED STACK HEIGHTS
(MILLIMETERS) REF

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY TREGORI	DATE 2005/05/17	TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS				
		4 PLACES	± ---	± ---	CHECKED BY JCOMERC I	DATE 2005/05/17					
		3 PLACES	± ---	± .005	APPROVED BY JCOMERC I		DATE 2010/03/05		MOLEX INCORPORATED		
		2 PLACES	± ---	± ---							
		1 PLACE	± ---	± ---							
	ANGULAR ± ---°			MATERIAL NO. SEE CHARTS		DOCUMENT NO. SD-45971-001		SHEET NO. 2 OF 10			
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

5

4

3

2

1

		6				5				4				3				2				1	
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0161		45971-0261		45971-0361		45971-0461		45971-0561											
		10	0.782	45971-1161		45971-1261		45971-1361		45971-1461		45971-1561											
		20	1.282	45971-2161		45971-2261		45971-2361		45971-2461		45971-2561											
		30	1.782	45971-3161		45971-3261		45971-3361		45971-3461		45971-3561											
		40	2.282	45971-4161		45971-4261		45971-4361		45971-4461		45971-4561											
		50	2.782	45971-5161		45971-5261		45971-5361		45971-5461		45971-5561											
		15	1.032	45971-6161		45971-6261		45971-6361		45971-6461		45971-6561											
		25	1.532	45971-7161		45971-7261		45971-7361		45971-7461		45971-7561											
		35	2.032	45971-8161		45971-8261		45971-8361		45971-8461		45971-8561											
		45	2.532	45971-9161		45971-9261		45971-9361		45971-9461		45971-9561											
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0165		45971-0265		45971-0365		45971-0465		45971-0565											
		10	0.782	45971-1165		45971-1265		45971-1365		45971-1465		45971-1565											
		20	1.282	45971-2165		45971-2265		45971-2365		45971-2465		45971-2565											
		30	1.782	45971-3165		45971-3265		45971-3365		45971-3465		45971-3565											
		40	2.282	45971-4165		45971-4265		45971-4365		45971-4465		45971-4565											
		50	2.782	45971-5165		45971-5265		45971-5365		45971-5465		45971-5565											
		15	1.032	45971-6165		45971-6265		45971-6365		45971-6465		45971-6565											
		25	1.532	45971-7165		45971-7265		45971-7365		45971-7465		45971-7565											
		35	2.032	45971-8165		45971-8265		45971-8365		45971-8465		45971-8565											
		45	2.532	45971-9165		45971-9265		45971-9365		45971-9465		45971-9565											
A	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CH'KD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05		DESCRIPTION	REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1		DESIGN UNITS INCH		THIRD ANGLE PROJECTION		DRAWN BY DATE TGREGORI 2005/05/17 CHECKED BY DATE JCOMERC I 2005/05/17 APPROVED BY DATE JCOMERC I 2010/03/05 MATERIAL NO. SEE CHART		TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS MOLEX INCORPORATED DOCUMENT NO. SD-45971-001 SHEET NO. 3 OF 10						
																			mm		INCH		
																			4 PLACES ± ---		± ---		
																			3 PLACES ± ---		± .005		
																			2 PLACES ± ---		± ---		
																			1 PLACE ± ---		± ---		
																			ANGULAR ± ---°				
																			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
																			SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
																			tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4

D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY	
		DIM R: HOUSING HEIGHT													
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO			
		19	1.232	45971-0163		45971-0263		45971-0363		45971-0463		45971-0563			
		10	0.782	45971-1163		45971-1263		45971-1363		45971-1463		45971-1563			
		20	1.282	45971-2163		45971-2263		45971-2363		45971-2463		45971-2563			
		30	1.782	45971-3163		45971-3263		45971-3363		45971-3463		45971-3563			
		40	2.282	45971-4163		45971-4263		45971-4363		45971-4463		45971-4563			
		50	2.782	45971-5163		45971-5263		45971-5363		45971-5463		45971-5563			
		15	1.032	45971-6163		45971-6263		45971-6363		45971-6463		45971-6563			
		25	1.532	45971-7163		45971-7263		45971-7363		45971-7463		45971-7563			
		35	2.032	45971-8163		45971-8263		45971-8363		45971-8463		45971-8563			
		45	2.532	45971-9163		45971-9263		45971-9363		45971-9463		45971-9563			
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY	
		DIM R: HOUSING HEIGHT													
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO			
		19	1.232	45971-0167		45971-0267		45971-0367		45971-0467		45971-0567			
		10	0.782	45971-1167		45971-1267		45971-1367		45971-1467		45971-1567			
		20	1.282	45971-2167		45971-2267		45971-2367		45971-2467		45971-2567			
		30	1.782	45971-3167		45971-3267		45971-3367		45971-3467		45971-3567			
		40	2.282	45971-4167		45971-4267		45971-4367		45971-4467		45971-4567			
		50	2.782	45971-5167		45971-5267		45971-5367		45971-5467		45971-5567			
		15	1.032	45971-6167		45971-6267		45971-6367		45971-6467		45971-6567			
		25	1.532	45971-7167		45971-7267		45971-7367		45971-7467		45971-7567			
		35	2.032	45971-8167		45971-8267		45971-8367		45971-8467		45971-8567			
		45	2.532	45971-9167		45971-9267		45971-9367		45971-9467		45971-9567			
B														NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 6 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL	
A		SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CH'KD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05 REV DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		SEARAY RECEPTACLE ASSEMBLY .050 CENTERS				
			4 PLACES	± ---	± ---	DRAWN BY TGREGORI	DATE 2005/05/17	TITLE							
			3 PLACES	± ---	± .005	CHECKED BY JCOMERC I	DATE 2005/05/17								
			2 PLACES	± ---	± ---	APPROVED BY JCOMERC I	DATE 2010/03/05	MOLEX INCORPORATED		SD-45971-001					
			1 PLACE	± ---	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO.	SHEET NO. 4 OF 10						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
			tb_frame_A_P_AM_T Rev. E 2006/04/15		5	4		3		2		1			

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0181		45971-0281		45971-0381		45971-0481		45971-0581		
		10	0.782	45971-1181		45971-1281		45971-1381		45971-1481		45971-1581		
		20	1.282	45971-2181		45971-2281		45971-2381		45971-2481		45971-2581		
		30	1.782	45971-3181		45971-3281		45971-3381		45971-3481		45971-3581		
		40	2.282	45971-4181		45971-4281		45971-4381		45971-4481		45971-4581		
		50	2.782	45971-5181		45971-5281		45971-5381		45971-5481		45971-5581		
		15	1.032	45971-6181		45971-6281		45971-6381		45971-6481		45971-6581		
		25	1.532	45971-7181		45971-7281		45971-7381		45971-7481		45971-7581		
		35	2.032	45971-8181		45971-8281		45971-8381		45971-8481		45971-8581		
45	2.532	45971-9181		45971-9281		45971-9381		45971-9481		45971-9581				
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1				

NOTES:

1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS

NO OF ROWS: 8

SOLDER CHARGE: TIN

PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1

EC NO: UCP2010-2270

DRWN:TGREGORI 2010/03/05

CH'KD:JCOMERC I 2005/05/17

APPR:JCOMERC I 2010/03/05

REV

DESCRIPTION

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± .005

2 PLACES ± --- ± ---

1 PLACE ± --- ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

INCH ONLY

DRAWN BY

DATE

TGREGORI 2005/05/17

CHECKED BY

DATE

JCOMERC I 2005/05/17

APPROVED BY

DATE

JCOMERC I 2010/03/05

MATERIAL NO.

SEE CHART

SIZE

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE

1:1

DESIGN UNITS

INCH

THIRD ANGLE PROJECTION

TITLE

SEARAY
RECEPTACLE ASSEMBLY
.050 CENTERS

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.

SD-45971-001

SHEET NO.

5 OF 10

[illegible]

		6				5				4				3				2				1	
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0111		45971-0211		45971-0311		45971-0411		45971-0511											
		10	0.782	45971-1111		45971-1211		45971-1311		45971-1411		45971-1511											
		20	1.282	45971-2111		45971-2211		45971-2311		45971-2411		45971-2511											
		30	1.782	45971-3111		45971-3211		45971-3311		45971-3411		45971-3511											
		40	2.282	45971-4111		45971-4211		45971-4311		45971-4411		45971-4511											
		50	2.782	45971-5111		45971-5211		45971-5311		45971-5411		45971-5511											
		15	1.032	45971-6111		45971-6211		45971-6311		45971-6411		45971-6511											
		25	1.532	45971-7111		45971-7211		45971-7311		45971-7411		45971-7511											
		35	2.032	45971-8111		45971-8211		45971-8311		45971-8411		45971-8511											
		45	2.532	45971-9111		45971-9211		45971-9311		45971-9411		45971-9511											
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0115		45971-0215		45971-0315		45971-0415		45971-0515											
		10	0.782	45971-1115		45971-1215		45971-1315		45971-1415		45971-1515											
		20	1.282	45971-2115		45971-2215		45971-2315		45971-2415		45971-2515											
		30	1.782	45971-3115		45971-3215		45971-3315		45971-3415		45971-3515											
		40	2.282	45971-4115		45971-4215		45971-4315		45971-4415		45971-4515											
		50	2.782	45971-5115		45971-5215		45971-5315		45971-5415		45971-5515											
		15	1.032	45971-6115		45971-6215		45971-6315		45971-6415		45971-6515											
		25	1.532	45971-7115		45971-7215		45971-7315		45971-7415		45971-7515											
		35	2.032	45971-8115		45971-8215		45971-8315		45971-8415		45971-8515											
		45	2.532	45971-9115		45971-9215		45971-9315		45971-9415		45971-9515											
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0115		45971-0215		45971-0315		45971-0415		45971-0515											
		10	0.782	45971-1115		45971-1215		45971-1315		45971-1415		45971-1515											
		20	1.282	45971-2115		45971-2215		45971-2315		45971-2415		45971-2515											
		30	1.782	45971-3115		45971-3215		45971-3315		45971-3415		45971-3515											
		40	2.282	45971-4115		45971-4215		45971-4315		45971-4415		45971-4515											
		50	2.782	45971-5115		45971-5215		45971-5315		45971-5415		45971-5515											
		15	1.032	45971-6115		45971-6215		45971-6315		45971-6415		45971-6515											
		25	1.532	45971-7115		45971-7215		45971-7315		45971-7415		45971-7515											
		35	2.032	45971-8115		45971-8215		45971-8315		45971-8415		45971-8515											
		45	2.532	45971-9115		45971-9215		45971-9315		45971-9415		45971-9515											
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0115		45971-0215		45971-0315		45971-0415		45971-0515											
		10	0.782	45971-1115		45971-1215		45971-1315		45971-1415		45971-1515											
		20	1.282	45971-2115		45971-2215		45971-2315		45971-2415		45971-2515											
		30	1.782	45971-3115		45971-3215		45971-3315		45971-3415		45971-3515											
		40	2.282	45971-4115		45971-4215		45971-4315		45971-4415		45971-4515											
		50	2.782	45971-5115		45971-5215		45971-5315		45971-5415		45971-5515											
		15	1.032	45971-6115		45971-6215		45971-6315		45971-6415		45971-6515											
		25	1.532	45971-7115		45971-7215		45971-7315		45971-7415		45971-7515											
		35	2.032	45971-8115		45971-8215		45971-8315		45971-8415		45971-8515											
		45	2.532	45971-9115		45971-9215		45971-9315		45971-9415		45971-9515											
tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1													

NOTES:

1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS

NO OF ROWS: 10

SOLDER CHARGE: TIN

PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1

EC NO: UCP2010-2270

DRWN:TGREGORI 2010/03/05

CH'KD:JCOMERC I 2005/05/17

APPR:JCOMERC I 2010/03/05

REV

DESCRIPTION

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± .005

2 PLACES ± --- ± ---

1 PLACE ± --- ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

INCH ONLY

DRAWN BY

DATE

TGREGORI 2005/05/17

CHECKED BY

DATE

JCOMERC I 2005/05/17

APPROVED BY

DATE

JCOMERC I 2010/03/05

MATERIAL NO.

SEE CHART

SIZE

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE

1:1

DESIGN UNITS

INCH

THIRD ANGLE PROJECTION

TITLE

SEARAY
RECEPTACLE ASSEMBLY
.050 CENTERS

 MOLEX INCORPORATED

DOCUMENT NO.

SD-45971-001

SHEET NO.

7 OF 10

D	TRAY PACK PK-45971-001	6		5		4		3		2		1											
		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0113		45971-0213		45971-0313		45971-0413		45971-0513											
		10	0.782	45971-1113		45971-1213		45971-1313		45971-1413		45971-1513											
		20	1.282	45971-2113		45971-2213		45971-2313		45971-2413		45971-2513											
		30	1.782	45971-3113		45971-3213		45971-3313		45971-3413		45971-3513											
		40	2.282	45971-4113		45971-4213		45971-4313		45971-4413		45971-4513											
		50	2.782	45971-5113		45971-5213		45971-5313		45971-5413		45971-5513											
		15	1.032	45971-6113		45971-6213		45971-6313		45971-6413		45971-6513											
		25	1.532	45971-7113		45971-7213		45971-7313		45971-7413		45971-7513											
35	2.032	45971-8113		45971-8213		45971-8313		45971-8413		45971-8513													
45	2.532	45971-9113		45971-9213		45971-9313		45971-9413		45971-9513													
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517											
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517											
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517											
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517											
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517											
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517											
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517											
		25	1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517											
		35	2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517											
45	2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517													
B	NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 10 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL																						
A	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05 REV											GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1		DESIGN UNITS INCH		THIRD ANGLE PROJECTION			
		4 PLACES		± ---		± ---		DRAWN BY TGREGORI		DATE 2005/05/17		TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS MOLEX INCORPORATED											
		3 PLACES		± ---		± .005		CHECKED BY JCOMERC I		DATE 2005/05/17													
		2 PLACES		± ---		± ---		APPROVED BY JCOMERC I		DATE 2010/03/05													
		1 PLACE		± ---		± ---		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001								SHEET NO. 8 OF 10					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
		tb_frame_A_P_AM_T Rev. E 2006/04/15												5		4		3		2		1	

[illegible]

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
				.199		.238		.258		.297		.297		
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0123		45971-0223		45971-0323		45971-0423		45971-0523		
		10	0.782	45971-1123		45971-1223		45971-1323		45971-1423		45971-1523		
		20	1.282	45971-2123		45971-2223		45971-2323		45971-2423		45971-2523		
		30	1.782	45971-3123		45971-3223		45971-3323		45971-3423		45971-3523		
		40	2.282	45971-4123		45971-4223		45971-4323		45971-4423		45971-4523		
		50	2.782	45971-5123		45971-5223		45971-5323		45971-5423		45971-5523		
		15	1.032	45971-6123		45971-6223		45971-6323		45971-6423		45971-6523		
		25	1.532	45971-7123		45971-7223		45971-7323		45971-7423		45971-7523		
		35	2.032	45971-8123		45971-8223		45971-8323		45971-8423		45971-8523		
45	2.532	45971-9123		45971-9223		45971-9323		45971-9423		45971-9523				
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
				.199		.238		.258		.297		.297		
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0127		45971-0227		45971-0327		45971-0427		45971-0527		
		10	0.782	45971-1127		45971-1227		45971-1327		45971-1427		45971-1527		
		20	1.282	45971-2127		45971-2227		45971-2327		45971-2427		45971-2527		
		30	1.782	45971-3127		45971-3227		45971-3327		45971-3427		45971-3527		
		40	2.282	45971-4127		45971-4227		45971-4327		45971-4427		45971-4527		
		50	2.782	45971-5127		45971-5227		45971-5327		45971-5427		45971-5527		
		15	1.032	45971-6127		45971-6227		45971-6327		45971-6427		45971-6527		
		25	1.532	45971-7127		45971-7227		45971-7327		45971-7427		45971-7527		
		35	2.032	45971-8127		45971-8227		45971-8327		45971-8427		45971-8527		
45	2.532	45971-9127		45971-9227		45971-9327		45971-9427		45971-9527				
B														NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 12 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL
A														A
				</										

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9