









USED ON _____											
DIMENSIONING AND TOLERANCING PER ASME Y14.5M (ISO STANDARDS) THIS DRAWING IS A CONTROLLED DOCUMENT. DWG NO. 1583010	TOOL NUMBER 	WIRE SIZE mm ² [AWG] 	INSULATION DIAMETER mm [in.] 	INSUL. ADJ. 	FLIP LOCATOR 	STRIP LENGTH mm [in.] 	CRIMP HEIGHT mm [in.] 	CONTACT PART NUMBERS 		CONTACT DESCRIPTION	APPLIC. SPECIF.
								LOOSE PIECE 	STRIP FORM 		
	91567-1 91567-3	0.12 [26]	1.3-1.6 [.051-.063]	NO	NO	3.5 ± 0.5 [.138 ± .020]	0.69-0.83 [.027-.033]	179592-[] 179594-[]	177914-[] 177916-[]	POWER DOUBLE LOCK Contacts	114-5175
		0.22 [24]					0.69-0.88 [.027-.035]				
		0.30-0.35 [22]	1.3-2.0 [.051-.079]				0.77-0.94 [.030-.037]				
	91569-1 91569-3	0.51 [20]	2.1-2.8 [.083-.110]	NO	NO	3.5 ± 0.5 [.138 ± .020]	0.97-1.09 [.038-.043]	179593-[] 179595-[]	177915-[] 177917-[]	POWER DOUBLE LOCK Contacts	114-5175
		0.89 [18]					0.97-1.20 [.038-.047]				
		1.27 [16]	2.2-3.1 [.087-.122]				1.23-1.42 [.048-.056]				
	91572-1 91572-3	0.12 [26]	0.90-1.40 [.035-.055]	NO	NO	2.1 ± 0.2	0.60-0.73 [.024-.029]	179518-[] 179610-[]	179227-[] 179609-[]	CRIMP TYPE II CT 2mm Pitch Contacts	114-5179
		0.22 [24]					0.60-0.79 [.024-.031]				
0.30-0.35 [22]		1.10-1.50 [.043-.059]	0.71-0.86 [.028-.034]								
91577-1 91577-3	0.30 [22]	1.80 [.071]	NO	NO	4.0-4.5 [.157-.177]	0.74-0.90 [.029-.035]	175062-[] 175061-[] 175063-[]	173681-[] 173716-[] 173682-[]	.040 Series Contacts	114-5094 114-5108 114-5111	
	0.50 [20]	2.00 [.079]				0.90-1.07 [.035-.042]					
91579-1 91579-3	0.53-0.86 [20-18]	1.80-2.80 [.071-.110]	NO	NO	2.7-3.3 [.106-.130]	0.96-1.10 [.038-.043]	1318912-[]	1123721-[]	ECONOMY POWER CONN. (EP) Contacts	114-5303	
	1.25-1.37 [16]	2.30-2.80 [.091-.110]				1.27-1.41 [.050-.054]					
91588-1 91588-3	0.30-0.56 [22]	1.1-2.0 [.043-.079]	YES	NO	4.0-4.5 [.157-.177]	0.78-0.94 [.031-.037]	179417-[] 179418-[] 179421-[]	175265-[] 175266-[] 175271-[]	.040 II Series Contacts	114-5159	
	0.30-0.56 [20]	1.1-2.0 [.043-.079]				0.78-0.1.03 [.031-.041]					
	0.75-0.89 [18]	1.5-1.8 [.059-.071]				0.87-1.15 [.034-.045]					

1 LIST OF APPLIED CONTACT PART NUMBERS
MAY NOT BE COMPLETE AND IS SUBJECT
TO CHANGE. FOR CURRENT INFORMATION
ON TERMINAL PART NUMBERS, CONTACT
THE TOOLING ASSISTANCE CENTER :
1-800-722-1111.

2. AMP & CERTI-CRIMP
are trademarks.

3 -1 IS A CERTICRIMP II HAND TOOL ASSEMBLY.
-3 IS A CERTICRIMP II HEAD SUB-ASSEMBLY.

4. THE HAND TOOL INSTRUCTION SHEET,
ALSO KNOWN AS AN "IS", FOR MOST CERTI-CRIMP II
TOOLS USE IS 408-8547. IF THE TOOL HAS A FLIP LOCATOR
USE IS 408-10414.

CERTI-CRIMP II DATA SHEET

DIMENSIONS: mm				TOLERANCES UNLESS OTHERWISE SPECIFIED:				DWN: 21FEB2012 M. YOUNGER		MATERIAL: -		HEAT TREAT: -	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± -				ANGLES: ± - SURFACE TEXTURE: √				CHK: 22FEB2012 B.A.WOLFE		TE Connectivity			
APVD: 22FEB2012 B.A. WOLFE				NAME: CERTI-CRIMP II TOOL DATA SHEET				SCALE: .040, CT, EP, POWER DBL LOCK & DRAWER CONTACTS		SHEET: 1 of 2			
P LTR				REVISION RECORD				DATE: 2-2012		DWN: MY BAW		REV: A4	

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TFCO. IT IS TO BE USED ONLY FOR THE PURPOSES AND APPLICATIONS SPECIFIED IN THE DRAWING. NO OTHER USE, REPRODUCTION, OR DISSEMINATION OF THIS INFORMATION IS PERMITTED WITHOUT THE WRITTEN AUTHORIZATION OF TFCO. IF YOU ARE A TFCO EMPLOYEE, YOU MUST NOT DISCLOSE THIS INFORMATION TO ANY OTHER PERSON, WITHOUT AUTHORIZATION FROM TFCO. (3/11)

LOC
A
DIST
00

A

CERTI-CRIMP II DATA SHEET

					mm		D. A. WOLFE		APVD 22FEB2012		 TE Connectivity	
							0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± -		B.A. WOLFE			
					ANGLES ± -		NAME		CERTI-CRIMP II TOOL DATA SHEET .040, CT, EP, POWER DBL LOCK & DRAWER CONTACTS			
P LTR					REVISION RECORD		DATE		DWN		APVD	
- SEE SHEET 1					-		-		-		-	
P LTR					SURFACE TEXTURE				SCALE		SIZE A1 DRAWING NO. 1583010	
-					-		-		SHEET		OF 2 REV A4	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9