





LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
DY	-		A2	REVISED PER ECO-11-005139	19MAR11	RK HMR



DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN WYLEE CHK YJ SEE APVD SF L FONG PRODUCT SPEC 108-5390 APPLICATION SPEC 114-5254 WEIGHT -		TE Connectivity	
0 PLC ±0.30 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.20 4 PLC ±0.20 ANGLES ±3°		FINISH		NAME RECEPTACLE 17mm HEIGHT FH 0.8mm PITCH B-T-B CONNECTOR IN TUBE		SIZE A3	
MATERIAL		FINISH		CAGE CODE 00779		DRAWING NO C-1735480	
CUSTOMER DRAWING		SCALE 4:1		SHEET 1 OF 3		REV A2	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

.19

©

COPYRIGHT

BY

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

DY

-

SEE SHEET 1

+1
-2.5
508

SECT "A" - "A"

SECT "B" - "B"

15.75

SEE
DETAIL "A"

P17S,M P/N

REC ASS'Y (H=17mm), 0.8mm BTB STACKING CONN. Tyco Electronics

0.6 ± 0.3

(8.5)

+0.4
-0.1
16.5

(19.2)

±0.3
2.1±0.3
0.6DETAIL "A"
(SCALE 5-1)±0.3
7.3±0.3
0.6

2.5 ± 0.03

C ± 0.08

A ± 0.03

0.8 ± 0.03

0.5 ± 0.03

Ø1.2 ± 0.03

7.2 ± 0.05

2.4 ± 0.05


2.4 ± 0.05

Ø0.8 ± 0.03

RECOMMENDED P.C. BOARD LAYOUT

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 PLC ±
1 PLC ±0.30
2 PLC ±0.25
3 PLC ±0.20
4 PLC ±
ANGLES ±3°

MATERIAL



FINISH



DWN 10JUL2007

WYLEE

CHK YJ SEE

APVD SF L FONG

PRODUCT SPEC

SEE SHEET 1

APPLICATION SPEC

SEE SHEET 1

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE 17mm HEIGHT
FH 0.8mm PITCH B-T-B CONNECTOR
IN TUBE

SIZE

CAGE CODE

DRAWING NO

A3

00779

C-1735480

SCALE 4:1

SHEET 2 OF 3

REV A2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION .19

© COPYRIGHT - BY - ALL RIGHTS RESERVED.

LOC
DY

DIST
-

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

AVAILABLE
(0.5mm BOSS LENGTH)

30 u" Au - Sn
3

84.2085.8079.202008- -0

76.2077.8071.201807- -9

68.2069.8063.201607- -8

64.2065.8059.201507- -7

60.2061.8055.201407- -6

52.2053.8047.201207- -5

44.2045.8039.201007- -4

36.2037.8031.20807- -3

28.2029.8023.20607- -2

20.2021.8015.20407- -1

0.5

84.2085.8079.202006- -0

76.2077.8071.201805- -9

68.2069.8063.201605- -8

64.2065.8059.201505- -7

60.2061.8055.201405- -6

52.2053.8047.201205- -5

44.2045.8039.201005- -4

36.2037.8031.20805- -3

28.2029.8023.20605- -2

20.2021.8015.20405- -1

NOT AVAILABLE
(0.8mm BOSS LENGTH)

30 u" Au - Sn
3

84.2085.8079.202003- -0

76.2077.8071.201802- -9

68.2069.8063.201602- -8

64.2065.8059.201502- -7

60.2061.8055.201402- -6

52.2053.8047.201202- -5

44.2045.8039.201002- -4

36.2037.8031.20802- -3

28.2029.8023.20602- -2

20.2021.8015.20402- -1

0.8

84.2085.8079.202001- -0

76.2077.8071.20180- -9

68.2069.8063.20160- -8

64.2065.8059.20150- -7

60.2061.8055.20140- -6

52.2053.8047.20120- -5

44.2045.8039.20100- -4

36.2037.8031.2080- -3

28.2029.8023.2060- -2

20.2021.8015.20401735480-1

REMARKS

CONTACT PLATING

D

C

B

A

POS.

PART No.

NOTES:

1 MATERIAL: HOUSING: L.C.P. (HIGH TEMP THERMO-PLASTIC)
UL 94V-0, NATURAL.
CONTACT: COPPER ALLOY

2 FINISH:
ENGAGEMENT AREA: 0.0002 MIN GOLD
SOLDERING AREA: 0.002 MIN MATTE TIN
UNDERCOAT: 0.0013 MIN NICKEL ALL OVER.

3 FINISH:
ENGAGEMENT AREA: 0.00076 MIN GOLD
SOLDERING AREA: 0.002 MIN MATTE TIN
UNDERCOAT: 0.0013 MIN NICKEL ALL OVER.

4. SEE SERIES TABLE FOR PART NUMBERS

5. CONNECTOR MATED STACKED HEIGHT IS COMBINATION OF
PLUG HEIGHT "Y" AND REC HEIGHT "X", LESS 5 mm.

STACKED HEIGHT = Y + X - 5

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±0.30
2 PLC ±0.25
3 PLC ±0.20
4 PLC ±-
ANGLES ±3°

MATERIAL

FINISH

DWN
WYLEE 10JUL2007

CHK
YJ SEE

APVD
SF L FONG

PRODUCT SPEC
SEE SHEET 1

APPLICATION SPEC
SEE SHEET 1

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE 17mm HEIGHT
FH 0.8mm PITCH B-T-B CONNECTOR
IN TUBE

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-1735480

SCALE
4:1

SHEET
3 OF 3

REV
A2

AMP 1470-19 REV 09MAY94

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9