

Safety Padlocks and Kits

Safety is an essential element of risk mitigation throughout the physical infrastructure. Panduit introduces new long body non-conductive padlocks, designed specifically for lockout/tagout applications to help reduce the risk of electrical hazards while providing high security. All Panduit lockout kits, lockout stations, and the group lockout box include non-conductive padlocks, contributing to the protection of employees from unexpected hazards while meeting safety and regulatory requirements. In addition, Panduit offers high security and laminated steel padlocks for application flexibility. These are part of a comprehensive line of safety and facility identification products to optimize workplace safety and aid in compliance.



Key Features

Benefits

| | |
|--|---|
| Customized options | <p>Provides customized style, keying, color, and identification options to create the right padlock solution for any application</p> <p>New photo ID option allows the padlock to be customized to include an employee name, picture, and company logo</p> |
| Multiple padlock styles available | <p>Comprehensive line of padlocks provides application flexibility to enhanced workplace safety</p> <p>New compact aluminum padlocks can be used for lockout operations in tight areas</p> |
| Lockout kits | <p>Designed specifically for lockout/tagout applications; each kit provides a selection of devices commonly used by electricians, electrical contractors, and MRO personnel to provide a full lockout solution for the application</p> <p>Kits are available with non-conductive padlocks included or without padlocks to allow customized padlocks to be added specific to the application</p> |

DISCLAIMER: The information contained herein is intended as a guide for use by persons having technical skill at their own discretion and risk. Before using, Buyer shall determine the suitability of the Panduit product for his intended use and Buyer assumes all risk and liability whatsoever in connection therewith.



Photo ID Padlocks



Compact Aluminum Padlocks



Lockout Kits

Customized Padlocks

Padlock offering includes many customizable options. Select the style, keying, color, and identification options to create the right padlock solution for your application.

Padlock Styles



Non-Conductive Safety Padlock



Non-Conductive Long Body Safety Padlock



Aluminum Padlock



Aluminum Long Shackle Padlock



Aluminum Compact Padlock



Laminated Steel Padlock



Laminated Steel Long Shackle Padlock


Keying Options




Keyed Differently



Keyed Alike



Keyed Differently and Master Keyed



Keyed Alike and Master Keyed

Color Options



Red



Yellow



Blue



Green



Orange



Black



Purple




Brown

Identification Options


NEW!




Photo ID Padlock



Front



Back



Key

Engraved Padlock

*Purple and brown are not available on the Laminated Steel Padlock styles; Photo ID available only for Non-Conductive and Non-Conductive long body padlock styles; Engraving not available for Laminated Steel Padlock styles.

Place Your Order

To specify your customized padlocks, complete the interactive PDF custom order form at www.Panduit.com/safety. Also, visit this website to find a complete listing of available custom options. Send completed forms, employee images, company logos, and other files needed to create your custom padlocks to safety@Panduit.com. Have questions? Need help? Contact us at:

1-800-777-3300

safety@Panduit.com

www.panduit.com/safety

Non-Conductive Safety Padlocks



PSL-8 and PSL-8-LB

Aluminum body and shackle with non-conductive vinyl cover delivers protection against electrical hazards for maximum safety, specifically in lockout/tagout applications. Padlock is available with the standard 1.77" body or 3.00" long body design that allows safety message to be displayed on the padlocks in two languages.

| Color | Body Height 1.77" (45.2mm) | Body Height 3.00" (76.2mm) | Std. Pkg. Qty. |
|--------|-------------------------------|-------------------------------|----------------------|
| | Part Number | | |
| Black | PSL-8BL | PSL-8BL-LB | 1 |
| Blue | PSL-8BU | PSL-8BU-LB | 1 |
| Green | PSL-8GR | PSL-8GR-LB | 1 |
| Orange | PSL-8OR | PSL-8OR-LB | 1 |
| Red | PSL-8 | PSL-8-LB | 1 |
| Yellow | PSL-8YL | PSL-8YL-LB | 1 |
| Purple | PSL-8PU | PSL-8PU-LB | 1 |
| Brown | PSL-8BR | PSL-8BR-LB | 1 |

Aluminum Padlocks



PSL-7 and PSL-7-LS



PSL-12

Solid aluminum body with anodized aluminum finish design can withstand extreme environmental conditions for improved durability and enhanced corrosion resistance. These padlocks are available with standard 1.50" x 1.62" body or ultra-compact 1.25" x 1.37" body for lockout operations in tight spaces.

| Color | Body Height 1.62" (41.1mm) Shackle Height 1.00" (25.4mm) | Body Height 1.62" (41.1mm) Shackle Height 3.00" (76.2mm) | NEW! Body Height 1.25" (41.1mm) Shackle Height 1.00" (25.4mm) | Std. Pkg. Qty. |
|--------|---|---|---|----------------------|
| | Part Number | | | |
| Black | PSL-7BL | PSL-7BL-LS | PSL-12BL | 1 |
| Blue | PSL-7BU | PSL-7BU-LS | PSL-12BU | 1 |
| Green | PSL-7GR | PSL-7GR-LS | PSL-12GR | 1 |
| Orange | PSL-7OR | PSL-7OR-LS | PSL-12OR | 1 |
| Red | PSL-7 | PSL-7-LS | PSL-12 | 1 |
| Yellow | PSL-7YL | PSL-7YL-LS | PSL-12YL | 1 |
| Purple | PSL-7PU | PSL-7PU-LS | PSL-12PU | 1 |
| Brown | PSL-7BR | PSL-7BR-LS | PSL-12BR | 1 |

Laminated Steel Padlocks



PSL-6 and PSL-6-LS

Designed with galvanized layers and hardened steel shackle with double-ball locking mechanism to provide protection from cutting, prying, and rusting for maximum durability and reliability.

| Color | Shackle Height 0.75" (19.1mm) | Shackle Height 2.00" (50.8mm) | Std. Pkg. Qty. |
|--------|----------------------------------|----------------------------------|----------------------|
| | Part Number | | |
| Black | PSL-6BL | PSL-6BL-LS | 1 |
| Blue | PSL-6BU | PSL-6BU-LS | 1 |
| Green | PSL-6GR | PSL-6GR-LS | 1 |
| Orange | PSL-6OR | PSL-6OR-LS | 1 |
| Red | PSL-6 | PSL-6-LS | 1 |
| Yellow | PSL-6YL | PSL-6YL-LS | 1 |

Specialty Padlocks



PSL-9 and PSL-9-LS



PSL-CS

Harsh environment padlocks are created with a solid brass body with a chrome finish and stainless steel shackle for use in severe weather and environmental conditions. Flexible shackle padlocks allow movement of the lock body in order to close the panel door

| Part Number | Color | Part Number | Std. Pkg. Qty. |
|-------------|--------|--|----------------------|
| PSL-9 | Silver | Harsh environment padlock; shackle height 1.00" (25.4mm) | 1 |
| PSL-9-LS | Silver | Harsh environment padlock; shackle height 3.00" (76.2mm) | 1 |
| PSL-CS | Red | Flexible shackle padlock; shackle height 5.00" (127.0mm) | 1 |

Lockout Kits

Electrician Lockout Kit



PSL-PK-EAP

| Part Number | Part Description | Std. Pkg. Qty. |
|-------------|--|----------------|
| PSL-PK-EAP | Kit includes: (1) screwdriver, (1) PSL-PK pouch, (1) PSL-8 padlock, (1) PSL-MLD multiple lockout, (1) PSL-WS wall switch lockout, (1) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (1) PSL-P plug lockout, (5) PVT-30 blocking tags. | 1 |
| PSL-PK-EA | Kit includes: (1) screwdriver, (1) PSL-PK pouch, (1) PSL-8 padlock, (1) PSL-MLD multiple lockout, (1) PSL-WS wall switch lockout, (1) PSL-CBNT No Tool circuit breaker lockout, (1) PSL-P plug lockout, (5) PVT-30 blocking tags. | 1 |
| PSL-PK-EAPX | Kit includes: (1) screwdriver, (1) PSL-PK pouch, (1) PSL-MLD multiple lockout, (1) PSL-WS wall switch lockout, (1) PSL-PCBNT PowerLOK™ No Tool circuit breaker Lockout, (1) PSL-P plug lockout, (5) PVT-30 blocking tags. | 1 |

Contractor Lockout Kit



PSL-KT-PWRP

| Part Number | Part Description | Std. Pkg. Qty. |
|---------------|---|----------------|
| PSL-KT-CONAP | Kit includes: (1) screwdriver, (1) PSL-KT case, (6) PSL-8 padlocks, (1) PSL-1A hasp, (1) PSL-MLD lockout, (3) PSL-WS wall switch lockout, (3) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (3) PSL-P plug lockouts, (15) PVT-98 tags. | 1 |
| PSL-KT-CONA | Kit includes: (1) screwdriver, (1) PSL-KT case, (6) PSL-8 padlocks, (1) PSL-1A hasp, (1) PSL-MLD lockout, (3) PSL-WS wall switch lockout, (3) PSL-CBNT No Tool circuit Breaker Lockout, (3) PSL-P plug lockouts, (15) PVT-98 tags. | 1 |
| PSL-KT-CONAPX | Kit includes: (1) screwdriver, (1) PSL-KT case, (1) PSL-1A hasp, (1) PSL-MLD lockout, (3) PSL-WS wall switch lockout, (3) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (3) PSL-P plug lockouts, (15) PVT-98 tags. | 1 |

Maintenance Lockout Kit



PSL-KT-MROAP

| Part Number | Part Description | Std. Pkg. Qty. |
|---------------|--|----------------|
| PSL-KT-MROAP | Kit includes: (1) screwdriver, (1) PSL-BX case, (3) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-WS, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-P, (1) PSL-V6A, (1) PSL-V2A, (1) PSL-BV2, (1) PSL-CL110, (10) PVT-44 maintenance tags. | 1 |
| PSL-KT-MROA | Kit includes: (1) screwdriver, (1) PSL-BX case, (3) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-WS, (2) PSL-CBNT No Tool Circuit Breaker Lockout, (2) PSL-P, (1) PSL-V6A, (1) PSL-V2A, (1) PSL-BV2, (1) PSL-CL110, (10) PVT-44 maintenance tags. | 1 |
| PSL-KT-MROAPX | Kit includes: (1) screwdriver, (1) PSL-BX case, (1) PSL-MLD, (2) PSL-WS, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-P, (1) PSL-V6A, (1) PSL-V2A, (1) PSL-BV2, (1) PSL-CL110, (10) PVT-44 maintenance tags. | 1 |

Power and Panel Distribution Lockout Kit



PSL-KT-PWRP

| Part Number | Part Description | Std. Pkg. Qty. |
|--------------|---|----------------|
| PSL-KT-PWRP | Kit includes: (1) screwdriver, (1) PSL-STATION, (2) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-CBILNT, (2) PSL-CBL, (1) PSL-P, (25) PVT-23-Q tags. | 1 |
| PSL-KT-PWR | Kit includes: (1) screwdriver, (1) PSL-STATION, (2) PSL-8 padlocks, (1) PSL-MLD, (2) PSL-CBNT No Tool Circuit Breaker Lockout, (2) PSL-CBILNT, (2) PSL-CBL, (1) PSL-P, (25) PVT-23-Q tags. | 1 |
| PSL-KT-PWRPX | Kit includes: (1) screwdriver, (1) PSL-STATION, (1) PSL-MLD, (2) PSL-PCBNT PowerLOK™ No Tool Circuit Breaker Lockout, (2) PSL-CBILNT, (2) PSL-CBL, (1) PSL-P, (25) PVT-23-Q tags. | 1 |

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA
Markham, Ontario
cs-cdn@panduit.com
Phone: 800.777.3300

PANDUIT EUROPE LTD.
London, UK
cs-emea@panduit.com
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.
Republic of Singapore
cs-ap@panduit.com
Phone: 65.6305.7575

PANDUIT JAPAN
Tokyo, Japan
cs-japan@panduit.com
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA
Guadalajara, Mexico
cs-la@panduit.com
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.
Victoria, Australia
cs-aus@panduit.com
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty

For more information

Visit us at www.panduit.com

Contact Customer Service by email: cs@panduit.com
or by phone: 800.777.3300

PANDUIT®

©2014 Panduit Corp.
ALL RIGHTS RESERVED.
Printed in the U.S.A.
Product Bulletin Number **SFCB05-SA-ENG**
Replaces SFCB02-SA-ENG
11/2014

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9