





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		AM2	REVISED PER ECO-11-004587	11MAR11	RK	HMR



1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
 2. SWITCH SHOWN IN OPEN POSITION.
 3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
 4. STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- 5 .315 DIMENSION APPLIES AT TERMINAL TIPS.
TERMINALS ARE .300^{+.010}_{-.000} AT MOUNTING SURFACE.
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

SUPERSEDED BY 2-435668-5	△6	OBSOLETE	FIG 7	FIG 1	—	.58	5	8-435668-7
		OBSOLETE	FIG 6		1.08		8-435668-6	
		OBSOLETE	FIG 5		1.28	12	8-435668-5	
					6	8-435668-3		
					.48	4	8-435668-0	
					.58	5	3-435668-5	
					.48	4	3-435668-4	
					.38	3	3-435668-3	
					1.28	12	3-435668-2	
	△6	OBSOLETE			1.18	11	3-435668-1	
					1.08	10	3-435668-0	
					.98	9	2-435668-9	
					.88	8	2-435668-8	
					.78	7	2-435668-7	
				.28	2	2-435668-6		
				.68	6	2-435668-5		
SUPERSEDED BY 3-435668-2					1.28	12	1-435668-1	
					—	1.08	10	435668-9
		OBSOLETE			—	.98	9	435668-8
					—	.88	8	435668-7
SUPERSEDED BY 2-435668-7					—	.78	7	435668-6
					—	.68	6	435668-5
					—	.58	5	435668-4
					—	.48	4	435668-3
SUPERSEDED BY 3-435668-3					—	.38	3	435668-2
	△6	OBSOLETE			—	.28	2	435668-1
			MARKING	SEALING TAPE	A	NO OF POSN	PART NO	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TALLEY	02JAN90	 TE Connectivity					
		CHK R.MILLER	03JAN90						
		APVD H.LEITER	03JAN90						
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE —					
	0 PLC ± —	PRODUCT SPEC —							
	1 PLC ± —	APPLICATION SPEC —							
	2 PLC ± —	—							
	3 PLC ± —	—							
	4 PLC ± .005	—		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
MATERIAL	FINISH	WEIGHT	—	A2	00779	C=435668	—		
HOUSING & ROCKERS: POLYESTER CONTACTS: COPPER ALLOY	CONTACTS: PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL			CUSTOMER DRAWING					
				SCALE	4:1	SHEET	1 of 2	REV	AM2

FIG 2

FIG 5

FIG 3

FIG 6

FIG 4

FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TALLEY 02JAN90 CHK R.MILLER 03JAN90		 TE Connectivity	
DIMENSIONS: INCHES 		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± ± -		NAME SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE -	
MATERIAL		FINISH WEIGHT -		SIZE A2	CAGE CODE 00779
CUSTOMER DRAWING				DRAWING NO C-435668	RESTRICTED TO -
				SCALE 4:1	SHEET 2 of 2
				REV AM2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9