










13	12	11	10	9	8	7	6	5	4	3	2	1																																												
MAT'L NO.		INTERNAL THREAD	DIM. "A"	MATERIAL / PLATING		NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm.																																																		
74962-1000		4-40 UNC-2B	.338 / 8.60	STAINLESS STEEL 303																																																				
74962-2000		M3x0.5 CLASS 6H	.338 / 8.60																																																					
74962-3000		4-40 UNC-2B	.378 / 9.60	STAINLESS STEEL 303																																																				
74962-4000		M3x0.5 CLASS 6H	.378 / 9.60																																																					
74962-0005		4-40 UNC-2B	.421 / 10.69	STAINLESS STEEL 303																																																				
74962-0006		M3x0.5 CLASS 6H	.421 / 10.69																																																					
  																																																								
<table><tr><td rowspan="6">INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A</td><td rowspan="6">DESCRIPTION REV</td><td rowspan="6">QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0</td><td colspan="2" rowspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE 10:1</td><td>DESIGN UNITS INCH</td><td colspan="2" rowspan="2">THIRD ANGLE PROJECTION</td><td colspan="2" rowspan="2">TITLE TDP 3/16" HEX JACKPOST</td><td rowspan="6">SHEET NO. 1 OF 1</td></tr><tr><td>mm</td><td>INCH</td><td>DRAWN BY TIBARRA</td><td>DATE 2014/08/01</td></tr><tr><td>4 PLACES ± --- ± ---</td><td>3 PLACES ± --- ± .010</td><td>CHECKED BY MPOFF</td><td>DATE 2014/08/29</td><td colspan="2" rowspan="4">molex</td></tr><tr><td>2 PLACES ± 0.25 ± ---</td><td>1 PLACE ± --- ± ---</td><td>APPROVED BY SMILLER</td><td>DATE 2014/09/04</td></tr><tr><td>0 PLACE ± ±</td><td colspan="2">ANGULAR ±1/2°</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td colspan="2">DOCUMENT NO. SD-74962-1000</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE C</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>													INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A	DESCRIPTION REV	QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		TITLE TDP 3/16" HEX JACKPOST		SHEET NO. 1 OF 1	mm	INCH	DRAWN BY TIBARRA	DATE 2014/08/01	4 PLACES ± --- ± ---	3 PLACES ± --- ± .010	CHECKED BY MPOFF	DATE 2014/08/29	molex		2 PLACES ± 0.25 ± ---	1 PLACE ± --- ± ---	APPROVED BY SMILLER	DATE 2014/09/04	0 PLACE ± ±	ANGULAR ±1/2°		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74962-1000		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A	DESCRIPTION REV	QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		TITLE TDP 3/16" HEX JACKPOST							SHEET NO. 1 OF 1																																						
					mm	INCH	DRAWN BY TIBARRA	DATE 2014/08/01																																																
			4 PLACES ± --- ± ---	3 PLACES ± --- ± .010	CHECKED BY MPOFF	DATE 2014/08/29	molex																																																	
			2 PLACES ± 0.25 ± ---	1 PLACE ± --- ± ---	APPROVED BY SMILLER	DATE 2014/09/04																																																		
			0 PLACE ± ±	ANGULAR ±1/2°		MATERIAL NO. SEE TABLE			DOCUMENT NO. SD-74962-1000																																															
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																															
12	11	10	9	8	7	6	5	4	3	2	1																																													

13	12	11	10	9	8	7	6	5	4	3	2	1																														
MAT'L NO.		INTERNAL THREAD	EXTERNAL THREAD	DIM. "A"	MATERIAL / PLATING			NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm. 3. NYLOK® TORQUE PATCH LOCATED TO THE LEFT OF THE FIRST OR SECOND FULL THREADS AND COVERS 3 THREADS MINIMUM.																																		
74962-1110		4-40 UNC-2B	4-40 UNC-2A	.338 / 8.60			STAINLESS STEEL 303 / NYLON TORQUE PATCH																																			
  																																										
MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 DESCRIPTION REV GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± .---</td><td>± .---</td></tr><tr><td>3 PLACES</td><td>± .---</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .---</td></tr><tr><td>1 PLACE</td><td>± .---</td><td>± .---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>TIBARRA</td><td>2015/07/09</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>DMORGAN</td><td>2017/07/09</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SMILLER</td><td>2015/08/14</td></tr></table> MATERIAL NO. SEE TABLE SIZE C SCALE 10:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH molex DOCUMENT NO. SD-74962-1110 SHEET NO. 1 OF 1														mm	INCH	4 PLACES	± .---	± .---	3 PLACES	± .---	± .010	2 PLACES	± 0.25	± .---	1 PLACE	± .---	± .---	0 PLACE	±	±	DRAWN BY	DATE	TIBARRA	2015/07/09	CHECKED BY	DATE	DMORGAN	2017/07/09	APPROVED BY	DATE	SMILLER	2015/08/14
	mm	INCH																																								
4 PLACES	± .---	± .---																																								
3 PLACES	± .---	± .010																																								
2 PLACES	± 0.25	± .---																																								
1 PLACE	± .---	± .---																																								
0 PLACE	±	±																																								
DRAWN BY	DATE																																									
TIBARRA	2015/07/09																																									
CHECKED BY	DATE																																									
DMORGAN	2017/07/09																																									
APPROVED BY	DATE																																									
SMILLER	2015/08/14																																									
12	11	10	9	8	7	6	5	4	3	2	1																															

tb_frame_C_P_AM_T
Rev. G 2012/01/11



MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY TIBARRA	DATE 2015/07/09	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH molex SD-74962-1110			
			4 PLACES	± ---	± ---	CHECKED BY DMORGAN	DATE 2017/07/09				
			3 PLACES	± ---	± .010	APPROVED BY SMILLER	DATE 2015/08/14				
			2 PLACES	± 0.25	± ---	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-74962-1110				
			1 PLACE	± ---	± ---	SHEET NO. 1 OF 1					
	0 PLACE	±	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9