





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		C	REV PER ECR-07-006314	21MAY2007	CZ	SY
			D	REV PER ECR-07-030973	24DEC2007	CZ	SY
			D1	ADD DASH NUMBER -5	22APR2009	OL	SY
			D2	REV PER ECR-09-010609	11MAY2009	OL	SY
			D3	ADDED DASH NUMBER -6	22APR2010	AL	SY
			E1	REV PER ECR-10-012886	23JUN2010	AL	SY




- 1 "AMP" PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC. UL94 V-0
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB- ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB- .0453±.0010 DRILLED HOLES WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040±.003 DIA. HOLE
- 8 VARIABLE DIMENSIONS SHOWN ON VIEW (SHEET2 AND SHEET3).




.250	1.800	1.850	2.150	.450	6P	6450323-7
.200	5.550	5.600	5.900	.450	26P	6450323-5
8	2.500	2.550	2.850	.450	9P	6450323-4
8	1.900	1.950	2.250	.525	6P	6450323-3
.300	1.800	1.850	2.150	.475	5ACP	6450323-2
.300	1.200	1.250	1.550	.475	3 ACP	6450323-1
DIM S	DIM U	DIM D	DIM L	DIM K	DESCRIPTION	PART NUMBER


THIS DRAWING IS A CONTROLLING DOCUMENT FOR THE PRODUCT. ANY CHANGES TO THE PRODUCT SHALL BE CONTACTED FOR THE LATEST REVISION.		DWN R.GRZYBOWSKI 30MAR05 CHK M.PERCHEKKE 30MAR05 APVD M.PERCHEKKE		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		NAME PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038	
MATERIAL 2		FINISH 3		SIZE A1	
CUSTOMER DRAWING		WEIGHT		00779 ©=6450323	
SCALE 4:1		SHEET 1 OF 5		REV E1	

[illegible]

This mechanical drawing illustrates the dimensions and tolerances for a PCB layout. The overall width is specified as 2.880 MIN. Key dimensions include:

- Top edge: 2.550 (total width of the main section), 1.800 (width of the first section), 1.025 (width of the second section), .250 (width of the third section), .200 (width of the fourth section), .200 (width of the fifth section), and .200 (width of the sixth section).
- Bottom edge: .100 (width of the first section), .100 (width of the second section), and .100 (width of the third section).
- Right edge: .660 MIN (height of the main section), .100 (height of the bottom section), and .300 (height of the top section).
- Internal features: A central section with a width of .200 (2 PLC) and a height of .200 (2 PLC). A bottom section with a width of .200 (2 PLC) and a height of .200 (2 PLC). A top section with a width of .200 (2 PLC) and a height of .200 (2 PLC).
- Other features: A central section with a width of .200 (2 PLC) and a height of .200 (2 PLC). A bottom section with a width of .200 (2 PLC) and a height of .200 (2 PLC). A top section with a width of .200 (2 PLC) and a height of .200 (2 PLC).

AMP 4805 REV 31MAR2000


AMP 4805 REV 31MAR2000

NO CONTACTS LOADED

AMP 4805 REV 31MAR2000

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
GP	00	-	-	SEE SHEET 1	-	-

PART NUMBER		POWER						
		P1	P2	P3	P4	P5	P6	
6450323-7		PM	PM	PM	PM	PM	PM	
6P								



THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. ANY CHANGES TO THIS DRAWING SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	R.GRZYBOWSKI		30MAR05		Tyco Electronics Harrisburg, PA 17105-3608			
		CHK	M.PERCHEKKE		30MAR05					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME						
INCHES		0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES #2°		RIGHT ANGLE HEADER ASSEMBLY W/GUIDES MULTI-BEAM XL						
		PRODUCT SPEC		SIZE						
MATERIAL		APPLICATION SPEC		CAGE CODE						
FINISH		114-13038		DRAWING NO						
3		WEIGHT		RESTRICTED TO						
CUSTOMER DRAWING		A		00779						
		SCALE		4:1						
		SHEET		5 OF 5						
		REV		E1						

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9