




THIS DRAWING IS UNPUBLISHED.







RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC  
DWDIST  
—

## REVISIONS

| P | LTR | DESCRIPTION  | DATE | DWN | APVD |
|---|-----|--------------|------|-----|------|
|   |     | SEE SHEET 1. |      |     |      |

RECOMMENDED PCB LAYOUT (MOUNTING SIDE)  
THICKNESS 1.57mm (TOLERANCE:±0.05)

## NOTE:

- MATERIAL:  
HOUSING: PA9T WITH 33% GF, UL 94V-0, BLACK COLOR.  
CONTACTS: PHOSPHOR BRONZE.  
SHELL: PHOSPHOR BRONZE.  
MYLAR: POLYAMIDE FILM.
- FINISH:  
CONTACTS: GOLD FLASH OVER  
0.762 $\mu$ m [30 $\mu$ ] MIN. PALLADIUM-NICKEL PLATED ON CONTACT AREA,  
2.54 $\mu$ m [100 $\mu$ ] MIN. MATTE-TIN ON SOLDER TAIL, WITH  
ENTIRE CONTACT UNDERPLATED 1.27 $\mu$ m [50 $\mu$ ] MIN. NICKEL.  
SHELL: 2.03 $\mu$ m [80 $\mu$ ] MIN. NICKEL PLATED OVERALL.
- NO DATECODE ON PRODUCT SURFACE.
- REFLOW SOLDER CAPABLE TO 260°C PER TE TEST SPEC.  
109-201, CONDITION B.

THIS DRAWING IS A CONTROLLED DOCUMENT.

| DIMENSIONS:<br>MM    | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:                                                |
|----------------------|------------------------------------------------------------------------------------------|
|                      | 0 PLC ± 0.38<br>1 PLC ± 0.25<br>2 PLC ± 0.13<br>3 PLC ± 0.05<br>4 PLC ± —<br>ANGLES ± 3° |
| MATERIAL<br>SEE NOTE | FINISH<br>SEE NOTE                                                                       |

|                            |     |      |              |                  |        |                  |
|----------------------------|-----|------|--------------|------------------|--------|------------------|
| DWN                        | CHK | APVD | PRODUCT SPEC | APPLICATION SPEC | WEIGHT | CUSTOMER DRAWING |
| TE Connectivity            |     |      |              |                  |        | NAME             |
| MINI USB, R/A, SMT, B TYPE |     |      |              |                  |        | SIZE             |
| CAGE CODE                  |     |      |              |                  |        | DRAWING NO       |
| A300779                    |     |      |              |                  |        | C=1734035        |
| SCALE                      |     |      |              |                  |        | SHEET            |
| 2 of 4                     |     |      |              |                  |        | REV              |
|                            |     |      |              |                  |        | E1               |

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-



COPYRIGHT

-

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

—

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.



| 8.25 Kg      | 5.55 Kg    | 150      | 56            | 8400 PCS | 2-1734035-1 |
|--------------|------------|----------|---------------|----------|-------------|
|              |            |          |               |          | 1-1734035-1 |
|              |            |          |               |          | 1734035-1   |
| GROSS WEIGHT | NET WEIGHT | PCS/TRAY | TRAYS /CARTON | QUANTITY | PART NUMBER |

|                                        |  |                  |                                                                                                       |           |               |
|----------------------------------------|--|------------------|-------------------------------------------------------------------------------------------------------|-----------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN              |  TE Connectivity |           |               |
|                                        |  | CHK              |                                                                                                       |           |               |
|                                        |  | APVD             | NAME                                                                                                  |           |               |
|                                        |  | PRODUCT SPEC     | MINI USB, R/A, SMT, B TYPE                                                                            |           |               |
|                                        |  | APPLICATION SPEC |                                                                                                       |           |               |
|                                        |  | WEIGHT           | SIZE                                                                                                  | CAGE CODE | RESTRICTED TO |
|                                        |  | —                | A3                                                                                                    | 00779     | —             |
|                                        |  | CUSTOMER DRAWING | DRAWING NO                                                                                            |           | REV           |
|                                        |  |                  | C=1734035                                                                                             |           | E1            |
|                                        |  |                  | SCALE                                                                                                 | SHEET     |               |
|                                        |  |                  | —                                                                                                     | 3 of 4    |               |

D

C

B





A

D


C

B


A



FOR 1734035-3, 1-1734035-3 AND 2-1734035-3 (LONG CARRIER & COVER TAPE)



FOR 1734035-2, 1734035-4, 1734035-5, 1-1734035-2, 3-1734035-2, 2-1734035-2, 2-1734035-4, 4-1734035-2



|              |            |          |                |          |       |                           |             |
|--------------|------------|----------|----------------|----------|-------|---------------------------|-------------|
| 4.95 Kg      | 2.31 Kg    | 700      | 5              | 3500     | W/    | W/O                       | 4-1734035-2 |
|              |            |          |                |          | W/O   | W/O                       | 3-1734035-2 |
|              |            |          |                |          | W/    | W/O                       | 2-1734035-4 |
|              |            |          |                |          | W/O   | W/                        | 2-1734035-3 |
|              |            |          |                |          | W/O   | W/O                       | 2-1734035-2 |
|              |            |          |                |          | W/O   | W/                        | 1-1734035-3 |
|              |            |          |                |          | W/O   | W/O                       | 1-1734035-2 |
|              |            |          |                |          | W/    | W/O                       | 1734035-5   |
|              |            |          |                |          | W/    | W/O                       | 1734035-4   |
| GROSS WEIGHT | NET WEIGHT | PCS/REER | REERS / CARTON | QUANTITY | W/O   | W/                        | 1734035-3   |
|              |            |          |                |          | W/O   | W/O                       | 1734035-2   |
|              |            |          |                |          | MYLAR | LONG CARRIER & COVER TAPE | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

PLC ANGLES ± -

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

MINI USB, R/A, SMT, B TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET 4 of 4

REV E1

TE Connectivity

A300779C=1734035

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9