


## LE/LM/LEB2 Polyester labels

### LE


Tyco Electronics LE is a white polyester film with a permanent acrylic adhesive and a special top-coat designed specifically for use with laser and ink jet printers. It is ideal for bar coding, PCB and component labeling, and general labeling applications requiring a white high durability label. LE offers high print resolution as well as good solvent and smudge resistance.



### LM

Tyco Electronics LM is a metalized polyester film with a permanent acrylic adhesive and a special top-coat designed specifically for use with laser and ink jet printers. It is ideal for rating plate applications and other applications that require a "metal look" such as nameplates and equipment labels to detail product information and serial numbers.

Note: On large label formats, some curl may occur on printing due to duration of time in the laser printer.



### LEB2

LEB2, our A4 size symmetrically-designed laser and ink jet labels, guarantee a proper feeding in the paper tray. The label sheet can be used in both directions and is also usable for the stack function of your printer. The sheets can be used several times if partial label amounts need to be printed. Special surface coatings guarantee an extremely high aging-resistance of the printing image.

### Features and benefits

- Laser printable
- Exceptional durability and tear strength
- Suitable for low volume applications
- Excellent for bar code applications
- Good resistance to common fluids and water
- LM metalized appearance is ideal for rating plate applications.
- LEB2 features symmetrical design – can be printed on from both top sides



### Specifications/Approvals

|                  |    |    |                     |
|------------------|----|----|---------------------|
| Tyco Electronics |    | LE | TTDS-069            |
|                  |    | LM | TTDS-070            |
| Industry         | UL | LM | MH14363 Group PGGU2 |


### Adhesive

Permanent acrylic

### Service temperature

–40°C to +150°C –40°F to +302°F

### Ordering information



## LE/LM/LEB2 Polyester labels

### Ordering information

#### LE

| Product order code | Package quantity | Labels across | Labels per sheet | Label width (A)<br>mm <i>inches</i> | Label height (B)<br>mm <i>inches</i> | Horizontal repeat (C)<br>mm <i>inches</i> | Vertical repeat (D)<br>mm <i>inches</i> |
|--------------------|------------------|---------------|------------------|-------------------------------------|--------------------------------------|-------------------------------------------|-----------------------------------------|
| 314-LE             | 4,000            | 16            | 400              | 9.5 <i>0.375</i>                    | 9.5 <i>0.375</i>                     | 12.7 <i>0.500</i>                         | 9.5 <i>0.375</i>                        |
| 301-LE             | 4,800            | 10            | 480              | 16.5 <i>0.650</i>                   | 5.1 <i>0.200</i>                     | 20.3 <i>0.800</i>                         | 5.1 <i>0.200</i>                        |
| 303-LE             | 3,040            | 8             | 304              | 20.3 <i>0.800</i>                   | 6.4 <i>0.250</i>                     | 25.4 <i>1.000</i>                         | 6.4 <i>0.250</i>                        |
| 304-LE             | 1,520            | 8             | 152              | 20.3 <i>0.800</i>                   | 12.7 <i>0.500</i>                    | 25.4 <i>1.000</i>                         | 12.7 <i>0.500</i>                       |
| 309-LE             | 2,660            | 7             | 266              | 25.4 <i>1.000</i>                   | 6.4 <i>0.250</i>                     | 27.9 <i>1.100</i>                         | 6.4 <i>0.250</i>                        |
| 305-LE             | 1,750            | 7             | 175              | 25.4 <i>1.000</i>                   | 9.5 <i>0.375</i>                     | 27.9 <i>1.100</i>                         | 9.5 <i>0.375</i>                        |
| 307-LE             | 1,330            | 7             | 133              | 25.4 <i>1.000</i>                   | 12.7 <i>0.500</i>                    | 27.9 <i>1.100</i>                         | 12.7 <i>0.500</i>                       |
| 310-LE             | 1,900            | 5             | 190              | 38.1 <i>1.500</i>                   | 6.4 <i>0.250</i>                     | 40.6 <i>1.600</i>                         | 6.4 <i>0.250</i>                        |
| 308-LE             | 600              | 5             | 60               | 38.1 <i>1.500</i>                   | 19.1 <i>0.750</i>                    | 40.6 <i>1.600</i>                         | 19.1 <i>0.750</i>                       |
| 318-LE             | 400              | 4             | 40               | 50.8 <i>2.000</i>                   | 25.4 <i>1.000</i>                    | 50.8 <i>2.000</i>                         | 25.4 <i>1.000</i>                       |
| 319-LE             | 100              | 2             | 10               | 76.2 <i>3.000</i>                   | 50.8 <i>2.000</i>                    | 88.9 <i>3.500</i>                         | 50.8 <i>2.000</i>                       |
| 325-LE             | 10               | 1             | 1                | 215.9 <i>8.500</i>                  | 279.4 <i>11.000</i>                  | N/A N/A                                   | N/A N/A                                 |

#### LM

| Product order code | Package quantity | Labels across | Labels per sheet | Label width (A)<br>mm <i>inches</i> | Label height (B)<br>mm <i>inches</i> | Horizontal repeat (C)<br>mm <i>inches</i> | Vertical repeat (D)<br>mm <i>inches</i> |
|--------------------|------------------|---------------|------------------|-------------------------------------|--------------------------------------|-------------------------------------------|-----------------------------------------|
| 314-LM             | 4,000            | 16            | 400              | 9.5 <i>0.375</i>                    | 9.5 <i>0.375</i>                     | 12.7 <i>0.500</i>                         | 9.5 <i>0.375</i>                        |
| 301-LM             | 4,800            | 10            | 480              | 16.5 <i>0.650</i>                   | 5.1 <i>0.200</i>                     | 20.3 <i>0.800</i>                         | 5.1 <i>0.200</i>                        |
| 303-LM             | 3,040            | 8             | 304              | 20.3 <i>0.800</i>                   | 6.4 <i>0.250</i>                     | 25.4 <i>1.000</i>                         | 6.4 <i>0.250</i>                        |
| 304-LM             | 1,520            | 8             | 152              | 20.3 <i>0.800</i>                   | 12.7 <i>0.500</i>                    | 25.4 <i>1.000</i>                         | 12.7 <i>0.500</i>                       |
| 309-LM             | 2,660            | 7             | 266              | 25.4 <i>1.000</i>                   | 6.4 <i>0.250</i>                     | 27.9 <i>1.100</i>                         | 6.4 <i>0.250</i>                        |
| 305-LM             | 1,750            | 7             | 175              | 25.4 <i>1.000</i>                   | 9.5 <i>0.375</i>                     | 27.9 <i>1.100</i>                         | 9.5 <i>0.375</i>                        |
| 307-LM             | 1,330            | 7             | 133              | 25.4 <i>1.000</i>                   | 12.7 <i>0.500</i>                    | 27.9 <i>1.100</i>                         | 12.7 <i>0.500</i>                       |
| 310-LM             | 1,900            | 5             | 190              | 38.1 <i>1.500</i>                   | 6.4 <i>0.250</i>                     | 40.6 <i>1.600</i>                         | 6.4 <i>0.250</i>                        |
| 308-LM             | 600              | 5             | 60               | 38.1 <i>1.500</i>                   | 19.1 <i>0.750</i>                    | 40.6 <i>1.600</i>                         | 19.1 <i>0.750</i>                       |
| 318-LM             | 400              | 4             | 40               | 50.8 <i>2.000</i>                   | 25.4 <i>1.000</i>                    | 50.8 <i>2.000</i>                         | 25.4 <i>1.000</i>                       |
| 319-LM             | 100              | 2             | 10               | 76.2 <i>3.000</i>                   | 50.8 <i>2.000</i>                    | 88.9 <i>3.500</i>                         | 50.8 <i>2.000</i>                       |
| 325-LM             | 10               | 1             | 1                | 215.9 <i>8.500</i>                  | 279.4 <i>11.000</i>                  | N/A N/A                                   | N/A N/A                                 |

#### LEB2

| Product order code | Labels per sheet | Label height<br>mm <i>inches</i> | Label width<br>mm <i>inches</i> | Labels per column | Labels per row |
|--------------------|------------------|----------------------------------|---------------------------------|-------------------|----------------|
| LEB2-0615P <color> | 480              | 6.0 <i>0.236</i>                 | 15.0 <i>0.590</i>               | 48                | 10             |
| LEB2-0818P <color> | 324              | 8.0 <i>0.315</i>                 | 18.0 <i>0.709</i>               | 36                | 9              |
| LEB2-0820P <color> | 288              | 8.0 <i>0.315</i>                 | 20.0 <i>0.787</i>               | 36                | 8              |
| LEB2-0825P <color> | 252              | 8.0 <i>0.315</i>                 | 25.0 <i>0.984</i>               | 36                | 7              |
| LEB2-0916P <color> | 320              | 9.0 <i>0.354</i>                 | 16.0 <i>0.630</i>               | 32                | 10             |
| LEB2-1318P <color> | 198              | 13.0 <i>0.512</i>                | 18.0 <i>0.709</i>               | 22                | 9              |
| LEB2-1325P <color> | 154              | 13.0 <i>0.512</i>                | 25.0 <i>0.984</i>               | 22                | 7              |

### Sheet sizes

|        |            |
|--------|------------|
| LE, LM | 8.5" x 11" |
| LEB2   | A4         |

### Options (LEB2 only)

|        |        |       |        |
|--------|--------|-------|--------|
| Colors | Yellow | White | Silver |
| Code   | 4      | 9     | 8A     |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9