




LOC		DIST		REVISIONS						
FX		00								
		P	LTR	DESCRIPTION			DATE	DWN	APVD	
			A11	REVISED PER ECO-10-020914			22NOV2010	DLD	DCM	
				</						

- PRINT TYCO ELECTRONICS PART NUMBER AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE) IN THE LOCATION AT ASSEMBLY.
- OPTIONAL WIRE SHIELD PART NUMBERS (SOLD SEPARATELY)
1438126, 1438180, 1488373, AND 1488572. CONTACT TYCO ELECTRONICS ENGINEER FOR MINIMUM FEED THRU CONDITION.


3. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY)
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364
FOR TERMINATION AND REELING OPTIONS SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
4. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
5. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.





PART NUMBER:
1438693-1
SHOWN WITH SPACER
IN SEATED POSITION
SCALE 2:1





SHOWN WITH SPACER IN SEATED POSITION



SECTION **A-A**
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)



SHOWN WITH CAM
LEVER AND SPACER
IN LOADED POSITION






SCALE 1:1

GREEN	PERIMETER SEAL	6
GRAY	LEVER	5
BROWN	GROMMET SEAL	4
BLACK	COVER	3
NATURAL	SPACER	2
BLACK	HARNESS, KEY "C"	1
PART COLOR	DESCRIPTION	ITEM NO.

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. FOR THE LATEST REVISION, SEE THE REVISIONS SECTION OF THIS DRAWING.		DWN B. CRISAMORE 21 JUL 2004	Tyco Electronics Harrisburg, PA 17105-3608		
DIMENSIONS:		CHK M. HITCHCOCK 21 JUL 2004	NAME		
mm		APVD C. MARTIN 21 JUL 2004	PRODUCT SPEC - APPLICATION SPEC - SIZE CAGE CODE DRAWING NO RESTRICTED TO A11 00779 C=1438693		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PCB			
9 PLC ±.3		50-WAY HARNESS ASSEMBLY			
1 PLC ±0.10		KEY C			
2 PLC ±.10					
3 PLC ±.10					
4 PLC ±.10					
ANGLES ±.1°					
FINISH					
MATERIAL		CUSTOMER DRAWING			
-		SCALE 2:1 SHEET 1 OF 4 REV A11			




APPLICABLE HEADER INTERFACE SPECIFICATION
SHOWN WITHOUT KEYING OPTIONS

LOC	DIST	REV	DESCRIPTION	DATE	DWN	APVD
FX	00		SEE SHEET 1	-	-	-




SCALE 2:1


- NOTES: UNLESS OTHERWISE SPECIFIED
1. GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
 2. DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
 - 3 SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
 4. ALL UNMARKED RADII TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
 - 5 VENT HOLE SIZE AND LOCATION IS OPTIONAL.
 - 6 THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
 - 7 TERMINAL POSITION IDENTIFICATION.




SECTION B-B



SEE RECOMMENDED CONTACT
PIN 0.8 X 1.5 DETAIL



SECTION A-A



DETAIL E
SCALE 8:1

TYCO ELECTRONICS CORPORATION 1111 BROADVIEW AVENUE HARRISBURG, PA 17105-3608		DWN: B. CRISAMORE CHK: M. HITCHCOCK APVD: C. MARTIN 21 JUL 2004 21 JUL 2004 21 JUL 2004		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±.3 2 PLC ±.10 3 PLC ±.10 4 PLC ±.10 ANGLES ±1°		NAME: PCM 50-WAY HARNESS ASSEMBLY KEY C	
MATERIAL: -		FINISH: -		SIZE: A1 CAGE CODE: 00779 DRAWING NO: C-1438693	
CUSTOMER DRAWING		SCALE: 2:1		SHEET: 2 OF 4	

			6	5					4-1438693-6
		7	6	5				4-1438693-5	
8		6	5	4			4-1438693-4		
8	7	6	5	4		4-1438693-3			
8	7	6	5	4	3	4-1438693-2			
8	7	6	5	4	3	4-1438693-1			
8		6	5	4	3	4-1438693-0			
8		6	5	4	3	3-1438693-9			
8	7		5	4	3	3-1438693-8			
8	7		5	4	3	3-1438693-7			
8	7		5	4	3	3-1438693-6			
8	7		5	4	3	3-1438693-5			
	7	6	5	4	3	3-1438693-4			
8			5	4	3	3-1438693-3			
8	7	6	5	4	3	2	ASSEMBLY PART NUMBER		
OWN B. CRISAMORE 21 JUL 2004 CHK W. HITCHCOCK 21 JUL 2004 APVD C. MARTIN 21 JUL 2004 PRODUCT SPEC APPLICATION SPEC WEIGHT - SIZE A CAGE CODE 00779 DRAWING NO C=1438693 RESTRICTED TO - SHEET 4 OF 4 REV A CUSTOMER DRAWING SCALE 2:1 Tyco Electronics Harrisburg, PA 17105-3608 PCM 50-WAY HARNESS ASSEMBLY KEY C									

TEST SPECIFICATIONS & CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO: STANDARD AND TYPING CONTROL AND INSURING THE ORGANIZATION SHOWN BY CONTACTED FOR THE LATEST REVISION.		DWN B. CRISAMORE 21 JUL 2004 CHK M. HITCHCOCK 21 JUL 2004 APVD C. MARTIN 21 JUL 2004		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±1°		NAME PCW 50-WAY HARNESS ASSEMBLY KEY C	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A 00779 C=1438693	
MATERIAL -		FINISH -		RESTRICTED TO -	
WEIGHT -		SCALE 2:1		SHEET 4 OF 4	
CUSTOMER DRAWING		REV A 1			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9