

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG., 2006.

© COPYRIGHT


BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.


LOC
DWDIST
—

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A2	REVISED (ECR-11-012100)	10JUN11	SC	WK

0.46±0.05
8 PLC

DETAIL C (SCALE 2:1)




LOGO



SEE DETAIL C


SEE DETAIL B

Ø OF 11.91




NOTE:

- MATERIAL:
HOUSING: PA46, WITH 30% GF,
UL 94V-0, COLOR : (SEE TABLE).
CONTACTS: PHOSPHOR BRONZE.
SHELL: BRASS.
- FINISH:
CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA,
GOLD FLASH ON SOLDER TAIL,
WITH ENTIRE CONTACT UNPLATED
1.27µm [50µ"] MIN. NICKEL.
SHELL: 0.508µm [20µ"] MIN. NICKEL PLATED.
- WAVE SOLDER CAPABLE TO 265°C PER TE SPEC 109-202, CONDITION B.



DETAIL B (SCALE 2:1)



RECOMMENDED PCB LAYOUT
RECOMMENDED PCB THICKNESS: 1.6mm
TOLERANCE: ±0.05 (TOP VIEW)

△ OBSOLETE

OBSOLETE
△

YELLOW (114C)	Ø3.20	0.381µm [15µ"]	2-1734264-1
BLACK	Ø3.20	1.27µm [50µ"]	1-1734264-3
		0.762µm [30µ"]	1-1734264-2
	Ø3.40	0.381µm [15µ"]	1-1734264-1
		1.27µm [50µ"]	1-1734264-3
HOUSING COLOR	DIM. A	0.762µm [30µ"]	1-1734264-2
		0.381µm [15µ"]	1-1734264-1
MIN. GOLD THICKNESS			
PART NUMBER			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN B. HSING 01JUL2009

CHK S. CHIEN 01JUL2009

APVD W. KODAMA 01JUL2009

PRODUCT SPEC

108-57527

APPLICATION SPEC

501-57604

WEIGHT 4.95 GRAMS

CUSTOMER DRAWING

DIMENSIONS:

MM



MATERIAL

SEE NOTE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	± 0.30
2 PLC	± 0.20
3 PLC	± 0.15
4 PLC	±
ANGLES	± 3°

FINISH

SEE NOTE

NAME

MODULAR JACK, RJ45, 8P8C, SIDE ENTRY, RIGHT ANGLE, WITH PANEL GROUND, LOW PROFILE

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C=1734264

SCALE SHEET 1 OF 2 REV A2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.



COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR





DESCRIPTION

DATE




DWN

APVD

SEE SHEET 1.



DETAIL D



14.4 Kg	12.4 Kg	100	25	2500 PCS
GROSS WEIGHT (Ref.)	NET WEIGHT (Ref.)	PCS/TRAY	TRAYS /BOX	QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± -
2 PLC	± -
3 PLC	± -
4 PLC	± -
ANGLES	± -

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

MODULAR JACK, RJ45, 8P8C,
SIDE ENTRY, RIGHT ANGLE, WITH
PANEL GROUND, LOW PROFILE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734264

SCALE

SHEET

2 OF 2

REV

A2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9