




PART NUMBER:
1438136-1
SHOWN WITH SPACER
IN SEATED POSITION



SECTION A-A
SPACER AND LEVER
IN PRE-SEATED POSITION
(DELIVERY POSITION)



SHOWN WITH CAM
LEVER AND SPACER
IN LOADED POSITION



MIN. FEED THRU CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH SPACER IN SEATED POSITION

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
G45		REVISED PER ECO-13-011449	16JUL2013	DLD	DCM
G46		REVISED PER ECO-14-007153	19MAY2014	DLD	DCM
G47		REVISED PER ECO-14-014965	09OCT2013	DLD	DCM

1. PRINT FORD PART NUMBER (SEE ATTACHED CHARTS) AND TRACEABILITY CODE (YY = 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR) IN THIS LOCATION AT ASSEMBLY. SEE SHEETS 3, 4 AND 5 (-*) PART NUMBERS.

2. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²

3. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.

4. REFERENCE TE INSTRUCTION SHEET 408-8893.

△ COMPANY LOGO.


APPLICABLE COMPONENTS (FOR REFERENCE ONLY)

DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG

SEE SHEETS 3 THRU 7
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	15APR2005	TE Connectivity	
		CHK T. VALASEK	15APR2005		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±1°		PRODUCT SPEC	
				APPLICATION SPEC	
MATERIAL				SIZE	
				CAGE CODE	
				DRAWING NO	
				RESTRICTED TO	
				A100779C=1438136	
				SCALE	
				2:1	
				SHEET	
				1 OF 11	
				REV	
				G47	

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-



KEYING OPTION "A"



KEYING OPTION "B"



KEYING OPTION "C"



KEYING OPTION "D"



KEYING OPTION "E"



KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL	15APR2005	 TE Connectivity	
		CHK T. VALASEK	15APR2005		
		APVD T. VALASEK	15APR2005		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.3			
		1 PLC ±0.3			
		2 PLC ±0.10			
		3 PLC ±.		70-WAY HARNESS ASSEMBLY	
		4 PLC ±.			
		ANGLES ±.1°			
		FINISH			
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO	RESTRICTED TO
-		-		A100779C-1438136	-
		CUSTOMER DRAWING		SCALE 2:1 SHEET 2 OF 11	REV 47

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. VESTAL 15APR2005	 TE Connectivity	
		CHR T. VALASEK 15APR2005		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.3 1 PLC ±.3 2 PLC ±.10 3 PLC ±. 4 PLC ±. ANGLES ±°		NAME
		APVD T. VALASEK 15APR2005	70-WAY HARNESS ASSEMBLY	
MATERIAL -		PRODUCT SPEC -	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
FINISH -		APPLICATION SPEC -	A 100779 C=1438136 -	
		WEIGHT -	CUSTOMER DRAWING SCALE 2:1 SHEET 3 OF 11 REV 47	

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5L3T-14A464-E* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005

15APR2005

15APR2005

DIMENSIONS:

mm

0 PLC ±.3

1 PLC ±0.10

2 PLC ±.10

3 PLC ±.10

4 PLC ±.10

ANGLES ±1°

FINISH

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

70-WAY HARNESS ASSEMBLY

SIZE CAGE CODE DRAWING NO

A100779C=1438136

RESTRICTED TO

-

SCALE

2:1

SHEET

5

OF


11

REV



647

TE Connectivity


TE



SCALE 2:1



SECTION C-C



DETAIL F
SCALE 6:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS

- DRAFT ANGLE PERMISSIBLE ONLY WITHIN
DRAWING TOLERANCE.

3 SEALING SURFACE, NO WITNESS LINES OF DAMAGE PERMITTED.


- ALL UNMARKED RADII TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED

5 VENT HOLE SIZE AND LOCATION IS OPTIONAL.

6 THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.

7 TERMINAL POSITION IDENTIFICATION.

- MATES WITH TYCO ELECTRONICS PART# 1438136-*






SECTION B-B

THIS DRAWING IS A CONTROLLED DOCUMENT.			OWN R. VESTAL 15APR2005		 TE Connectivity		
DIMENSIONS:			CHK T. VALASEK 15APR2005				
mm			TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME	
			0. PLC ±.0				
			1. PLC ±.3				
			2. VALASEK ±0.10				
			3. PLC ±.1				
4. PLC ±.1			PRODUCT SPEC			70-WAY HARNESS ASSEMBLY	
5. ANGLES ±.1			APPLICATION SPEC				
MATERIAL			FINISH			SIZE CAGE CODE DRAWING NO	RESTRICTED TO
-			-			A100779C=1438136	-
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				
-			-				

HEADER INTERFACE KEYING OPTIONS

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 70-WAY HARNESS ASSEMBLY	
	0 PLC ±.3	PRODUCT SPEC	SIZE A100779C=1438136	
	1 PLC ±0.10	APPLICATION SPEC		
MATERIAL	2 PLC ±.1	WEIGHT	RESTRICTED TO	
-	3 PLC ±.1	-	SCALE 2:1 SHEET 11 OF 11 REV 647	
-	4 PLC ±.1	CUSTOMER DRAWING		
-	ANGLES FINISH			
-	-			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9