

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0877801001](#)
Status: **Active**
Description: 1.27mm (.050") Pitch Serial ATA Host Receptacle, Press-fit, Vertical, Extended Height, 0.76µm (30µ") Gold (Au) Selective, 22 Circuits, Leadfree

Documents:

[3D Model](#) [Product Specification PS-87780-024 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	PCB Receptacles
Series	87780
Application	Board-to-Board
Product Literature Order No	SNG-029
Product Name	Serial ATA

Physical

Circuits (Loaded)	22
Circuits Detail	Power 15 pins Signal 7 pins
Durability (mating cycles max)	500
Glow-Wire Compliant	No
Guide to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Copper
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Number of Rows	2
Orientation	Vertical
PC Tail Length (in)	0.136 In
PC Tail Length (mm)	3.45 mm
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness Recommended (in)	0.060 In, 0.062 In, 0.070 In, 0.075 In, 0.080 In
PCB Thickness Recommended (mm)	1.50 mm, 1.60 mm, 1.80 mm, 1.90 mm, 2.00 mm
Packaging Type	Tray
Pitch - Mating Interface (in)	0.050 In
Pitch - Mating Interface (mm)	1.27 mm
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.76
Plating min: Termination (µin)	101.6
Plating min: Termination (µm)	2.54
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Through Hole

Electrical


Current - Maximum per Contact	1.5A
Voltage - Maximum	30V

Solder Process Data

Duration at Max. Process Temperature (seconds)	10
--	----

Material Info

Reference - Drawing Numbers



EU RoHS

ELV and RoHS Compliant
REACH SVHC
 Not Reviewed
Halogen-Free Status

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series


[87780Series](#)

Mates With



[87679](#) , [87799](#) , [87703](#)

This document was generated on 04/09/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



- NOTES:
1. MATERIAL: LIQUID CRYSTALLINE POLYMER (LCP), GLASS FILLED, UL 94V-0. COLOR: BLACK
TERMINAL: COPPER ALLOY
 2. PLATING
CONTACT: 0.76µm MIN. SELECTIVE GOLD OVER 1.27µm MIN. NICKEL UNDERPLATE
SOLDERTAIL: 2.54µm MIN. TIN OVER 1.27µm MIN. NICKEL UNDERPLATE
 3. MOLEX LOGO LOCATED APPROXIMATELY AS SHOWN
 4. MAXIMUM WARPAGE OF 0.13 mm OVER THE LENGTH OF THE CONNECTOR IN ANY DIRECTION BEFORE AND AFTER EXPOSURE TO MOLEX'S REFLOW PROFILE.
 5. PCB THICKNESS RANGE FROM 1.50 mm TO 2.00 mm
 6. KEEP OUT ZONE ON BOTH SIDE OF PCB FOR CONNECTOR INSERTION AND EXTRACTION TOOL
 7. PRODUCT SPECIFICATION: PS-87780-024 APPLIES
 8. PACKAGING
30 CONNECTORS PER TRAY
 9. MATES WITH SATA PLUG SERIES: 87679, 87703, 87799.



THE DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS

EC NO: S2006-0465 DRWN:KHLIM 2005/11/09 CHKD:SHONG 2005/11/09 APPR:KCLING 2005/11/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY KHLIM	DATE 2005/01/23	SERIAL ATA BACKPLANE EXTENDED HEIGHT PRESS FIT RECEPTACLE MOLEX INCORPORATED			
		4 PLACES	± ---	± ---	CHECKED BY KCLING	DATE 2005/02/03				
		3 PLACES	± ---	± ---	APPROVED BY SKTOH	DATE 2005/02/04				
2 PLACES	± 0.20	± ---	ANGULAR ± 3°		MATERIAL NO. 87780-1001	DOCUMENT NO. SD-87780-031	SHEET NO. 1 OF 4			
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

10 9 8 7 6 5 4 3 2 1

F



E

D



C

B

A




SECTION B-B



SECTION A-A



EC NO: S2006-0465 2005/11/09 DRWN:KHLIM 2005/11/09 CHKD:SHONG 2005/11/10 APPR:KCLING	DESCRIPTION 2005/11/10	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																		
		$\nabla=0$ $\triangle=0$	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.20</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td colspan="3">ANGULAR ± 3°</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.20	± ---	1 PLACE	± ---	± ---	ANGULAR ± 3°			MM ONLY	NTS	METRIC	
			mm	INCH																					
		4 PLACES	± ---	± ---																					
3 PLACES	± ---	± ---																							
2 PLACES	± 0.20	± ---																							
1 PLACE	± ---	± ---																							
ANGULAR ± 3°																									
A1	REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: KHLIM DATE: 2005/01/23 CHECKED BY: KCLING DATE: 2005/02/03 APPROVED BY: SKTOH DATE: 2005/02/04 MATERIAL NO.: 87780-1001	TITLE: SERIAL ATA BACKPLANE EXTENDED HEIGHT PRESS FIT RECEPTACLE MOLEX INCORPORATED DOCUMENT NO.: SD-87780-031	SHEET NO.: 2 OF 4																			

9 8 7 6 5 4 3 2 1



RECOMMENDED PCB LAYOUT

RECOMMENDED PCB THICKNESS: 1.50mm TO 2.00mm



Detail1

EC NO: S2006-0465 2005/11/09 DRWN:KHLIM 2005/11/09 CHKD:SHONG 2005/11/10 APPR:KCLING	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	▽=0 ∇=0	4 PLACES	± ---	± ---	DRAWN BY KHL IM	DATE 2005/01/23	SERIAL ATA BACKPLANE EXTENDED HEIGHT PRESS FIT RECEPTACLE		
		3 PLACES	± ---	± ---	CHECKED BY	DATE			
		2 PLACES	± 0.20	± ---	KCLING	2005/02/03	MOLEX INCORPORATED		
	1 PLACE	± ---	± ---	APPROVED BY	DATE				
		ANGULAR ± 3 °		SKTOH	2005/02/04	DOCUMENT NO. SD-87780-031		SHEET NO. 3 OF 4	
A1	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

10 9 8 7 6 5 4 3 2 1

F

F

E

E

D

D

C



C

B

B

A

A



EC NO: S2006-0465 2005/11/09 DRWN:KHLIM 2005/11/09 CHKD:SHONG APPR:KCLING 2005/11/10	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± ---	mm INCH	DRAWN BY KHLIM	DATE 2005/01/23	TITLE SERIAL ATA BACKPLANE EXTENDED HEIGHT PRESS FIT RECEPTACLE				
			ANGULAR ± 3 °	APPROVED BY SKTOH	DATE 2005/02/04	MOLEX INCORPORATED					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. 87780-1001	DOCUMENT NO. SD-87780-031	SHEET NO. 4 OF 4						

9 8 7 6 5 4 3 2 1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9