

# 3M™ Molded Assembly

2 mm x 2 mm

2M Series



- Available in multiple sizes
- Sockets mate with standard 2 mm x 2 mm headers and plugs
- Molded-in strain relief
- See Regulatory Information Appendix (RIA) for chemical compliance information

Date Modified: January 23, 2008

TS-2150-C  
Sheet 1 of 2

---

## Physical

### Connector:

Technical Specification: TS-0525 for 2 mm x 2 mm Molded-On Socket  
TS-2151 for 2 mm x 2 mm Molded-On PCB

### Cable:

Technical Specification: TS-0452 for 1mm Flat Ribbon Cable

---

## Electrical

**Voltage Rating:** 30 V

---

## Environmental

**Temperature Rating:** -20°C to +105°C

UL File No.: E86982

**3M**  
Electronic Solutions Division  
Interconnect Solutions  
<http://www.3M.com/interconnects/>

3M is a trademark of 3M Company.  
For technical, sales or ordering information call  
**800-225-5373**

# 3M™ Molded Assembly

2 mm x 2 mm

2M Series



Length (Dim A) Tolerance		
Min.	Max.	Tol.
1.7	10.0	±0.3
10.0	20.0	±0.5
20.0	40.0	±0.6
40.0	120.0	±1.0
120.0		±2.0

Left Connector

Right Connector

Note: A fan-out assembly, with multiple connectors on one end, requires a drawing submittal and review.

Available Options															
Connector/Pos.	6	8	10	12	16	20	22	24	26	30	34	36	40	44	50
Socket	x	x	x		x	x	x	x	x	x	x		x	x	x
PCB	x	x	x	x	x	x			x	x		x	x	x	x
Cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Cable/Pos.	6	8	10	12	16	20	22	24	26	30	34	36	40	44	50

Note: If "Keying" is required, mark the circuit(s) to key.



## Ordering Information

**2M XX XX - XXX - XXXX - XXX.X - XX - XX - XX - X**

### Connector Types (Left and Right)

Socket, Low Profile (.29")

AA = no Centerbump, no Latching Ear

AB = Centerbump, no Latching Ear

AC = no Centerbump, with Latching Ear (See Note 1)

AD = Centerbump, with Latching Ear (See Note 1)

PCB, 2-Row

BD = Matte Sn Plating, Straight Solder Tail

### Number of Cable Conductors

**Cable Product Series**  
28 AWG  
3625 = Stranded, PVC

### Left Right

Connector Feature Options  
0 = No Keying Required  
4 = Keying Required, specify position(s)

### Assembly Length

Tip-to-Tip inches  
(Dim A in inches)  
Example:  
001.7 = 1.7" Min

### Marking

0 = No Marking  
1 = Label - Date Code  
2 = Inkstamp - Date Code

### Left Right Centerbump Orientation

Options  
0 = None  
1 = Inside  
2 = Outside

### Connector Orientation

Options (Left and Right)  
AB = Up-Up  
AD = Up-Down  
CB = Down-Up  
CD = Down-Down

Notes: 1. Latching ear option is required for mating with the 3M™ Latch/Eject Header 2 mm, 1552 Series  
2. (RIA E1 & C1 apply for all cables and connectors listed)

TS-2150-C  
Sheet 2 of 2



Electronic Solutions Division  
Interconnect Solutions  
<http://www.3M.com/interconnects/>

3M is a trademark of 3M Company.  
For technical, sales or ordering information call  
**800-225-5373**

# Regulatory Information Appendix

## 3M Electronic Solutions Division/Interconnect

### EUROPE

#### Appendix E1: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

**This product is RoHS Compliant 2005/95/EC.**

“RoHS Compliant 2005/95/EC” means that the product or part (“Product”) does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the Warranty stated below.

#### Appendix E2: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

**This product contains lead in the compliant pin area in excess of the maximum concentration value allowed but is compliant by exemption under EU Commission Decision 2005/747/EC.**

“RoHS Compliant 2005/95/EC” means that the product or part (“Product”) does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the Warranty stated below.

#### Appendix E3: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment as amended by Commission Decision 2005/618/EC.

**This product contains lead in the solder tail area in excess of the maximum concentration value allowed.**

Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the Warranty stated below.

#### Appendix E4: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

**This product contains decaBDE in the insulating material in excess of the maximum concentration value allowed but is compliant by exemption under EU Commission Decision 2005/717/EC.**

“RoHS Compliant 2005/95/EC” means that the product or part (“Product”) does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the Warranty stated below.

## Appendix E5: European Union RoHS

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

**This product contains lead in excess of the maximum concentration value allowed but is compliant by exemption under Item 6 of the Annex to the Directive.**

“RoHS Compliant 2005/95/EC” means that the product or part (“Product”) does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the Warranty stated below.

## CHINA

### Appendix C1: China RoHS

Electronic Industry Standard of the People’s Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does not** contain any of the following substances in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the Warranty stated below.

### Appendix C2: China RoHS

Electronic Industry Standard of the People’s Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does** contain a substance, as detailed in the chart below, in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M’s best knowledge and belief based upon information provided by third party suppliers to 3M.

The numerical reference in the symbol above should not be construed as a representation regarding the product’s life or an extension of a product warranty. The product warranty is stated below. In the event any product is proven not to conform with 3M’s Regulatory Information Appendix, then 3M’s entire liability and Buyer’s exclusive remedy will be in accordance with the product Warranty stated below.

产品中有毒有害物质或元素的名称及含量 Name and Content of Hazardous Substances or Elements

部件名称 (Part or Component Name)	有毒有害物质或元素 (Hazardous Substances or Elements)					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
端子镀层 (contact plating)	×	○	○	○	○	○
○: 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11363-2006 标准规定的限量要求以下。(Indicates that this hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement in SJ/T11363-2006.) ×: 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出SJ/T11363-2006 标准规定的限量要求。(Indicates that this hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement in SJ/T11363-2006.)						

# Appendix C3: China RoHS

Electronic Industry Standard of the People's Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does** contain a substance, as detailed in the chart below, in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

The numerical reference in the symbol above should not be construed as a representation regarding the product's life or an extension of a product warranty. The product warranty is stated below. In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the product Warranty stated below.

产品中有毒有害物质或元素的名称及含量 Name and Content of Hazardous Substances or Elements

部件名称 (Part or Component Name)	有毒有害物质或元素 (Hazardous Substances or Elements)					
	铅(Pb)	汞(Hg)	镉(Cd)	六价铬(Cr(VI))	多溴联苯(PBB)	多溴二苯醚(PBDE)
合金(Metal alloy)	×	○	○	○	○	○
<p>○: 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11363-2006 标准规定的限量要求以下。(Indicates that this hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement in SJ/T11363-2006.)</p> <p>×: 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出SJ/T11363-2006 标准规定的限量要求。(Indicates that this hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement in SJ/T11363-2006.)</p>						

### Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

### Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture for a period of 90 days from the time of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.**



### 3M Electronics Solutions Division

6801 River Place Blvd.  
Austin, TX 78726-9000  
U.S.A.  
1-800-225-5373  
www.3m.com/interconnects

Please recycle. Printed in USA.  
© 3M 2008. All rights reserved.  
RIA-2217A-D

3M is a trademark of 3M Company.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## 3M:

[2M-BCBC-026-3625-006.0-00-AB-00-0](#) [2M-ACAC-040-3625-012.0-00-AB-00-0](#) [2M-ACAC-026-3625-006.0-00-AB-00-0](#) [2M-ACBC-016-3625-003.0-00-AB-00-0](#) [2MAAAA0443625010.000](#) [2M-BDBD-026-3625-003.0-00-AB-00-0](#) [2M-BDBD-030-3625-006.0-00-AB-00-0](#) [2M-BDBD-020-3625-012.0-00-AB-00-0](#) [2M-BDBD-050-3625-012.0-00-AB-00-0](#) [2M-ACBD-016-3625-012.0-00-AB-00-0](#) [2M-ACBD-030-3625-006.0-00-AB-00-0](#) [2M-BDBD-010-3625-012.0-00-AB-00-0](#) [2M-ACBD-050-3625-006.0-00-AB-00-0](#) [2M-BDBD-040-3625-003.0-00-AB-00-0](#) [2M-ACBD-026-3625-012.0-00-AB-00-0](#) [2M-BDBD-050-3625-003.0-00-AB-00-0](#) [2M-ACBD-020-3625-012.0-00-AB-00-0](#) [2M-BDBD-010-3625-006.0-00-AB-00-0](#) [2M-BDBD-044-3625-006.0-00-AB-00-0](#) [2M-ACBD-016-3625-003.0-00-AB-00-0](#) [2M-BDBD-040-3625-012.0-00-AB-00-0](#) [2M-BDBD-016-3625-012.0-00-AB-00-0](#) [2M-BDBD-044-3625-003.0-00-AB-00-0](#) [2M-ACBD-026-3625-006.0-00-AB-00-0](#) [2M-ACBD-020-3625-006.0-00-AB-00-0](#) [2M-ACBD-044-3625-006.0-00-AB-00-0](#) [2M-ACBD-044-3625-012.0-00-AB-00-0](#) [2M-ACBD-010-3625-003.0-00-AB-00-0](#) [2M-ACBD-020-3625-003.0-00-AB-00-0](#) [2M-BDBD-040-3625-006.0-00-AB-00-0](#) [2M-BDBD-016-3625-006.0-00-AB-00-0](#) [2M-BDBD-050-3625-006.0-00-AB-00-0](#) [2M-BDBD-020-3625-006.0-00-AB-00-0](#) [2M-ACBD-050-3625-003.0-00-AB-00-0](#) [2M-ACBD-044-3625-003.0-00-AB-00-0](#) [2M-BDBD-026-3625-012.0-00-AB-00-0](#) [2M-ACBD-030-3625-003.0-00-AB-00-0](#) [2M-ACBD-010-3625-006.0-00-AB-00-0](#) [2M-ACBD-026-3625-003.0-00-AB-00-0](#) [2M-BDBD-030-3625-012.0-00-AB-00-0](#) [2M-ACBD-016-3625-006.0-00-AB-00-0](#) [2M-BDBD-020-3625-003.0-00-AB-00-0](#) [2M-BDBD-010-3625-003.0-00-AB-00-0](#) [2M-BDBD-016-3625-003.0-00-AB-00-0](#) [2M-ACBD-040-3625-012.0-00-AB-00-0](#) [2M-ACBD-040-3625-006.0-00-AB-00-0](#) [2M-BDBD-030-3625-003.0-00-AB-00-0](#) [2M-ACBD-030-3625-012.0-00-AB-00-0](#) [2M-ACBD-040-3625-003.0-00-AB-00-0](#) [2M-ACBD-050-3625-012.0-00-AB-00-0](#) [2M-BDBD-044-3625-012.0-00-AB-00-0](#) [2M-ACBD-010-3625-012.0-00-AB-00-0](#) [2M-BDBD-026-3625-006.0-00-AB-00-0](#) [2MACAC-044-3625-004.0-00-AB-00-0](#) [2MACAC-006-3625-012.0-00-AB-00-0](#) [2M-ACAC-026-3625-003.0-00-AB-00-0](#) [2M-ACAC-020-3625-003.0-00-AB-00-0](#) [2M-BCBC-050-3625-012.0-00-AB-00-0](#) [2M-ACBC-050-3625-006.0-00-AB-00-0](#) [2M-ACAC-030-3625-012.0-00-AB-00-0](#) [2M-ACBC-026-3625-006.0-00-AB-00-0](#) [2M-ACAC-010-3625-003.0-00-AB-00-0](#) [2M-ACBC-010-3625-006.0-00-AB-00-0](#) [2M-ACAC-016-3625-006.0-00-AB-00-0](#) [2M-ACAC-026-3625-012.0-00-AB-00-0](#) [2M-BCBC-016-3625-012.0-00-AB-00-0](#) [2M-ACAC-040-3625-006.0-00-AB-00-0](#) [2M-ACAC-040-3625-003.0-00-AB-00-0](#) [2M-ACBC-030-3625-012.0-00-AB-00-0](#) [2M-BCBC-050-3625-006.0-00-AB-00-0](#) [2M-ACBC-040-3625-003.0-00-AB-00-0](#) [2M-ACBC-040-3625-006.0-00-AB-00-0](#) [2M-BCBC-050-3625-003.0-00-AB-00-0](#) [2M-ACBC-040-3625-003.0-00-AB-00-0](#) [2M-ACAC-044-3625-012.0-00-AB-00-0](#) [2M-ACAC-050-3625-012.0-00-AB-00-0](#) [2M-BCBC-030-3625-012.0-00-AB-00-0](#) [2M-ACAC-020-3625-012.0-00-AB-00-0](#) [2M-BCBC-010-3625-003.0-00-AB-00-0](#) [2M-BCBC-010-3625-006.0-00-AB-00-0](#) [2M-ACAC-010-3625-012.0-00-AB-00-0](#) [2M-ACBC-020-3625-012.0-00-AB-00-0](#) [2M-BCBC-040-3625-012.0-00-AB-00-0](#) [2M-BCBC-016-3625-006.0-00-AB-00-0](#) [2M-BCBC-016-3625-003.0-00-AB-00-0](#) [2M-BCBC-044-3625-006.0-00-AB-00-0](#)

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9