





LE Series

microSDHC Memory Card, Consumer Plus MLC Model

■ **Product Outline**

LE series are microSDHC memory cards adopting built-in consumer type MLC NAND flash memory. They are formatted complying with SD card specification.

■ **Product Specification** (specifications and appearances may be changed without notice.)

| | | 4GB | 8GB | 16GB | 32GB |
|--------------------------------|---------------------------------------|---|---|---|---|
| Appearance | |  |  |  |  |
| Part Number | | RP-SMLE04DA1 | RP-SMLE08DA1 | RP-SMLE16DA1 | RP-SMLE32DA1 |
| Capacity | Available user data area capacity *1) | 3,971,973,120 byte | 7,960,756,224 byte | 16,001,236,992 byte | 32,073,809,920 byte |
| Compliant Specification | SD Physical Specification | Ver. 3.01 | | | |
| | SD speed class | CLASS 10 | | | |
| | UHS speed grade | --- | | | |
| | Speed mode | Default Speed mode, High Speed mode, | | | |
| Backside mark | Control Code | --- | | | |
| Read/Write Performance (up to) | Read | 22MB/s (High Speed) | 22MB/s (High Speed) | 22MB/s (High Speed) | 22MB/s (High Speed) |
| | Write | 12MB/s (High Speed) | 12MB/s (High Speed) | 12MB/s (High Speed) | 12MB/s (High Speed) |
| Absolute Maximum Ratings | Supply Voltage | Min : -0.3 V ; Max : +4.6 V | | | |
| | Input Voltage | Min : -0.3 V ; Max : VDD +0.3 V | | | |
| | Output Voltage | Min : -0.3 V ; Max : VDD +0.3 V | | | |
| | Output Current | Min : -24 mA ; Max : +24 mA | | | |
| Environmental Specification | Operating Temperature | -25 degree C to +85 degree C | | | |
| | Storage Temperature | -40 degree C to +85 degree C | | | |
| | Humidity | 5 % RH to 95 % RH | | | |
| | Vibration | 15 Gp-p | | | |
| | Shock | 1,000 G | | | |
| | Mating Cycles | 10,000 cycles | | | |

*1) Free user area capacity after formatted.

Absolute Maximum Ratings are the values of limitation, which do not damage the card. So those values do not define the operational range.


Products comply with EU RoHS directives.

■ Marking Specification (example: 4GB)



“4GB”
“MADE IN TAIWAN”

Card Capacity
Country of origin



“00YM0000000”
Y
M
“0000000000”,
“0000000000000000”

Serial Number
Last digit of Manufacture year
Manufacture month
(January->A, February->B,)
Internal control code
Internal control code

■ System Reliability

- a. Error detect and corrective function
- b. Static wear leveling
- c. Bad block management

■ Notice and Caution

If you think about the usage for which special quality or reliability of the products is needed and failure or malfunction of the products may directly threaten life or injury for the special usage (aeronautic or cosmic usage, military usage, combustion machine, life support applications or safety applications), please counsel with our contacts in advance.

Write frequency and storage temperature will affect data retention time. Please make a backup for important data.

■ Warranty

If the product cannot be used because of failure which is determined as defect in design or in production of the product, it is replaced by same product or equivalent one within 12 months from the delivery date of product.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9