

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0543321270

Status:

Active

Description:

CRC™ Shielded Rectangular I/O Plug Assembly Set, Female Terminal, Signal, 12 Circuits, Polarization Type Standard, Lead Free



Series
image - Reference only

Documents:

Drawing (PDF)

Product Specification PS-51238-018 (PDF)

RoHS Certificate of Compliance (PDF)

General	
Product Family	I/O Connectors
Series	54332
Application	Wire-to-Wire
Component Type	Kit
Product Name	CRC™
Type	N/A
Physical	
Boot Color	N/A
Circuits (Loaded)	N/A
Circuits (maximum)	12
Color - Resin	Black, Gray
Gender	Plug
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Phosphor Bronze, Stainless Steel
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Polycarbonate, Polyester
Number of Rows	4
Orientation	Vertical
PCB Locator	No
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.118 In
Pitch - Mating Interface (mm)	3.00 mm
Pitch - Term. Interface (in)	0.118 In
Pitch - Term. Interface (mm)	3.00 mm
Polarized to Mating Part	Yes
Polarized to PCB	No
Ports	1
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Crimp or Compression
Waterproof / Dustproof	No

Electrical	
Current - Maximum per Contact	2A, 3A, 4A, 5A, 7A
Shield Type	Full Shield
Shielded	Yes
Voltage - Maximum	250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers	
Product Specification	PS-51238-018, RPS-51238-001
Sales Drawing	SD-54332-006

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS

Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
54332Series

Mates With
51233-1210 receptacle housing,
55837-1200 receptacle assembly set,
55838-1200 receptacle assembly set

This document was generated on 04/02/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

54332-3074	54332-**74
54332-2074	
54332-1274	
54332-3073	54332-**73
54332-2073	
54332-1273	
54332-3072	54332-**72
54332-2072	
54332-1272	
54332-3071	54332-**71
54332-2071	
54332-1271	
54332-3070	54332-**70
54332-2070	
54332-1270	
MATERIAL NO.	MODEL NO.

EN-02JA(021)

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A
ib_frame_A3_J_ME_S Rev. D 2004/04/02											

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG SOCKET HS'G	51239-1202	1	51239-2002	1	51239-3002	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1271		54332-2071		54332-3071	
タイプ TYPE	A TYPE					

RELEASED EC NO: J2006-1776 DRWN:MABEI 2005/11/30 CHKD:KTOYODA 2005/12/01 APPR:NUKITA 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY M.NABEI	DATE '05/11/28	TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-				
		10 OVER 30 UNDER	±0.25	CHECKED BY K.TOYODA	DATE '05/11/28					
		30 OVER	±0.3	APPROVED BY N.UKITA	DATE '05/11/28	MOLEX MOLEX INCORPORATED				
		ANGULAR	±3 °	MATERIAL NO.						
0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-54332-006		2 OF 5		
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	9	8	7	6	5	4	3	2	1	
EN-02JA(021)										

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A
ib_frame_A3_J_ME_S Rev. D 2004/04/02											

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG SOCKET HS'G	51239-1203	1	51239-2003	1	51239-3003	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1272		54332-2072		54332-3072	
タイプ TYPE	B TYPE					

RELEASED EC NO: J2006-1776 DRWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.25	DRAWN BY M.NABEI	DATE '05/11/28	TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-				
		10 OVER 30 UNDER	±0.25	CHECKED BY K.TOYODA	DATE '05/11/28					
		30 OVER	±0.3	APPROVED BY N.UKITA	DATE '05/11/28	MOLEX INCORPORATED				
		ANGULAR	±3 °	MATERIAL NO.						
0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-54332-006		3 OF 5		
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	9	8	7	6	5	4	3	2	1	
EN-02JA(021)										

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG SOCKET HS'G	51239-1204	1	51239-2004	1	51239-3004	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1273		54332-2073		54332-3073	
タイプ TYPE	C TYPE					

RELEASED EC NO: J2006-1776 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '05/11/28	TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-			
		10 OVER 30 UNDER	±0.25	CHECKED BY K. TOYODA	DATE '05/11/28				
		30 OVER	±0.3	APPROVED BY N. UKITA	DATE '05/11/28	MOLEX INCORPORATED			
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-54332-006			4 OF 5
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)	
---	---	---	---	---	---	---	---	---	--------------	--

10	9	8	7	6	5	4	3	2	1																																																																																																																				
F E D C B A <table><tr><td>PLUG MOLD COVER B</td><td>51236-1205</td><td>1</td><td>51236-2005</td><td>1</td><td>51236-3005</td><td>1</td></tr><tr><td>PLUG MOLD COVER A</td><td>51235-1215</td><td>1</td><td>51235-2015</td><td>1</td><td>51235-3015</td><td>1</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>1</td><td>56382-2000</td><td>1</td><td>56382-3000</td><td>1</td></tr><tr><td>PLUG SHELL COVER</td><td>56381-1228</td><td>1</td><td>56381-2028</td><td>1</td><td>56381-3028</td><td>1</td></tr><tr><td>PLUG SHELL BODY</td><td>56380-1228</td><td>1</td><td>56380-2028</td><td>1</td><td>56380-3028</td><td>1</td></tr><tr><td>PLUG SOCKET HS'G</td><td>51239-1204</td><td>1</td><td>51239-2004</td><td>1</td><td>51239-3004</td><td>1</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">12</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">54332-1273</td><td colspan="2">54332-2073</td><td colspan="2">54332-3073</td></tr><tr><td>タイプ TYPE</td><td colspan="6">C TYPE</td></tr></table> <table><tr><td rowspan="5">RELEASED EC NO: J2006-1776 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06</td><td rowspan="5">DESCRIPTION REV</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td>DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td>THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>±0.2</td><td>DRAWN BY M. NABEI</td><td>DATE '05/11/28</td><td colspan="3" rowspan="2">TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-</td></tr><tr><td>10 OVER 30 UNDER</td><td>±0.25</td><td>CHECKED BY K. TOYODA</td><td>DATE '05/11/28</td></tr><tr><td>30 OVER</td><td>±0.3</td><td>APPROVED BY N. UKITA</td><td>DATE '05/11/28</td><td colspan="3" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO. SEE CHART</td><td>DOCUMENT NO. SD-54332-006</td><td>SHEET NO. 4 OF 5</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1	PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1	PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1	PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1	PLUG SOCKET HS'G	51239-1204	1	51239-2004	1	51239-3004	1	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	12		20		30		セット型番 SET NO.	54332-1273		54332-2073		54332-3073		タイプ TYPE	C TYPE						RELEASED EC NO: J2006-1776 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '05/11/28	TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-			10 OVER 30 UNDER	±0.25	CHECKED BY K. TOYODA	DATE '05/11/28	30 OVER	±0.3	APPROVED BY N. UKITA	DATE '05/11/28	MOLEX INCORPORATED			ANGULAR ±3 °		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-54332-006	SHEET NO. 4 OF 5	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1																																																																																																																							
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1																																																																																																																							
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																																																							
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1																																																																																																																							
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1																																																																																																																							
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1																																																																																																																							
PLUG SOCKET HS'G	51239-1204	1	51239-2004	1	51239-3004	1																																																																																																																							
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																																																							
極数 CIRCUIT	12		20		30																																																																																																																								
セット型番 SET NO.	54332-1273		54332-2073		54332-3073																																																																																																																								
タイプ TYPE	C TYPE																																																																																																																												
RELEASED EC NO: J2006-1776 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																						
		10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '05/11/28	TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-																																																																																																																							
		10 OVER 30 UNDER	±0.25	CHECKED BY K. TOYODA	DATE '05/11/28																																																																																																																								
		30 OVER	±0.3	APPROVED BY N. UKITA	DATE '05/11/28	MOLEX INCORPORATED																																																																																																																							
		ANGULAR ±3 °		MATERIAL NO. SEE CHART					DOCUMENT NO. SD-54332-006	SHEET NO. 4 OF 5																																																																																																																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																											
10	9	8	7	6	5	4	3	2	1																																																																																																																				

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG SOCKET HS'G	51239-1205	1	51239-2005	1	51239-3005	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1274		54332-2074		54332-3074	
タイプ TYPE	D TYPE					

RELEASED EC NO: J2006-1776 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '05/11/28	COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-		
		10 OVER 30 UNDER	±0.25	CHECKED BY K. TOYODA	DATE '05/11/28			
		30 OVER	±0.3	APPROVED BY N. UKITA	DATE '05/11/28	MOLEX INCORPORATED		
		ANGULAR ±3 °		MATERIAL NO. SEE CHART				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)
---	---	---	---	---	---	---	---	---	--------------

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG SOCKET HS'G	51239-1205	1	51239-2005	1	51239-3005	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1274		54332-2074		54332-3074	
タイプ TYPE	D TYPE					

RELEASED EC NO: J2006-1776 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '05/11/28	TITLE COMPACT ROBOT CONN. PLUG SOCKET SET -LEAD FREE-		
		10 OVER 30 UNDER	±0.25	CHECKED BY K. TOYODA	DATE '05/11/28			
		30 OVER	±0.3	APPROVED BY N. UKITA	DATE '05/11/28	MOLEX INCORPORATED		
		ANGULAR ±3 °		MATERIAL NO. SEE CHART				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)
---	---	---	---	---	---	---	---	---	--------------

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9