





LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
ES	00		D7	ADDED NEW DASH NUMBER	20MAY2013	CZ	SZ	
			E	ADDED NEW DASH NUMBER 2-2	27FEB2015	CZ	SZ	
			E1	ADD NEW DASH NUMBER 2-3	20MAR2015	CZ	SZ	
			E2	REV PER ECO-17-002972	24FEB2017	WY	SZ	



LP CONFIGURATION TAIL DIMENSIONS

- 1 "AMP" PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
PARTS 2.00 OR LESS MAYBE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
POWER CONTACT - HIGH CONDUCTIVITY COPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA
OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 6 PCB - ALL HOLE DIMENSIONS ARE FINISHED HOLE SIZES
- 7 PCB - .0453±.0010 DRILLED HOLES. PLATED WITH .0003 MIN Sn OVER
.001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA. HOLE
- 8 FOR PART NUMBER 6450869-4,6450869-5,6450869-6,6450869-7 PLEASE
REFER TO SHEET 2.
- 9 VARIABLE DIMENSIONS PLEASE REFER TO TABLE.
- 10 PLEASE REFER TO PARTS VIEW FOR DETAIL DIMENTIONS.

-	-	.1025	.115	.435	3LP	2-6450869-3
-	-	.1025	.115	.320	2LP	2-6450869-2
-	-	-	-	.540	2P	1-6450869-7
-	-	-	-	2.820	2HDP + 3LP + 40S +4LP + 2HDP	1-6450869-6
-	-	-	-	1.370	1LP + 40S + 1LP	1-6450869-5
-	-	-	-	2.820	2ACP+ 1LP + 32S + 3HDP + 1LP + 1HDP	1-6450869-4
-	-	-	-	.400	2P	1-6450869-3
-	-	-	-	-	8P	6450869-8
-	-	.170	.200	2.715	12P	6450869-7
4.070	.120	1.295	.200	5.090	44S + 14P + 40S	6450869-6
-	1.595	.345	-	2.015	4P + 16S	6450869-5
-	.120	.795	.200	1.340	24S + 2P	6450869-4
-	-	-	-	-	4S + 17HDP + 8S	6450869-3
-	-	-	-	-	8S + 27P + 8S	6450869-2
-	-	.1025	.115	.780	6 LP	6450869-1
S	W	R	T	L	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
H.LIU
CHK
S.ZHAO
APVD
S.YAO

30APR2008
30APR2008
-

DIMENSIONS:
INCHES

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±.2°
FINISH

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

PRODUCT SPEC
108-2292
APPLICATION SPEC
114-13038

WEIGHT
-

CUSTOMER DRAWING

NAME
S.YAO

PRODUCT SPEC
108-2292
APPLICATION SPEC
114-13038

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

VERTICAL RECEPTACLE ASSEMBLY
NO GUIDES
MULTI-BEAM XLE

SIZE
A1

CAGE CODE
00779

DRAWING NO
6450869

RESTRICTED TO
-






SCALE
4:1


SHEET
1

OF
10


REV
E2


LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.LIU 30APR2008	 TE Connectivity		
		CHK S.ZHAO 30APR2008			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S.YAO	NAME VERTICAL RECEPTACLE ASSEMBLY NO GUIDES MULTI-BEAM XLE
		0 PLC ±.01		PRODUCT SPEC 108-2292	
		1 PLC ±.01		APPLICATION SPEC	
		2 PLC ±.005		114-13038	
		4 PLC ±.0020		WEIGHT -	
ANGLES FINISH		CUSTOMER DRAWING		SCALE 4:1	SHEET 2 OF 10
MATERIAL		REV E2			


PART NUMBER	ROWS		POWER		SIGNAL					
			P2	PI	6	5	4	3	2	1
6450869-4	D		GP	GS	AP	AP	AP	AP	AP	AP
	C				AP	AP	AP	AP	AP	AP
	B				AP	AP	AP	AP	AP	AP
	A				AP	AP	AP	AP	AP	AP
24S + 2P										



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG H.LIU	30APR2008	 TE Connectivity	
		CHK S.ZHAO	30APR2008		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			
INCHES		APPROVED S.YAO			
		PRODUCT SPEC			
		108-2292 APPLICATION SPEC			
0 P.LC ±.01 2 P.LC ±.01 2 P.LC ±.005 4 P.LC ±.0020 ANGLES ±.7° FINISH		114-13038 WEIGHT		SIZE A1	
MATERIAL		CUSTOMER DRAWING		CAGE CODE 100779	
				DRAWING NO 6450869	
				RESTRICTED TO -	
				SCALE 4:1	
				SHEET 3 OF 10	
				REV E2	


[illegible]4805 (3/11)

[illegible]4805 (3/11)




PART NUMBER: 6450869-3

PART NUMBER	ROWS	SIGNAL		POWER																		S
		3	2	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1		
6450869-3	D	P	P																		P	
	C	P	P	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	VS	P		
	B	P	P																	P		
	A	P	P																	P		
4S + 17HDP + 8S																						





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-






PART NUMBER	ROWS	POWER							
		P8	P7	P6	P5	P4	P3	P2	P1
6450869-8	D								
	C	GS	GS	GS	GS	GS	GS	GS	GS
	B								
	A								
8P									

PART NUMBER	POWER	
	P2	P1
I-6450869-3	GP	GS
2P		




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.LIU 30APR2008	TE Connectivity
		CHK S.ZHAO 30APR2008	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13038
		0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2° FINISH	
MATERIAL	-	WEIGHT	SIZE CAGE CODE DRAWING NO
CUSTOMER DRAWING		SCALE 4:1	SHEET 7 OF 10
		REV E2	RESTRICTED TO

[illegible]4805 (3/11)





PART NUMBER	POWER	
	P2	P1
I-6450869-7	GS	GS
2P		

4805 (3/11)

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
-	-	SEE SHEET 1			-	-	-	

PART NUMBER	LOW POWER	
	LP2	LP1
2-6450869-2	LSI	LSI
2LP		

PART NUMBER	LOW POWER		
	LP3	LP2	LP1
2-6450869-3	LSI	LSI	LSI
3 LP			



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9