








SCALE 1:1

KEYING OPTION "B"
1438082-2 $\triangle_3$



△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

1. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PARTS SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION.		DWN 01AUG2003		 Tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P L C ± .3 1 P L C ± .3 2 P L C ± .10 3 P L C ± .3 4 P L C ± .3 ANGLE ± .5°		CHEK D. STRAUSSER		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		APPR D. STRAUSSER		PRODUCT SPEC -		SIZE A	
MATERIAL SEE TABLE		APPLICATION SPEC -		WEIGHT -		CAGE CODE 00779	
FINISH SEE TABLE		CUSTOMER DRAWING -		DRAWING NO C-1438082		RESTRICTED TO -	
				SCALE 4:1		SHEET 1 of 5	
				REV 1		DATE 01AUG2003	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22								12		9	7	6					1	6-1438735-7	2LIT-14A464-SD-086															
	44								35		32															12		9	7	6					1	6-1438735-3	2LIT-14A464-SD-085															
									35																												6-1438735-2	2LIT-14A464-SD-084														
			43	42		40	39		37				29					20	18			15	14		11	10	9	8	7			4	3		1	6-1438735-1	2LIT-14A464-SD-083															
45		43							38		36					25	24				18	17	16		14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082															
45		43							38		36					25	24						16		14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081															
45		43							38		36		32	31			25	24		21	19	18	17	16		14	12			7	6				1	4-1438735-8	2LIT-14A464-SD-080															
45		43							39	38	37	36			31			25	24				18	17	16		14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079														
				42															20	18				13	11	10									2	1	3-1438735-8	2LIT-14A464-SD-078														
				42															20	18				13	11	10										1	3-1438735-7	2LIT-14A464-SD-077														
45		43							39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9					2	1	3-1438735-6	2LIT-14A464-SD-076													
45		43								38		36			31			25	24		21	20	19	18	17		14	12								2	1	3-1438735-5	2LIT-14A464-SD-075													
			43	42			40	39		37				29						20	18			15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074													
45		43							39	38	37	36			31			25	24			20	19	18	17		14	13	12		9					2	1	3-1438735-2	2LIT-14A464-SD-073													
45		43								38		36			31			25	24		21	20	19	18	17	16		14	12				7			2	1	3-1438735-1	2LIT-14A464-SD-072													
45		43							39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12		9	7				2	1	3-1438735-0	2LIT-14A464-SD-071												
45		43								38		36			31			25	24		21	20	19			16		14	12			7					2	1	2-1438735-9	2LIT-14A464-SD-070												
45		43							39	38	37	36			31			25	24		21	20	19			16		14	13	12		9	7				2	1	2-1438735-8	2LIT-14A464-SD-069												
45		43								38		36			31			25	24			20	19	18	17		14	12									2	1	2-1438735-6	2LIT-14A464-SD-068												
											33															13								6	5				2	1	2-1438735-5	2LIT-14A464-SD-067										
45	44	43	42					40		38	37	36		33	31			24	22	21	20		18	17	16	15				9	8						2	1	2-1438735-4	2LIT-14A464-SD-066												
			43											31		29						18								8							2	1	2-1438735-1	2LIT-14A464-SD-065												
45		43								38		36	35		31				25	24		21				16		14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064												
45		43								39	38	37	36	35		31				25	24				18	17	16		14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063											
45		43								38		36	35		32	31				25	24		21	19	18	17	16		14	12				7	6				1	1-1438735-8	2LIT-14A464-SD-062											
45		43								38		36	35		31				25	24						16		14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061												
45		43								38		36	35		31				25	24		21	19			16		14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060												
45		43								38		36	35		31				25	24				18	17	16		14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059												
45		43								39	38	37	36	35		31				25	24		21	19	18	17	16		14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058											
45		43								38		36	35		31				25	24		21	19	18	17	16		14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057												
				42						37											20	18			15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056												
45		43									36	35		31				24		21	19			16		14	12					7	6					1	1-1438735-1	2LIT-14A464-SD-055												
										35							27																				3			1-1438735-0	2LIT-14A464-SD-054											
			43									31		29								18							9	8							2			1438735-9	2LIT-14A464-SD-053											
										35							27														7									1438735-8	2LIT-14A464-SD-052											
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST REVISION.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

DWN R. VESTAL 01AUG2003

CHK D. STRAUSSER 01AUG2003

APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

WEIGHT

-

CUSTOMER DRAWING

SCALE 4:1

SHEET 3 OF 5

REV 1

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET I	-	-	-

45	44	43	42	41		38										27												7	5				7-1438735-7	2LIT-14A464-TD-086											
	44		42			38										27												7	5				7-1438735-6	2LIT-14A464-TD-085											
	45	44	43	42	41		38																				7	5	4				7-1438735-5	2LIT-14A464-TD-084											
		44		42		38																					7	5	4				7-1438735-4	2LIT-14A464-TD-083											
		44	43	42	41		38																				7	5	4				7-1438735-3	2LIT-14A464-TD-082											
		44		42			38									27											7	5	4				7-1438735-2	2LIT-14A464-TD-081											
		44		42			38																				7	5	4				7-1438735-1	2LIT-14A464-TD-080											
			43	42													26											7	6		4	3		7-1438735-0	2LIT-14A464-TD-079										
																	26											7	6			3		6-1438735-9	2LIT-14A464-TD-078										
		44	43	42													26										7	6		4			6-1438735-8	2LIT-14A464-TD-077											
45	44	43	42	41		38																					7	5					6-1438735-6	2LIT-14A464-TD-076											
	44		42			38																					7	5					6-1438735-5	2LIT-14A464-TD-075											
	44	43	42	41		38																					7	5					6-1438735-4	2LIT-14A464-TD-074											
	44					38										27											8	6					6-1438735-0	2LIT-14A464-TD-073											
	44					38										27											8	7	6				5-1438735-9	2LIT-14A464-TD-072											
	44																26											6					5-1438735-8	2LIT-14A464-TD-071											
	44																26											7	6				5-1438735-7	2LIT-14A464-TD-070											
	44					38										27	26											6					5-1438735-6	2LIT-14A464-TD-069											
	44					38										27	26											7	6				5-1438735-5	2LIT-14A464-TD-068											
	44																26											7	6				5-1438735-4	2LIT-14A464-TD-067											
	44																26											6					5-1438735-3	2LIT-14A464-TD-066											
		43	42														26											7	6		4			5-1438735-2	2LIT-14A464-TD-065										
																	26											7	6					5-1438735-1	2LIT-14A464-TD-064										
	44	42				38										27												7	5				4-1438735-6	2LIT-14A464-TD-063											
	44	42				38																						7	5				4-1438735-5	2LIT-14A464-TD-062											
	44	42				38										27	26										8	6					4-1438735-4	2LIT-14A464-TD-061											
	44	42				38										27	26										8	7	6				4-1438735-3	2LIT-14A464-TD-060											
	44																26										8	7	6				4-1438735-2	2LIT-14A464-TD-059											
	44																26										8	6					4-1438735-1	2LIT-14A464-TD-058											
		43	42														26										8	7	6	5			4-1438735-0	2LIT-14A464-TD-057											
																	26										8	7	6				3-1438735-9	2LIT-14A464-TD-056											
46	45	44	43									34	33	32	31		27	25					16	14	13	12	10	9	8	7	6		1	3-1438735-4	2LIT-14A464-TD-055										
46	45		43									34	33	32	31		27	25					16	14	13	12	10	9	8	7	6		1	2-1438735-7	2LIT-14A464-TD-054										
46	45	44	43	42	40							35	34	33	32	31	28					24					12				9		1	2-1438735-3	2LIT-14A464-TD-053										
	45	44	43	42	40								33	32	31		28											9			5	4		2-1438735-2	2LIT-14A464-TD-052										
		44	42			38											27	26											7	5				1438735-7	2LIT-14A464-TD-051										
						40	39	38				35	34									24						9	8	7	5			1438735-6	2LIT-14A464-TD-050										
		44	42					38									27	26																1438735-5	2LIT-14A464-TD-049										
		44	42					38										26																1438735-4	2LIT-14A464-TD-048										
		44	42					38											26										7	5				1438735-3	2LIT-14A464-TD-047										
		44	42					38												26														1438735-2	2LIT-14A464-TD-046										
		44						38									29	28										7				3		1438735-1	2LIT-14A464-TD-045										
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
TERMINAL HOLE POSITION																																		PART NUMBER		FORD PART NUMBER									
PIN-OUT CHART KEYING OPTION "B"																																													

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITION.		DWN A. HOLT 22OCT2007		Tyco Electronics Harrisburg, PA 17105-3608	
CHK S. MANKARYOS 22OCT2007		NAME S. MANKARYOS 22OCT2007		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 7 PLC ±0.10 5 PLC ± 4 PLC ± ANGLES ±°		PRODUCT SPEC	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT -	
CUSTOMER DRAWING				RESTRICTED TO	
SIZE A				CAGE CODE 00779	
DRAWING NO C=1438082				SHEET 5 OF 5	
SCALE 4:1				REV S 11	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9