

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

4

3

2

1

PG/M THREAD-1

PG/M螺纹孔-1

45

79

106.5

4X SW8

4X M5

71

4X M3 THREAD

4X M3 螺纹孔

27

56

60

77.5

TYPE 1:HI6B EMC HOOD,SIDE ENTRY,HIGH CONSTRUCTION,SCREW CONNECTION

类型1：HI6B屏蔽上壳，侧出，高结构，螺丝连接

SCALE 4:5

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: ALUMINIUM ALLOY
SURFACE: CONDUCTIVE PAINTING AFTER SAND BLASTING
DEGREE OF PROTECTION: IP67 (MATED)

注释:
1. 技术参数:
上壳材料: 铝合金
表面处理: 喷砂后再喷导电漆
防护等级: IP67(配合)

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	16APR2016	QY	CW
	A1	ECR-18-008950	10JUL2018	KW	CW

TI130165216-000	HI6B-TGH-EMCS-2PG16	HI6B EMC HOOD,TOP ENTRY 2PG16,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出2PG16，高结构，螺丝连接	PG16	PG16	TYPE 3 类型3
TI130165221-000	HI6B-TGH-EMCS-2PG21	HI6B EMC HOOD,TOP ENTRY 2PG21,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出2PG21，高结构，螺丝连接	PG21	PG21	
TI130165220-000	HI6B-TGH-EMCS-2M20	HI6B EMC HOOD,TOP ENTRY 2M20,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出2M20，高结构，螺丝连接	M20	M20	
TI130165225-000	HI6B-TGH-EMCS-2M25	HI6B EMC HOOD,TOP ENTRY 2M25,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出2M25，高结构，螺丝连接	M25	M25	TYPE 2 类型2
TI130165121-000	HI6B-TGH-EMCS-PG21	HI6B EMC HOOD,TOP ENTRY PG21,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出PG21，高结构，螺丝连接	-	PG21	
TI130165129-000	HI6B-TGH-EMCS-PG29	HI6B EMC HOOD,TOP ENTRY PG29,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出PG29，高结构，螺丝连接	-	PG29	
TI130165125-000	HI6B-TGH-EMCS-M25	HI6B EMC HOOD,TOP ENTRY M25,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出M25，高结构，螺丝连接	-	M25	
TI130165132-000	HI6B-TGH-EMCS-M32	HI6B EMC HOOD,TOP ENTRY M32,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出M32，高结构，螺丝连接	-	M32	TYPE 1 类型1
TI130165140-000	HI6B-TGH-EMCS-M40	HI6B EMC HOOD,TOP ENTRY M40,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，顶出M40，高结构，螺丝连接	-	M40	
TI120165121-000	HI6B-TSH-EMCS-PG21	HI6B EMC HOOD,SIDE ENTRY PG21,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，侧出PG21，高结构，螺丝连接	PG21	-	
TI120165129-000	HI6B-TSH-EMCS-PG29	HI6B EMC HOOD,SIDE ENTRY PG29,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，侧出PG29，高结构，螺丝连接	PG29	-	
TI120165125-000	HI6B-TSH-EMCS-M25	HI6B EMC HOOD,SIDE ENTRY M25,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，侧出M25，高结构，螺丝连接	M25	-	
TI120165132-000	HI6B-TSH-EMCS-M32	HI6B EMC HOOD,SIDE ENTRY M32,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，侧出M32，高结构，螺丝连接	M32	-	
TI120165140-000	HI6B-TSH-EMCS-M40	HI6B EMC HOOD,SIDE ENTRY M40,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳，侧出M40，高结构，螺丝连接	M40	-	
ASSEMBLY PART NUMBER 成品料号	ASSEMBLY PART DESCRIPTION 成品描述		PG/M THREAD-1 PG/M螺纹孔-1	PG/M THREAD-2 PG/M螺纹孔-2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

16APR2016

16APR2016

16APR2016

108-137015

114-137015

-

QIANG YUAN

KYLE ZENG

CHRIS WANG

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±

±

±

±

±

-

-

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET

OF

REV

HI6B-TSH/TGH-EMCS-PG/M

A200779

©-TI1X0165XXX000

1:1




3

A1


1471-9 (3/13)

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



NOTES:
SEE SHEET 1






TYPE 2:HI6B EMC HOOD,TOP ENTRY,HIGH CONSTRUCTION,SCREW CONNECTION
类型2:HI6B屏蔽上壳,顶出,高结构,螺丝连接


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 16APR2016 QIANG YUAN	TE Connectivity		
		CHK 16APR2016 KYLE ZENG			
		APVD 16APR2016 CHRIS WANG	NAME HI6B-TSH/TGH-EMCS-PG/M		
DIMENSIONS:		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
mm		108-137015	A2 00779 C-T11X0165XXX000		
		APPLICATION SPEC	SCALE 1:1 SHEET 2 OF 3 REV A1		
		114-137015			
MATERIAL		WEIGHT			
-		-			
		CUSTOMER DRAWING			

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20
©	COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



NOTES:
SEE SHEET 1



TYPE 3: H16B EMC HOOD, TOP ENTRY WITH TWO HOLE, HIGH CONSTRUCTION, SCREW CONNECTION
类型3: H16B屏蔽上壳, 顶出2孔, 高结构, 螺丝连接

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN QIANG YUAN CHK KYLE ZENG APVD CHRIS WANG	16APR2016 16APR2016 16APR2016	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH		NAME H16B-TSH/TGH-EMCS-PG/M	
		PRODUCT SPEC 108-137015		SIZE A2	CAGE CODE 00779
MATERIAL -		APPLICATION SPEC 114-137015		DRAWING NO C-T11X0165XXX000	RESTRICTED TO
-		WEIGHT -		SCALE 1:1	SHEET 3 OF 3
-		CUSTOMER DRAWING		REV A1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9