








	LEFT INDICATOR DOWN	2227225-6
	LEFT INDICATOR UP	2227225-5
	NO LIGHTPIPE	2227225-4
	LEFT INDICATOR DOWN	2227225-3
	LEFT INDICATOR UP	2227225-2
	NO LIGHTPIPE	2227225-1
CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009						DWG NO. M_SHIRK 03AUG2012				TE Connectivity	
DIMENSIONS:  mm						CHK D_SZCZESNY 03AUG2012					
TOLERANCES UNLESS OTHERWISE SPECIFIED:						APVD -		NAME		CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, QSFP+ STAKED	
						PRODUCT SPEC 108-60102					
						APPLICATION SPEC 114-60015		SIZE		CAGE CODE	DRAWING NO.
MATERIAL FINISH SEE NOTE 1 SEE NOTE 2						WEIGHT -		A100779		C=2227225	RESTRICTED TO -
CUSTOMER DRAWING								SCALE 4:1		SHEET 1 OF 4	REV A


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	-




2227225-1 / 2227225-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2227225-2 / 2227225-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2227225-3 / 2227225-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD



SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009				DWN M. SHIRK 03AUG2012	TE Connectivity		
DIMENSIONS: mm				CHK D. SZCZESNY 03AUG2012			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD	NAME		
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH				PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED		
MATERIAL SEE NOTE 1				WEIGHT -	SIZE A100779		
SEE NOTE 2				CUSTOMER DRAWING	CAGE CODE 2227225		
				SCALE 4:1	SHEET 2 OF 4		
					REV A		


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012 CHK D. SZCZESNY 03AUG2012 APVD	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-60102	SIZE 114-60015	RESTRICTED TO
MATERIAL SEE NOTE 1	FINISH SEE NOTE 2	APPLICATION SPEC 114-60015	WEIGHT -	
CUSTOMER DRAWING		SCALE 4:1 SHEET 3 OF 4 REV A		



DETAIL J
LED PADS
SCALE 10:1



Technical drawing of a mechanical part, likely a bracket or support, showing dimensions in inches. The drawing includes a top view and a side view.

Top View Dimensions:

- Overall width: 4.00
- Overall height: 4.00
- Distance from top edge to center of hole: 3.00 TYP
- Distance from center of hole to bottom edge: 1.50 TYP
- Distance from left edge to center of hole: 0.30 TYP
- Distance from right edge to center of hole: 0.30 TYP

Side View Dimensions:

- Overall width: 4X 1.75

Other Features:

- A central hole with a diameter of 0.30 TYP.
- A rectangular feature with a width of 4X 1.75 and a height of 4.00.
- A small circular feature (possibly a pin or hole) located near the top center, with a diameter of 0.30 TYP.
- A small rectangular feature (possibly a slot or hole) located near the top center, with a width of 0.30 TYP.

DETAIL K
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWG. 03AUG2012 M.SHIRK CHK. 03AUG2012 D.SZCZESNY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± 1. PLC ±0.25 2. PLC ±0.15 3. PLC ± 4. PLC ± ANGLES ±°		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE CAGE CODE DRAWING NO A100779C=2227225	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		WEIGHT CUSTOMER DRAWING	
				SCALE 4:1 SHEET 4 OF 4 REV A	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9